

**UNITED STATES DISTRICT COURT
EASTERN DISTRICT OF TEXAS
MARSHALL DIVISION**

DIFF SCALE OPERATION RESEARCH, LLC,

Plaintiff,

v.

MICROSEMI CORPORATION,

Defendant.

Civil Action No. _____

JURY TRIAL DEMANDED

COMPLAINT FOR PATENT INFRINGEMENT

DIFF Scale Operation Research, LLC (“Plaintiff”), by its undersigned counsel, bring this action and make the following allegations of patent infringement relating to U.S. Patent Nos.: 7,881,413 (the, “413 patent”); 6,664,827 (the, “827 patent”); 7,106,758 (the, “758 patent”); 6,940,810 (the, “810 patent”); 6,721,328 (the, “328 patent”); and 6,859,430 (the, “430 patent”) (collectively, the “patents-in-suit”). Defendant Microsemi Corporation (“Microsemi” or “Defendant”) infringes each of the patents-in-suit in violation of the patent laws of the United States of America, 35 U.S.C. § 1 *et seq.*

INTRODUCTION

1. This case arises from Microsemi’s infringement of a portfolio of semiconductor and network infrastructure patents. This patent portfolio arose from the groundbreaking work of ADC Telecommunications, Inc. (“ADC Telecommunications”).

2. In 1935, ADC Telecommunications, then known as the Audio Development Company¹ was founded in Minneapolis, Minnesota by two Bell Laboratory engineers to create

¹ Audio Development Company was later renamed ADC Telecommunications, Inc. *U.S. Senate Executive Reports*, U.S. PRINTING OFFICE at 39 (1999) (“The story of ADC Telecommunications

custom transformers and amplifiers for the broadcast radio industry. In the 1950s, ADC Telecommunications began to produce jacks, plugs, patch cords, and jack fields, which would be cornerstones for ADC Telecommunications' later entry into telecommunications equipment.²

3. In the late 1990s, ADC Telecommunications pioneered the development of microchips and network switches for the burgeoning telecommunications industry.³ ADC Telecommunications' products included fiber-optic video, data, and voice transmission systems, and its clients included all the major domestic cable TV operators, numerous phone companies, and a majority of TV broadcasters.⁴

4. Prior licensing of ADC Telecommunications' patents confirms the significant value of ADC Telecommunications' innovations. In 2011, HTC the Taiwan based smartphone manufacturer, bought a portfolio of 82 patents and 14 pending applications related to mobile technology from ADC Telecommunications.⁵ HTC asserted two of these patents against Apple before the International Trade Commission.

Apple Inc. may face a difficult task invalidating two HTC Corp. patents for data transmission in wireless devices, a U.S. Trade Judge said at a trial that could lead to import bans on the newest iPad and the next version of the iPhone. . . In this case,

begins in 1935, the height of the great depression The company got its start with a new innovation called the audiometer, an electronic device designed to test hearing.”).

² *High Fidelity Audio Devices Boost Capitol Diskery Sales*, BILLBOARD MAGAZINE at 12 (August 8, 1950) (describing Audio Development Company's amplifiers).

³ David Beal, *Seeing the Light; ADC Telecommunications Has Grown From Making Telephone Jacks And Plugs Into A Force For The Global Fiber-Optic Future*, ST. PAUL PIONEER PRESS at E1 (December 25, 1995).

⁴ George Lawton, *Fiber Optic Architecture Evolution Evident at Cable-TV Exhibition*, LIGHTWAVE MAGAZINE (August 1, 1995) (“Cable-Tec Expo's exhibition area featured new fiber-optic products and technologies for the optical-fiber and cable-TV industries. For example, Minneapolis-based ADC Telecommunications Inc.”)

⁵ *HTC Buys Patents from ADC Telecommunications for \$75 million*, THE NATIONAL LAW REVIEW (April 19, 2011), available at: <https://www.natlawreview.com/article/htc-buys-patents-adc-telecommunications-75-million> (“HTC, the Taiwan based smartphone manufacturer, has bought a portfolio of 82 patents and 14 pending applications related to mobile technology from US based ADC Telecommunications.”).

though, HTC acquired the patents at issue in April 2011, around the same time it began selling its first LTE phone, the Thunderbolt. ***The patents are part of a portfolio HTC bought for \$75 million from ADC Telecommunications Inc.*** [Judge] Pender told McKeon. “They are a property right.”

Susan Decker, *HTC Patents Challenged by Apple Probably Valid, Judge Says*, BLOOMBERG NEWS (September 7, 2012) (emphasis added).

5. HTC’s assertion of two patents acquired from ADC Telecommunications was described by commentators as forcing Apple to the negotiating table following a series of lawsuits between Apple and HTC:

A separate case before the ITC may have ***forced Mr. Cook to the negotiating table*** after a judge at the agency said Apple would be likely to face difficulty getting a series of HTC patents invalidated. ***HTC bought those patents, which covered technology used in LTE high-speed wireless devices, from ADC Telecommunications for US \$75 million.*** “The settlement is a big surprise and is likely due to HTC’s LTE patents, which is bought from ADC last year, as Apple’s LTE patents are relatively weak,” said Jeff Pu, an analyst from Fubon Financial Holding Co.

Apple Settles HTC Patent Suits, Signaling Shift from Jobs’ War Plan, FINANCIAL POST / BLOOMBERG NEWS (November 12, 2012) (emphasis added).


6. ADC Telecommunication’s revolutionary products included Homeworx Hybrid Fiber/Coax Access Platform (“ADC Homeworx”).⁶ ADC Homeworx was an integrated broadband transport system that could deliver video, telephony, data, and other services over a network of fiber optic and coaxial cables.⁷ The ADC Homeworx network utilized fiber-optic and radio frequency transmission technologies for transporting various services over a network.⁸ ADC Telecommunications’ groundbreaking products also included: the Soneplex Platform, CityCell,

⁶ Sue Boyle, *Cable-Telephony Platform*, LIGHTWAVE MAGAZINE Vol. 17; No. 16 at 185 (September 1, 2000) (“The Homeworx cable-telephony system adds new features to the carrier-class hybrid fiber/coaxial telephony platform. The system offers improvements in flexibility, manageability, and robustness.”).

⁷ *Homeworx HFC Access Platform Outdoor ISU-32 Integrated Services Unit Installation Manual*, ADC Telecommunications Manual at 1-1 (July 1999).

⁸ *ADC AT&T Bis Team for Cable Telephony*, CABLE WORLD MAGAZINE Vol. 11 at 28 (May 31, 1999) (“The company’s Homeworx cable telephony platform has the largest capacity in the fledgling 6 MHz bandwidth channel compared to conventional telephone carriers.”).

Cellworx STN Service, the EZT1 Voice Multiplexer, FOLENS (Fiber Optic Local Exchange Network System), and the DS3 Fiber Loop Converter.⁹



ANNOTATED GRAPHIC OF SELECTED ADC TELECOMMUNICATIONS PRODUCTS (numbered annotations showing: (1) ADC Soneplex SPX MPU Board MC68302; (2) ADC Homeworx 750MHz XMTR; (3) ADC HiGain HDSL4 Remote Unit H4TUR402L53; (4) ADC Cellworx BA4IKKLBAA; and (5) ADC Telecommunications EZT1 Access Multiplexer).

7. By 1999, ADC Telecommunications had almost 10,000 employees and annual sales of 1.5 billion dollars. Although ADC Telecommunications was a leading innovator in its field, it was a mid-sized company in a market dominated by multinational corporations.¹⁰

8. A 1999 New York Times article on the telecommunication industry foreshadowed the difficulties that ADC Telecommunications would face when competing against much large

⁹ *Modems, Test Gear, Return Path Hot at Expo*, CED MAGAZINE (June 30, 1997), available at: <https://www.cedmagazine.com/article/1997/06/modems-test-gear-return-path-hot-expo> (“ADC Telecommunications introduced a new forward path receiver that extends performance to 860 MHz for cable TV and telephony applications.”).

¹⁰ Barnaby J. Feder, *Optical Fiber (Almost at Home)*, N.Y. TIMES at F-6 (March 24, 1991) (“AT&T’s competitors range from giants like Alcatel of France and Fujitsu of Japan to mid-sized companies like ADC Telecommunications Inc.”).

competitors who were able to use their market power to dominate the market at the expense of smaller players:

Cisco's is not the only approach in the M.M.D.S. broad-band data market, however. The company's wireless competitors will include Spike Technologies, ADC Telecommunications and Adaptive Broadband. But *Cisco's prominence as an Internet technology vendor, along with the powerful alliance it has built, could give the company an inside edge*, some analysts said.

John Markoff, *Cisco to Offer More Details on Wireless Technology*, N.Y. TIMES a C-1 (November 29, 1999) (emphasis added).

9. In 2015, ADC Telecommunications (including its foundational intellectual property) were acquired by CommScope, Inc. ("CommScope"). CommScope, a spin-off of General Instrument Corporation, manufactures optical fiber cabling, multiplexers, and telecommunications antennas.

10. To facilitate the licensing of ADC Telecommunications' technology, CommScope assigned 73 patents and patent applications covering ADC Telecommunications' pioneering innovations relating to electronic circuits for timing and network traffic management to DIFF Scale Operation Research. DIFF Scale Operation Research protects and licenses ADC Telecommunications' inventions, which are widely adopted by leading technology companies.

11. Highlighting the importance of the patents-in-suit is the fact that the patents-in-suit have been cited by over 600 U.S. Patents and Patent Applications by a wide variety of the largest companies operating in the field. For example, the patents-in-suit have been cited by companies such as:

- International Business Machines Corporation¹¹
- Apple, Inc.¹²

¹¹ See, e.g., U.S. Patent Nos. 7,894,478; 8,270,296; 8,559,460; 7,398,326; 7,827,317; 7,321,648; and 7,746,777.

¹² See, e.g., U.S. Patent Nos. 9,026,680; 7,457,302; and 8,275,910.

- Intel Corporation¹³
- Broadcom Corporation¹⁴
- Microsoft Corporation¹⁵
- Sony Corporation¹⁶
- Cisco Systems, Inc.¹⁷
- Hewlett-Packard Enterprise Company¹⁸
- Huawei Technologies Co., Ltd.¹⁹
- Alcatel-Lucent S.A.²⁰
- Fujitsu Ltd.²¹
- Panasonic Corporation²²
- Telefonaktiebolaget L.M. Ericsson²³
- NEC Corporation²⁴
- Marvell Technology Group, Limited²⁵

12. Microsemi has cited the DIFF Scale Operation Research patent portfolio in fourteen of its own patents and patent applications including: U.S. Patents and Application Nos. 6,959,064; 7,315,546; 7,356,036; 7,411,970; 7,817,673; US20040258099; US20040264477; US20040264478; US20050025038 and International Patents and Application Nos. DE10310102B4; EP1109349A3; EP1394974A2; EP1394974A3.

¹³ See, e.g., U.S. Patent Nos. 7,248,246; 7,046,675; 7,263,557; 7,903,560; 8,233,506; 7,248,246; 6,507,915; 6,996,632; 7,346,099; and 7,673,073.

¹⁴ See, e.g., U.S. Patent Nos. 7,161,935; 7,203,227; 7,436,849; 7,724,661; 8,401,025; 8,411,705; 8,462,819; and 9,544,638.

¹⁵ See, e.g., U.S. Patent Nos. 7,526,677; 7,533,407; 7,793,096; 7,827,545; and 9,225,684.

¹⁶ See, e.g., U.S. Patent No. 8,200,873.

¹⁷ See, e.g., U.S. Patent Nos. 7,023,883; 7,523,185; 7,631,055; 7,653,924; 7,751,412; 8,144,591; 8,289,873; 8,379,648; and 8,811,281.

¹⁸ See, e.g., U.S. Patent Nos. 7,103,654; 7,187,674; 7,266,598; and 7,478,260.

¹⁹ See, e.g., U.S. Patent Nos. 7,664,051 and 7,916,758.

²⁰ See, e.g., U.S. Patent Nos. 6,798,741; 6,895,004; 7,209,530; 7,525,913; 7,536,716; 7,583,689; 7,602,701; and 8,379,509.

²¹ See, e.g., U.S. Patent Nos. 6,647,012; 7,330,057; 7,450,505; 7,469,298; and 7,664,217.

²² See, e.g., U.S. Patent Nos. 8,648,632 and 7,457,979.

²³ See, e.g., U.S. Patent Nos. 8,780,695 and 7,215,664.

²⁴ See, e.g., U.S. Patent Nos. 6,218,875; 6,707,823; 6,810,497; 6,885,676; and 7,486,663.

²⁵ See, e.g., U.S. Patent Nos. 7,733,588; 7,737,793; and 7,944,313.

THE PARTIES

DIFF SCALE OPERATION RESEARCH, LLC

13. DIFF Scale Operation Research, LLC (“DIFF Scale Operation Research”) is a limited liability company organized under the laws of Delaware. DIFF Scale Operation Research is committed to advancing the current state of electronic circuitry and network infrastructure.

14. Brooks Borchers, a former leader of research and development divisions at Boston Scientific Corporation, is the president and owner of DIFF Scale Operation Research, LLC.

15. In an effort to obtain compensation for ADC Telecommunications’ pioneering work in the fields of semiconductors, electronic circuitry, and network infrastructure, CommScope assigned the following patents and patent application to DIFF Scale Operation Research: U.S. Patents and Application Nos. 5,986,486; 6,008,734; 6,157,646; 6,216,166; 6,233,221; 6,363,073; 6,407,983; 6,433,988; 6,664,827; 6,721,328; 6,757,247; 6,847,609; 6,859,430; 6,940,810; 6,959,006; 6,980,565; 6,990,110; 7,106,758; 7,170,894; 7,239,627; 7,881,413; 8,121,455; US20010000071A1; US20020150108A1; US20020163886A1; US20020176411A1; US20020180498A1; US20020190764A1; US20030063625A1; US20030118033A1; US20070019686A1; US20100061686A1; US20100150515A1 and International Patents and Application Nos. AT519138T; AU199914551A; AU199923274A; AU199923353A; AU200134402A; AU2002309562A1; CA2442738A1; CA2447983A1; CA2447983C; CN1278969A; CN1289489A; CN1291414A; DE102007010863A1; DE102007010863B4; DE102007032186A1; DE202007008151U1; DK2132589T3; EP1031185A1; EP1050125A1; EP1057361A1; EP1386450A2; EP1386450A4; EP2132589A1; EP2132589B1; ES2368361T3; JP03811007B2; JP2001523059A; JP2002502146A; JP2002504793A; JP3811007B2; WO1999025066A1; WO1999038285A1; WO1999043184A1; WO2001037468A2;


WO2001037468A3; WO2002084927A2; WO2002084927A3; WO2002101959A1;
WO2008104282A1; WO2008104284A1.²⁶

16. DIFF Scale Operation Research pursues the reasonable royalties owed for Microsemi's use of ADC Telecommunications' and CommScope's groundbreaking technology both here in the United States and throughout the world.

17. CommScope maintains 79,950 square feet of office space at 2601 Telecom Pkwy, Richardson, Texas. Over 200 CommScope employees are employed at its Richardson, Texas location. CommScope maintains off-site document storage at its Richardson, Texas office where hard-copy documents are stored, at least some of which are relevant to this case. CommScope also maintains a datacenter located in Richardson, Texas, where at least some information and software relating to the patents-in-suit in this action are stored. In addition, CommScope maintains a Wide Band Multimode Fiber testing facility in Richardson, Texas.

18. ADC Telecommunications had a significant presence in Richardson, Texas and many of the inventions disclosed in the ADC Telecommunications patent portfolio were made at its Richardson location. On information and belief, many of the named inventors of the ADC Telecommunications patent portfolio continue to be located in and in close proximity to the Eastern District of Texas.

²⁶ The patents were assigned to DIFF Scale Operation Research by CommScope DSL Systems, LLC and CommScope Technologies, LLC.



U.S. PATENT NOS. 7,881,413; 6,664,827; 7,106,758; 6,407,983 (annotations added) (showing the named inventors located in and in close proximity to the Eastern District of Texas).

MICROSEMI CORPORATION

19. On information and belief, Microsemi Corporation (“Microsemi”), is a Delaware corporation with its principal place of business at One Enterprise, Aliso Viejo, California 92656. Microsemi may be served through its registered agent Prentice Hall Corporation, 211 E. 7th Street, Suite 620, Austin, Texas 78701. On information and belief, Microsemi is registered to do business in the State of Texas and has been since at least March 3, 1995.

20. On information and belief, Microsemi conducts business operations within the Eastern District of Texas in its facilities at 2805 North Dallas Tollway, Suite 210, Plano, Texas 75093.

21. On information and belief, Microsemi has offices in the Eastern District of Texas where it sells, develops, and/or markets its products including sales offices in Plano.

22. On information and belief, Microsemi has partnered with several Eastern District of Texas-based businesses to sell and service Microsemi products, including, for example, Arrow Dallas and Future Electronics Dallas.

JURISDICTION AND VENUE

23. This action arises under the patent laws of the United States, Title 35 of the United States Code. Accordingly, this Court has exclusive subject matter jurisdiction over this action under 28 U.S.C. §§ 1331 and 1338(a).


24. Upon information and belief, this Court has personal jurisdiction over Microsemi in this action because Microsemi has committed acts within the Eastern District of Texas giving rise to this action and has established minimum contacts with this forum such that the exercise of jurisdiction over Microsemi would not offend traditional notions of fair play and substantial justice. Defendant Microsemi, directly and/or through subsidiaries or intermediaries (including distributors, retailers, and others), has committed and continues to commit acts of infringement in this District by, among other things, offering to sell and selling products and/or services that infringe the patents-in-suit. Moreover, Microsemi is registered to do business in the State of Texas, has offices and facilities in the State of Texas, and actively directs its activities to customers located in the State of Texas.

25. Venue is proper in this district under 28 U.S.C. §§ 1391(b)-(d) and 1400(b). Defendant Microsemi is registered to do business in the State of Texas, has offices in the Eastern District of Texas, and upon information and belief, has transacted business in the Eastern District of Texas and has committed acts of direct and indirect infringement in the Eastern District of Texas.

**ADC TELECOMMUNICATIONS LANDMARK SEMICONDUCTOR
AND NETWORKING TECHNOLOGIES**

26. In 1935, ADC Telecommunications, then known as the Audio Development Company was founded in Minneapolis, Minnesota by two Bell Laboratory engineers to create custom transformers and amplifiers for the radio broadcast industry. In 1941, while participating

in a project to develop a sophisticated audio system for Coffman Union at the University of Minnesota, ADC Telecommunications began to produce jacks, plugs, patch cords, and jack fields, which would be cornerstones for ADC Telecommunications' later entry into telecommunications equipment.²⁷




High Fidelity Audio Devices Boost Capitol Diskery Sales, BILLBOARD MAGAZINE at 12 (August 8, 1950) (describing Audio Development Company's amplifiers).

27. In 1961, ADC Telecommunications released the Bantam jack. This product was an amalgam of miniaturized components and became standard for telephone circuit access and patching.²⁸

²⁷ James F. Mauk, INDUSTRIAL RESEARCH LABORATORIES OF THE UNITED STATES at 47 (1947) (listing the research activities of the Audio Development Company as "high temperature electronic transformers; miniaturization of electronic transformers; high frequency electrical wave filters, encapsulation techniques; epoxies").

²⁸ Steven Titch, *ADC Unveils Loop Product Strategy*, TELEPHONY at 9 (February 24, 1992).

A Typical Challenge to ADC Engineering!



Multi-Channel NARROW BANDPASS FILTER UNITS

Like many of the problems brought to the Audio Development Company, this one involved a definite performance improvement with reductions in size and weight.

From an originally specified maximum weight of 40 oz. for gotted one-channel interstage filters, the weight of this ADC five-channel unit was reduced to less than 10 oz. per section, hermetically sealed. Volume was reduced by over 50%.

Electrical performance was improved to provide a midband gain of 14 ± 1% db when the original specifications permitted a loss from 0 to 6 db. In addition, attenuation characteristics were improved to provide approximately 25 db discrimination at 1/3 octave with bandpass ± 1% db over ± 3% of mid-frequency.

These filters are available in single or multi-channel units for frequencies from 200 cps to supersonic and carrier range. Frequencies lower than 200 cps are available with some size increase. Units can also be supplied in combination with high or low pass filters to meet special requirements.

THREE-PHASE POWER (continued)

$$\left[c + \frac{b - \sqrt{b^2 - 4ac}}{2(2 + b\sqrt{3})} \right]^{1/2} + \frac{1 + b\sqrt{3}}{2(2 + b\sqrt{3})}$$

The $F = 1$ curve for the lead shifter

$$a = \left\{ \left[\frac{b\sqrt{b^2 + 1}}{4} \right]^2 - \left[c + \frac{b}{4} \right]^2 \right\}^{1/2} + \frac{b + 2}{4}$$

The 120-degree curve for the lag shifter

$$a = \frac{(2 + (b + 2c)\sqrt{3} \pm \sqrt{(4 + 3b)^2 + 16c(b + c)})^{1/2}}{2}$$

The $F = 1$ curve for the lag shifter

$$a^3 - 4a^2 + a^2(2c^2 + 2bc + b^2 + 4) + a(4c^2 + 4bc + 2b^2) = -[c^2 + 2bc + c^2(b^2 + 4) + 4bc]$$

For each value of b , the first two equations determine a design point for the shifter on an $a-c$ plane. The




Fig. 2—Design curve for 120-degree lead shifter.

A Typical Challenge To ADC Engineering, ELECTRONICS MAGAZINE Vol. 18 at 288 (August 1945) (describing one of the early innovations of ADC Telecommunications).

28. In the 1960s, ADC Telecommunications began an ongoing partnership with NASA's space missions, designing and manufacturing sensors for the Columbia space shuttle.


power supply board. The transceivers used are the CAF model manufactured by ADC Telecommunications, Inc.. The transceiver use bidirectional, full-duplex signal transmission over a single optic fiber. The transceiver is a self-contained, circuit-board-mountable device that contains the transmitting LED, the receiving photodetector, and the beam splitter. The transceivers are a matched pair which utilize two different light frequencies for receiving and transmitting. This configuration allows for full-duplex and bidirectional operation over a single fiber optic line. The optic fiber connects to the transceivers with SMA-type connectors.

R. L. Glassell et al., *Custom Electronic Subsystems For The Laboratory Telerobotic Manipulator*, PROCEEDINGS OF THE FOURTH ANS TOPICAL MEETING ON ROBOTICS AND REMOTE SYSTEMS at 151 (1991) (describing the work ADC Telecommunications was doing for NASA).

29. The 1970s and 1980s ushered in technological advancement in all areas of telecommunications and data processing. Public and private computer use increased, and

telecommunications evolved into the computer age, with telephonic digital transmission and the expansion of data communications. As a leading innovator in these fields, ADC Telecommunications grew dramatically. ADC Telecommunications entered the video services delivery market and was a leading supplier of fiber-optic video transmission equipment for cable operators.²⁹

30. In the 1990's ADC Telecommunications utilized its fiber-optics expertise to develop a local loop system with the goal of providing economical fiber directly to private homes. ADC Telecommunications also created Networx, a novel transmission platform that integrated cable management and private networking products, using synchronous optical network and the asynchronous transfer mode (ATM). The cornerstone of Networx was Sonoplex, a multi-rate, multimedia system that brought fiber to the customer's work or residence site, while making use of existing copper lines.



ANNOTATED GRAPHIC OF SELECTED ADC SONOPLEX TELECOMMUNICATIONS PRODUCTS (numbered annotations showing: (1) SPX-HLXRG4 Sonoplex HDSL Module; (2) ADC SPX-APU0B1 SONEPLEX ALM Processor Module; and (3) ADC SPX-RLX1B1 CARD.)

²⁹ Carol Wilson, *ADC Launches Fiber-Coax Platform*, TELEPHONY AT 11 (May 24, 1993).

31. In the 1990s, ADC Telecommunications partnered with South Central Bell, Mississippi Educational Television, Northern Telecom, IBM, and Apple Computer to create Fibernet, a network linking students at four high schools in Clarksville, Corinth, West Point, and Philadelphia, Mississippi, with teachers at Mississippi State University, Mississippi University for Women, and Mississippi School for Mathematics and Science to create "electronic classrooms."

32. ADC Telecommunications became an "early leader" in the asynchronous transfer mode (ATM) market, developing some of the first ATM switches. The ADC Telecommunications ATM switch enabled the handling the massive flows of simultaneous high-speed digital information that the industry projected would be generated during the latter half of the 1990s and into the 21st century, arising from the blending of the communications, computing, and entertainment industries. ADC Telecommunications also landed a coup in March 1994 when Ameritech chose ADC to supply equipment for its fiber-optic video system. This \$4.4 billion project would bring 70 channels of analog television and 40 channels of digital video to customers, with unlimited program choices and interactive, customer-controllable programming. By 1999, ADC Telecommunications employed 9,700 people and was selling \$1.5 billion dollars in communications equipment.

THE ASSERTED PATENTS

U.S. PATENT NO. 7,881,413

33. U.S. Patent No. 7,881,413 (the "'413 patent") entitled, *Digital PLL With Conditional Holdover*, was filed on March 1, 2002, and claims priority to March 2, 2001. The '413 patent is subject to a 35 U.S.C. § 154(b) term extension of 2,127 days. DIFF Scale Operation Research is the owner by assignment of the '413 patent. A true and correct copy of the '411 patent is attached hereto as Exhibit A.

34. The '413 patent teaches novel phase locked loops (PLL) that provide for conditional holdover that is especially suited for use in communications networks.

35. The '413 patent and its underlying patent application have been cited by 24 United States patents and patent applications as relevant prior art. Specifically, patents issued to the following companies have cited the '413 patent and its underlying patent application as relevant prior art:

- Fujitsu Ltd.
- Infineon Technologies Ag
- Mediatek Inc.
- Schweitzer Engineering Laboratories, Inc.
- Silicon Laboratories Inc
- Sony Corporation
- Thomas & Betts International, LLC
- National Semiconductor Corporation
- L3 Communications Integrated Systems, L.P.
- Xilinx, Inc.
- Nortel Networks Limited
- Lattice Semiconductor
- Emerson Electric Co., Ltd.
- Furuno Electric Co., Ltd.
- Panasonic Corporation
- Huawei Technologies Co., Ltd

U.S. PATENT NO. 6,664,827

36. U.S. Patent No. 6,664,827 (the "'827 patent") entitled, *Direct Digital Synthesizer Phase Locked Loop*, was filed on March 1, 2002, and claims priority to March 2, 2001. DIFF Scale Operation Research is the owner by assignment of the '827 patent. A true and correct copy of the '827 patent is attached hereto as Exhibit B.

37. The '827 patent discloses phase locked loops for establishing a timing signal for signal communication synchronization. The various embodiments of the invention make use of phase locked loops adapted to filter and store data indicative of the control signal applied to an oscillator. Such phase locked loops permit suppression of tracking in the event of a step change

in the phase difference between the reference clock signal and the feedback signal in the phase locked loop. Such phase locked loops further facilitate compensation for drift of the oscillator.

38. The '827 patent teaches, in one embodiment, a phase locked loop that includes a digital phase comparator having a first input for receiving a reference clock signal, a second input for receiving a feedback signal, and an output for providing an error signal; a digital loop filter having an input for receiving the error signal and an output for providing a control signal; a numerically-controlled oscillator having an input for receiving the control signal and an output for providing a timing signal, wherein the feedback signal is derived from the timing signal.

39. The '827 patent teaches detecting a step change in a phase relationship between the reference clock signal and the feedback signal, and to recenter the digital phase comparator if a step change is detected.

40. The '827 patent teaches the sampling of data from a low-pass filter indicative of an average control signal and comparing the average control signal to a threshold limit. The '827 patent describes trimming the oscillator if the average control signal is outside the threshold limit.

41. The '827 patent further teaches monitoring a phase comparator for a step change in the phase difference between the reference clock signal and the feedback signal; and recentering the phase comparator if a step change in the phase difference between the reference clock signal and the feedback signal is detected.

42. The '827 patent and its underlying patent application have been cited by 48 United States patents and patent applications as relevant prior art. Specifically, patents issued to the following companies have cited the '827 patent and its underlying patent application as relevant prior art:

- Advantest Corporation
- Agilent Technologies Inc.,

- Air Products and Chemicals, Inc.
- Broadcom Corporation
- Datang Group
- Freescale Semiconductor, Inc.
- NXP Semiconductors
- Infineon Technologies AG
- International Business Machines Corporation
- Marvell International Ltd.
- Cavium
- Metrotech Corporation
- Nvidia Corporation
- Siemens Aktiengesellschaft
- Standard Microsystems Corporation
- Western Digital Technologies, Inc.
- Hewlett-Packard Development Company, L.P.
- Rambus, Inc.
- Panasonic Corporation
- National Semiconductor Corporation
- Alcatel
- Lightlab Imaging, Inc.
- Matsushita Electric Industrial Co., Ltd.
- National Aeronautics and Space Administration (“NASA”)
- Advanced Micro Devices, Inc.
- Nihon Dempa Kogyo Co., Ltd.

U.S. PATENT NO. 7,106,758

43. U.S. Patent No. 7,106,758 (the “758 patent”) entitled, *Circuit and Method for Service Clock Recovery*, was filed on August 3, 2001. The ‘758 patent is subject to a 35 U.S.C. § 154(b) term extension of 885 days. DIFF Scale Operation Research is the owner by assignment of the ‘758 patent. A true and correct copy of the ‘758 patent is attached hereto as Exhibit C.

44. The ‘758 patent teaches synchronizing a service clock at a destination node with a service clock at a source node.

45. The ‘758 patent discloses the use of control values to set a service clock frequency at a computer node that is receiving data over a network.

46. The '758 patent teaches clock synchronization for a circuit emulation service over a packet network wherein data packets are received from a source node at one or more ports of a computer system.

47. The '758 patent discloses improvements in techniques for recovering a service clock at a destination node.

48. The clock synchronization technologies described in the '758 patent include the use of an adaptive clock recovery technique to recover the service clock. Further, the '758 patent claims the use of a service clock that is controlled based on values calculated over a plurality of time periods.

49. The '758 patent describes the use of a microcontroller that uses information from a counting circuit to control a direct digital synthesis circuit ("DDS"). The DDS is used to generate a local service clock signal for a destination node.

50. Further, the '758 patent teaches the use of a microcontroller that utilizes the fill level of a buffer to control the frequency of the local service clock generated by the DDS circuit.

51. The '758 patent family has been cited by 46 United States patents and patent applications as relevant prior art. Specifically, patents and patent applications issued to the following companies have cited the '758 patent family as relevant prior art:

- Intel Corporation
- Broadcom Corporation
- Fujitsu, Ltd.
- Huawei Technologies Co., Ltd.
- Juniper Networks, Inc.
- LSI Corporation
- National Semiconductor Corporation
- Texas Instruments, Inc.
- Nortel Networks, Ltd.
- Siverge, Ltd.
- Symmetricom, Inc.
- **Microsemi Corporation**
- Tellabs Operations, Inc.
- Via Technologies, Inc.

- Wideband Semiconductors, Inc.
- Acorn Packet Solutions, LLC
- Adc Telecommunications, Inc.
- Axerra Networks, Ltd.
- British Telecommunications PLC
- INOVA Semiconductors GmbH

U.S. PATENT NO. 6,940,810

52. U.S. Patent No. 6,940,810 (“the ‘810 patent”) entitled, *Protection Switching of Virtual Connections at the Data Link Layer*, was filed on October 25, 2000, and claims priority to February 20, 1998. The ‘810 patent is subject to a 35 U.S.C. § 154(b) term extension of 875 days. DIFF Scale Operation Research is the owner of all right, title, and interest in the ‘810 patent. A true and correct copy of the ‘810 patent is attached hereto as Exhibit D.

53. The ‘810 patent claims specific methods and systems for protection switching in a network that uses virtual connections. The system includes first and second switch fabrics, unidirectional busses that provide a communication path between the first and second switch fabrics, and network elements that separately track the status of a number of virtual connections such that when an error is detected by one of the switch fabrics, the error is communicated to the other switch fabric.

54. The ‘810 patent teaches a method and system wherein the first and second switch fabrics of each network element are associated with a route.

55. The ‘810 patent further teaches the use of a first and second uni-directional bus that is used to communicate the change in state for a virtual connection.

56. Another insight for improving the performance of a network described by the ‘810 patent is to have a number of ring segments coupled between adjacent network elements to form first and second routes for transporting cells using virtual connections.

57. The '810 patent further discloses at least two uni-directional busses coupled between two switch fabrics.

58. Among the inventions disclosed in the '810 patent is a ring network that includes two routes for transporting cells using a virtual connection. Further, for each virtual connection, one route is the working route and the other route is the protection route.

59. The inventions taught in the '810 patent achieve improvements in computer network systems by using virtual connections to communicate between two switch fabrics. Implementation of the system and methods disclosed in the '810 patent is directed to a specific improvement in computer technology – protection switching in a network that uses virtual connections. Further, the claims of the '810 patent are directed to specific asserted improvements in computer networking capabilities. For example, the claims recite specific steps – first and second unidirectional busses that provide a communication path between the first and second switch fabrics – that accomplish the desired result.

60. The '810 patent claims a technical solution to a problem unique to computer systems: network survivability following errors.

61. The '810 patent and its related patents have been cited by 17 United States patents and patent applications as relevant prior art. Specifically, patents issued to the following companies have cited the '810 patent family as relevant prior art:

- Brocade Communications Systems, Inc. (now part of Broadcom Limited)
- Foundry Networks LLC (now part of Broadcom Limited)
- Ciena Corporation
- Audiocodes Texas, Inc.
- Hewlett-Packard Development Company, L.P.
- Positron Networks PNI, Inc.
- Samsung Electronics Co., Ltd.
- Symantec Corporation
- Tekelec, Inc. (now part of Oracle Corporation)
- Telefonaktiebolaget LM Ericsson

- Broadcom Limited

U.S. PATENT NO. 6,721,328

62. U.S. Patent No. 6,721,328 (“the ‘328 patent”) entitled, *Adaptive Clock Recovery for Circuit Emulation Service*, was filed on November 19, 1999. DIFF Scale Operation Research is the owner of all right, title, and interest in the ‘328 patent. A true and correct copy of the ‘328 patent is attached hereto as Exhibit E.

63. The ‘328 patent claims specific methods and systems for clock recovery in a packet network. The system includes a network which receives data packets at a destination node. Further, the data packets are stored in a buffer and read out of the buffer using a locally generated clock. The fill level of the buffer is monitored over a first period. A relative maximum fill level for the buffer is identified during the first period of time. Further, the relative maximum fill level is used to control the frequency of the locally generated clock so as to control the rate at which data is read out of the buffer.

64. The ‘328 patent teaches a method and system for adaptive clock recovery.

65. The ‘328 patent further teaches the use of a peak buffer fill level as an indicator to lock a local clock at a destination node with the service clock at a source node.

66. Another insight for improving the performance of clock recovery in a packet network described by the ‘328 patent is using the relative maximum fill level to control a frequency of the locally generated clock so as to control the rate at which data is read out of the buffer.

67. Among the inventions disclosed in the ‘328 patent is a system comprising a peak fill detector that compares a read address and a write address for the buffer and stores the maximum buffer fill level observed over a period of time.

68. The inventions taught in the '328 patent achieve improvements in clock recovery systems by using adaptive clock recovery using a buffer. Implementation of the system and methods disclosed in the '328 patent are directed to a specific improvement in computer technology – clock recovery. Further, the claims of the '328 patent are directed to specific asserted improvements in computer capabilities. For example, the claims recite specific steps – controlling the frequency of a recovered clock signal based on the relative maximum fill level – that accomplish the desired result.

69. The '328 patent claims a technical solution to a problem unique to computer systems: clock recovery in a packet network.

70. The '328 patent and its related patents have been cited by 35 United States patents and patent applications as relevant prior art. Specifically, patents issued to the following companies have cited the '328 patent family as relevant prior art:

- Axerra Networks, Inc.
- Broadcom Corporation
- Cisco Systems, Inc.
- ENENSYS Technologies SA
- Gennum Corporation (now part of Semtech Corporation)
- Hewlett-Packard Development Company, L.P.
- Infineon Technologies AG
- Lantiq Deutschland GmbH (now part of Intel Corporation)
- Lycium Networks (B.V.I.) Ltd.
- Network Equipment Technologies, Inc. (now part of Ribbon Communications, Inc.)
- RAD Data Communications Ltd.
- Rohde & Schwarz GmbH & Co. KG
- Siverge Networks, Ltd.
- Sony Corporation
- Yamaha Corporation
- Zarlink Semiconductor Limited (now part of Microsemi Corporation)
- Semtech Corporation
- ***Microsemi Corporation***

U.S. PATENT NO. 6,859,430

71. U.S. Patent No. 6,859,430 (“the ‘430 patent”) entitled, *Protection Switching of Virtual Connections*, was filed on October 1, 1999, and claims priority to February 20, 1998.

DIFF Scale Operation Research is the owner of all right, title, and interest in the ‘430 patent. A true and correct copy of the ‘430 patent is attached hereto as Exhibit F.

72. The ‘430 patent claims specific methods and systems for the protection of virtual connections in a network.

73. The inventions taught in the ‘430 patent achieve improvements in networking systems. Implementation of the system and methods disclosed in the ‘430 patent is directed to a specific improvement in computer technology – virtual connection switching. Further, the claims of the ‘430 patent are directed to specific asserted improvements in computer capabilities

74. The ‘430 patent and its related patents have been cited by 16 United States patents and patent applications as relevant prior art. Specifically, patents issued to the following companies have cited the ‘430 patent family as relevant prior art:

- Adtran, Inc.
- Ciena Corporation
- Hewlett-Packard Development Company, L.P.
- Infinera Corporation
- Mitsubishi Denki Kabushiki Kaisha
- Nortel Networks, Ltd.
- Alcatel-Lucent S.A.

COUNT I
INFRINGEMENT OF U.S. PATENT NO. 7,881,413

75. DIFF Scale Operation Research references and incorporates by reference the preceding paragraphs of this Complaint as if fully set forth herein.

76. Microsemi designs, makes, uses, sells, and/or offers for sale in the United States products and/or services for generating a timing signal in a phase locked loop.

77. Microsemi designs, makes, sells, offers to sell, imports, and/or uses timing circuits, including product numbers: ZL30150, ZL30151, ZL30158, ZL30159, ZL30160, ZL30165, ZL30166, ZL30167, ZL30611, ZL30612, ZL30614, ZL30142, ZL30143, ZL30161, ZL30162, ZL30163, ZL30164, ZL30621, ZL30622, ZL30623, ZL30601, ZL30602, ZL30603, ZL30604, DS3100, DS3102, DS3104, DS3105, DS3106, DS31400, DS31404, DS31406, DS31407, DS31408, and DS31415 (collectively, the “Microsemi ‘413 Product(s)”).

78. On information and belief, one or more Microsemi subsidiaries and/or affiliates use the Microsemi ‘413 Products in regular business operations.

79. On information and belief, one or more of the Microsemi ‘413 Products include technology for generating a timing signal from a reference clock signal.



MICROSEMI DS3106 LINE CARD TIMING IC DATA SHEET at 1 (April 2012) (annotations added).

80. On information and belief, one or more of the Microsemi ‘413 Products contain a phase comparator.

81. On information and belief, one or more of the Microsemi ‘413 Products contain a low-pass filter.

82. On information and belief, one or more of the Microsemi '413 Products comprise an oscillator coupled in a feedback arrangement.

83. On information and belief, one or more of the Microsemi '413 Products comprise a control system that generates an output signal where the phase of the output signal is related to the phase of an input signal.

In typical line card applications, the T0 DPLL takes reference clock signals from two redundant system timing cards, monitors both, selects one, and uses that reference to produce a variety of clocks that are needed to time the outgoing traffic interfaces of the line card (SONET/SDH, Synchronous Ethernet, etc.). To perform this role in a variety of systems with diverse performance requirements, the T0 DPLL has a sophisticated feature set and is highly configurable. T0 can automatically transition among free-run, locked, and holdover states without software intervention. In free-run, T0 generates a stable, low-noise clock with the same frequency accuracy as the external oscillator connected to the REFCLK pin. With software calibration the DS3106 can even improve the accuracy to within ± 0.02 ppm. When the selected input reference clock has been validated, T0 transitions to the locked state in which its output clock accuracy is equal to the accuracy of the input reference. While in the locked state, T0 acquires an average frequency value to use as the holdover frequency. When its selected reference fails, T0 can very quickly detect the failure and enter the holdover state to avoid affecting its output clock. From holdover it can be manually switched to another input reference. When all input references are lost, T0 stays in the holdover state, in which it generates a stable low-noise clock with initial frequency accuracy equal to its stored holdover value and drift performance determined by the quality of the external oscillator.

MICROSEMI DS3106 LINE CARD TIMING IC DATA SHEET at 8 (April 2012) (emphasis added).

84. On information and belief, the Microsemi '413 Products are available to businesses and individuals throughout the United States.

85. On information and belief, the Microsemi '413 Products are provided to businesses and individuals located in the Eastern District of Texas.

86. On information and belief, Microsemi has directly infringed and continues to directly infringe the '413 patent by, among other things, making, using, offering for sale, and/or selling technology for generating a timing signal in a phase locked loop, including but not limited to the Microsemi '413 Products, which include infringing technology for generating a timing signal in a phase locked loop. Such products and/or services include, by way of example and without limitation, the Microsemi '413 Products.

87. On information and belief, the Microsemi '413 Products comprise a system for generating a timing signal from a reference clock signal in a phase locked loop.

88. On information and belief, the Microsemi '413 Products include functionality for monitoring a status message received from a source of the reference clock signal indicative of a quality level of the reference clock signal.

89. On information and belief, the Microsemi '413 Products are a system containing functionality for placing the phase locked loop in a holdover condition if the quality level indicated by the status message is below a target level.

7.7.1.6 Holdover State

The device reaches the holdover state when it declares its selected reference invalid for 2 seconds. During holdover the T0 DPLL is not phase-locked to any input clock but instead generates its output frequency based on previous frequencies while it was locked. When the selected reference becomes active, the state machine immediately transitions from holdover to the prelocked 2 state, and tries to lock to the selected reference.

MICROSEMI DS3106 LINE CARD TIMING IC DATA SHEET at 22 (April 2012) (underline added).

90. The Microsemi '413 Products comprise a system for performing the elements in a proscribed order.

91. By making, using, testing, offering for sale, and/or selling products and services, including but not limited to the Microsemi '413 Products, Microsemi has injured DIFF Scale Operation Research and is liable to the Plaintiff for directly infringing one or more claims of the '413 patent, including at least claim 21 pursuant to 35 U.S.C. § 271(a).

92. On information and belief, Microsemi also indirectly infringes the '413 patent by actively inducing infringement under 35 USC § 271(b).

93. Microsemi has had knowledge of the '413 patent since at least service of this Complaint or shortly thereafter, and on information and belief, Microsemi knew of the '413 patent and knew of its infringement, including by way of this lawsuit.

94. On information and belief, Microsemi intended to induce patent infringement by third-party customers and users of the Microsemi '413 Products and had knowledge that the inducing acts would cause infringement or was willfully blind to the possibility that its inducing acts would cause infringement. Microsemi specifically intended and was aware that the normal and customary use of the accused products would infringe the '413 patent. Microsemi performed the acts that constitute induced infringement, and would induce actual infringement, with knowledge of the '413 patent and with the knowledge that the induced acts would constitute infringement. For example, Microsemi provides the Microsemi '413 Products that have the capability of operating in a manner that infringe one or more of the claims of the '413 patent, including at least claim 21, and Microsemi further provides documentation and training materials that cause customers and end users of the Microsemi '413 Products to utilize the products in a manner that directly infringe one or more claims of the '413 patent.³⁰ By providing instruction and training to customers and end-users on how to use the Microsemi '413 Products in a manner that directly infringes one or more claims of the '413 patent, including at least claim 21, Microsemi specifically intended to induce infringement of the '413 patent. On information and belief, Microsemi engaged in such inducement to promote the sales of the Microsemi '413 Products, e.g., through Microsemi user manuals, product support, marketing materials, and training materials to actively induce the users of the accused products to infringe the '413 patent. Accordingly, Microsemi has induced and continues to induce users of the accused products to use the accused

³⁰ See, e.g., MICROSEMI DS3104-SE LINE CARD TIMING IC WITH SYNCHRONOUS ETHERNET SUPPORT (April 2012); MICROSEMI DS3106 LINE CARD TIMING IC (April 2012); MICROSEMI DS3106 LINE CARD TIMING IC (April 2012); MICROSEMI ZL30160 FOUR CHANNEL UNIVERSAL CLOCK TRANSLATOR, *Short Form Data Sheet* (2011); MICROSEMI ZL30158 SYNCE AND TELECOM RATE CLOCK TRANSLATOR, *Short Form Data Sheet* (2011); and MICROSEMI ZL30601/ZL30602/ZL30603/ZL30604 SYNCHRONOUS ETHERNET PACKET CLOCK NETWORK SYNCHRONIZER (Aug. 2016).

products in their ordinary and customary way to infringe the '413 patent, knowing that such use constitutes infringement of the '413 patent.

95. The '413 patent is well-known within the industry as demonstrated by multiple citations to the '413 patent in published patents and patent applications assigned to technology companies and academic institutions. Microsemi is utilizing the technology claimed in the '413 patent without paying a reasonable royalty. Microsemi is infringing the '413 patent in a manner best described as willful, wanton, malicious, in bad faith, deliberate, consciously wrongful, flagrant, or characteristic of a pirate.

96. To the extent applicable, the requirements of 35 U.S.C. § 287(a) have been met with respect to the '413 patent.

97. As a result of Microsemi's infringement of the '413 patent, DIFF Scale Operation Research has suffered monetary damages, and seeks recovery in an amount adequate to compensate for Microsemi's infringement, but in no event less than a reasonable royalty for the use made of the invention by Microsemi together with interest and costs as fixed by the Court.

COUNT II
INFRINGEMENT OF U.S. PATENT NO. 6,664,827


98. DIFF Scale Operation Research references and incorporates by reference the preceding paragraphs of this Complaint as if fully set forth herein.

99. Microsemi designs, makes, uses, sells, and/or offers for sale in the United States products and/or services for timing circuitry.

100. Microsemi designs, makes, sells, offers to sell, imports, and/or uses timing products, including product numbers: MAX24305, MAX24310, MAX24705, MAX24710, ZL30611, ZL30612, ZL30614, ZL30601, ZL30602, ZL30603, ZL30604, ZL30136, ZL30145,

ZL30146, ZL30150, ZL30151, ZL30153, ZL30154, ZL30158, ZL30161, ZL30162, ZL30163, ZL30164, ZL30621, ZL30622, and ZL30623 (the “Microsemi ’827 Product(s)”).

101. On information and belief, one or more Microsemi subsidiaries and/or affiliates use the Microsemi ’827 Products in regular business operations.



MICROSEMI DS3106 LINE CARD TIMING IC DATA SHEET at 1 (April 2012).


102. On information and belief, one or more of the Microsemi ’827 Products include technology for a phase locked loop.

103. On information and belief, the Microsemi ’827 Products are available to businesses and individuals throughout the United States.

104. On information and belief, the Microsemi ’827 Products are provided to businesses and individuals located in the Eastern District of Texas.

105. On information and belief, the Microsemi ’827 Products comprise a phase locked loop adapted to filter and store data indicative of a control signal.

106. On information and belief, the Microsemi '827 Products comprise a control system that generates an output signal whose phase is related to the phase of an input signal.



MICROSEMI DS3106 LINE CARD TIMING IC DATA SHEET at 7 (April 2012) (showing a block diagram of one of the Microsemi '827 products the "output clock synthesizer and selector").

107. On information and belief, the Microsemi '827 Products comprise a frequency-selective circuit.

108. On information and belief, the Microsemi '827 Products include a phase comparator.

Phase detectors are used to compare a PLL's feedback clock with its input clock. Several phase detectors are available in the T0 DPLL:

- Phase/frequency detector (PFD)
- Early/late phase detector (PD2) for fine resolution
- Multicycle phase detector (MCPD) for large input jitter tolerance and/or faster lock times

These detectors can be used in combination to give fine phase resolution combined with large jitter tolerance. As with the rest of the DPLL logic, the phase detectors operate at input frequencies up to 77.76MHz. The multicycle

MICROSEMI DS3106 LINE CARD TIMING IC DATA SHEET at 23 (April 2012) (identifying the phase detector and stating that "[p]hase detectors are used to compare a PLL's feedback clock with its input clock").

109. On information and belief, the Microsemi '827 Products contain a low-pass filter.

110. On information and belief, the Microsemi '827 Products comprise an oscillator coupled in a feedback arrangement.

111. On information and belief, the Microsemi '827 Products include a phase comparator having a first input for the reference clock signal and a second input for the feedback signal.

112. On information and belief, the Microsemi '827 Products contain functionality for sampling values of an error signal.

113. On information and belief, the Microsemi '827 Products contain functionality for sampling an error signal where the error signal is indicative of a phase relationship between a reference clock signal and a feedback signal.

114. On information and belief, Microsemi has directly infringed and continues to directly infringe the '827 patent by, among other things, making, using, offering for sale, and/or selling timing circuitry, including but not limited to the Microsemi '827 Products, which include infringing technology for monitoring the sampled error signal values for a step change in the phase difference between the reference clock signal and the feedback signal. Such products and/or services include, by way of example and without limitation, the Microsemi '827 Products.

115. On information and belief, the '827 Products comprise a system for monitoring the sampled error signal values for a step change in the phase difference between the reference clock signal and the feedback signal.

116. On information and belief, the '827 Products include functionality for recentering a phase comparator if a step change in the phase difference between the reference clock signal and the feedback signal is detected.

117. By making, using, testing, offering for sale, and/or selling products and services, including but not limited to the Microsemi '827 Products, Microsemi has injured DIFF Scale Operation Research and is liable for directly infringing one or more claims of the '827 patent, including at least claim 28, pursuant to 35 U.S.C. § 271(a).

118. On information and belief, Microsemi also indirectly infringes the '827 patent by actively inducing infringement under 35 USC § 271(b).

119. On information and belief, Microsemi has had knowledge of the '827 patent since at least service of this Complaint or shortly thereafter, and on information and belief, Microsemi knew of the '827 patent and knew of its infringement, including by way of this lawsuit.

120. On information and belief, Microsemi intended to induce patent infringement by third-party customers and users of the Microsemi '827 Products and had knowledge that the inducing acts would cause infringement or was willfully blind to the possibility that its inducing acts would cause infringement. Microsemi specifically intended and was aware that the normal and customary use of the accused products would infringe the '827 patent. Microsemi performed the acts that constitute induced infringement, and would induce actual infringement, with knowledge of the '827 patent and with the knowledge that the induced acts would constitute infringement. For example, Microsemi provides the Microsemi '827 Products that have the capability of operating in a manner that infringe one or more of the claims of the '827 patent, including at least claim 28, and Microsemi further provides documentation and training materials that cause customers and end users of the Microsemi '827 Products to utilize the products in a manner that directly infringe one or more claims of the '827 patent.³¹ By providing instruction

³¹ See, e.g., MICROSEMI MAX24305, MAX24310 5- OR 10-OUTPUT ANY-TO-ANY TIMING ICs WITH INTERNAL EEPROM (Aug. 2014); MICROSEMI MAX24705, MAX24710 5- OR 10-OUTPUT ANY-TO-ANY LINE CARD TIMING ICs WITH INTERNAL EEPROM (Aug. 2014); MICROSEMI ZL30158 SYNCE AND TELECOM RATE CLOCK TRANSLATOR, *Short Form Data Sheet* (2011); MICROSEMI

and training to customers and end-users on how to use the Microsemi '827 Products in a manner that directly infringes one or more claims of the '827 patent, including at least claim 28, Microsemi specifically intended to induce infringement of the '827 patent. On information and belief, Microsemi engaged in such inducement to promote the sales of the Microsemi '827 Products, e.g., through Microsemi user manuals, product support, marketing materials, and training materials to actively induce the users of the accused products to infringe the '827 patent. Accordingly, Microsemi has induced and continues to induce users of the accused products to use the accused products in their ordinary and customary way to infringe the '827 patent, knowing that such use constitutes infringement of the '827 patent.

121. The '827 patent is well-known within the industry as demonstrated by multiple citations to the '827 patent in published patents and patent applications assigned to technology companies and academic institutions. Microsemi is utilizing the technology claimed in the '827 patent without paying a reasonable royalty. Microsemi is infringing the '827 patent in a manner best described as willful, wanton, malicious, in bad faith, deliberate, consciously wrongful, flagrant, or characteristic of a pirate.

122. To the extent applicable, the requirements of 35 U.S.C. § 287(a) have been met with respect to the '827 patent.

123. As a result of Microsemi's infringement of the '827 patent, DIFF Scale Operation Research has suffered monetary damages, and seek recovery in an amount adequate to compensate for Microsemi's infringement, but in no event less than a reasonable royalty for the use made of the invention by Microsemi together with interest and costs as fixed by the Court.

ZL30601/ZL30602/ZL30603/ZL30604 SYNCHRONOUS ETHERNET PACKET CLOCK NETWORK SYNCHRONIZER (Aug. 2016).

COUNT III
INFRINGEMENT OF U.S. PATENT NO. 7,106,758

124. DIFF Scale Operation Research references and incorporates by reference the preceding paragraphs of this Complaint as if fully set forth herein.

125. Microsemi designs, makes, uses, sells, and/or offers for sale in the United States products and/or services for clock recovery in a packet network.

126. Microsemi designs, makes, sells, offers to sell, imports, and/or uses processors, including: UFE412, WinPath3, and WinPath4 (collectively, the “Microsemi ‘758 Product(s)”).

127. On information and belief, one or more Microsemi subsidiaries and/or affiliates use the Microsemi ‘758 Products in regular business operations.


128. On information and belief, one or more of the Microsemi ‘758 Products include clock recovery technology.

129. On information and belief, the Microsemi ‘758 Products are available to businesses and individuals throughout the United States.

130. On information and belief, the Microsemi ‘758 Products are provided to businesses and individuals located in the Eastern District of Texas.

131. On information and belief, Microsemi has directly infringed and continues to directly infringe the ‘758 patent by, among other things, making, using, offering for sale, and/or selling technology for clock recovery, including but not limited to the Microsemi ‘758 Products, which include infringing technology for adaptive clock recovery. Such products and/or services include, by way of example and without limitation, the Microsemi ‘758 Products.

132. On information and belief, the Microsemi ‘758 Products comprise a system for recovering a service clock at a destination node.



Roy Rubenstein, *Processor for the Long Haul*, NEW ELECTRONICS MAGAZINE at 34 (August 13, 2013) (identifying that the WinPATH4 processor has a clock recovery system to handle timing).


133. On information and belief, the Microsemi ‘758 Products include functionality for receiving data packets at a destination node.

| | | | UFE412-M4 | UFE412-T4 |
|-------------------------------------|---------------|---|---|-----------|
| Channelized | Max Bandwidth | | 622 Mbps | 622 Mbps |
| | Protocols | CESoP | Yes | Yes |
| | | ATM (IMA) | Yes | |
| | | PPP/MLPPP | Yes | |
| | Ports | | 4+4 | 4+4 |
| Description | | 4xOC-3/STM-1 1xOC-12/STM-12 Multi Service | 4xOC-3/STM-1 1xOC-12/STM-12 CESoP/SAToP | |
| Concatenated (Clear Channel) | Max Bandwidth | | 622 Mbps | |
| | Protocols | POS | Yes | |
| | | ATM | Yes | |
| | Ports | | 4+4 | |
| Description | | 4xOC-3/STM-1 1xOC-12/STM-12 Clear Channel | | |

UFE412 Universal Front End Processor, PRELIMINARY PRODUCT BRIEF at 2 (2011) (Showing that the infringing products contain ports for the receipt of data packets “The UFE412 device enables the WinPath3 to efficiently support a variety of services: TDM, ATM, HDLC, PPP, and Circuit Emulation.”).

134. On information and belief, the Microsemi ‘758 Products systems with functionality for storing data from data packets in a buffer.

135. On information and belief, the Microsemi '758 Products comprise a system for reading the data packets out of the buffer using a locally generated clock.



UFE412 Universal Front End Processor, RELEASED PRODUCT BRIEF at 1 (2012) (stating that the UFE412 Product contains a System Bus and supports differential and adaptive Clock Recovery).

136. On information and belief, the Microsemi '758 Products comprise a system for monitoring a fill level of the buffer over a plurality of time periods.

137. On information and belief, the Microsemi '758 Products comprise a buffer having an input that is adapted to receive data packets from another node.

138. On information and belief, the Microsemi '758 Products comprise a variable oscillator coupled to the buffer that controls the rate at which data is processed in the node.

139. On information and belief, the Microsemi '758 Products comprise a system for controlling the frequency of the recovered clock signal.

140. On information and belief, the Microsemi '758 Products comprise a system for identifying a relative maximum fill level for a buffer during a time period.

141. On information and belief, the Microsemi '758 Products use the relative maximum fill levels for the plurality of time periods to control the frequency of the locally generated clock so as to control the rate at which data is read out of the buffer.

142. By making, using, testing, offering for sale, and/or selling products and services, including but not limited to the Microsemi '758 Products, Microsemi has injured DIFF Scale

Operation Research and is liable for directly infringing one or more claims of the '758 patent, including at least claim 40, pursuant to 35 U.S.C. § 271(a).

143. On information and belief, Microsemi also indirectly infringes the '758 patent by actively inducing infringement under 35 USC § 271(b).

144. On information and belief, Microsemi has had knowledge of the '758 patent since at least service of this Complaint or shortly thereafter, and on information and belief, Microsemi knew of the '758 patent and knew of its infringement, including by way of this lawsuit.

145. Alternatively, Microsemi has had knowledge of the '758 patent since at least February 4, 2014, when U.S. Patent No. 8,644,348, which is owned by Microsemi and cites the '758 patent as relevant prior art, was issued. Alternatively, Microsemi has had knowledge of the '758 patent since at least October 25, 2014, when U.S. Patent Appl. No. 13/091,097, which is owned by Microsemi and cites the '758 patent as relevant prior art, was published.

146. On information and belief, Microsemi intended to induce patent infringement by third-party customers and users of the Microsemi '758 Products and had knowledge that the inducing acts would cause infringement or was willfully blind to the possibility that its inducing acts would cause infringement. Microsemi specifically intended and was aware that the normal and customary use of the accused products would infringe the '758 patent. Microsemi performed the acts that constitute induced infringement, and would induce actual infringement, with knowledge of the '758 patent and with the knowledge that the induced acts would constitute infringement. For example, Microsemi provides the Microsemi '758 Products that have the capability of operating in a manner that infringe one or more of the claims of the '758 patent, including at least claim 40, and Microsemi further provides documentation and training materials that cause customers and end users of the Microsemi '758 Products to utilize the products in a

manner that directly infringe one or more claims of the '758 patent.³² By providing instruction and training to customers and end-users on how to use the Microsemi '758 Products in a manner that directly infringes one or more claims of the '758 patent, including at least claim 40, Microsemi specifically intended to induce infringement of the '758 patent. On information and belief, Microsemi engaged in such inducement to promote the sales of the Microsemi '758 Products, e.g., through Microsemi user manuals, product support, marketing materials, and training materials to actively induce the users of the accused products to infringe the '758 patent. Accordingly, Microsemi has induced and continues to induce users of the accused products to use the accused products in their ordinary and customary way to infringe the '758 patent, knowing that such use constitutes infringement of the '758 patent.

147. The '758 patent is well-known within the industry as demonstrated by multiple citations to the '758 patent in published patents and patent applications assigned to technology companies and academic institutions. Microsemi is utilizing the technology claimed in the '758 patent without paying a reasonable royalty. Microsemi is infringing the '758 patent in a manner best described as willful, wanton, malicious, in bad faith, deliberate, consciously wrongful, flagrant, or characteristic of a pirate.

148. To the extent applicable, the requirements of 35 U.S.C. § 287(a) have been met with respect to the '758 patent.

149. As a result of Microsemi's infringement of the '758 patent, DIFF Scale Operation Research has suffered monetary damages, and seek recovery in an amount adequate to compensate

³² See, e.g., UFE412 UNIVERSAL FRONT END PROCESSOR, *PMC Released Product Brief* (2012); WP3 WINPATH3 NEXT GENERATION ACCESS SYSTEMS PACKET PROCESSOR, *PMC Released Product Brief* (2012); WINPATH NETWORK PROCESSOR, WHITE PAPER CARRIER-GRADE SDN (2016).

for Microsemi's infringement, but in no event less than a reasonable royalty for the use made of the invention by Microsemi together with interest and costs as fixed by the Court.

COUNT IV
INFRINGEMENT OF U.S. PATENT NO. 6,940,810


150. DIFF Scale Operation Research references and incorporates by reference the preceding paragraphs of this Complaint as if fully set forth herein.

151. Microsemi designs, makes, uses, sells, and/or offers for sale in the United States products and/or services for ring networks.

152. Microsemi designs, makes, sells, offers to sell, imports, and/or uses networking products, including: VSC7444, VSC7442, VSC7448, VSC7449, and VSC7440 (collectively, the "Microsemi '810 Product(s)").

153. On information and belief, one or more Microsemi subsidiaries and/or affiliates use the Microsemi '810 Products in regular business operations.

154. On information and belief, one or more of the Microsemi '810 Products include technology for protection switching of virtual connections at the data link level.



VSC7442 52-Port L2/L3 Enterprise and Industrial Ethernet Switch, MICROSEMI DATASHEET at 2 (April 2016).

155. On information and belief, the Microsemi '810 Products are available to businesses and individuals throughout the United States.

156. On information and belief, the Microsemi ‘810 Products are provided to businesses and individuals located in the Eastern District of Texas.

157. On information and belief, Microsemi has directly infringed and continues to directly infringe the ‘810 patent by, among other things, making, using, offering for sale, and/or selling networking technology, including but not limited to the Microsemi ‘810 Products, which include infringing technology for protection switching of virtual connections at the data link layer. Such products and/or services include, by way of example and without limitation, the Microsemi ‘810 Products.

158. The Microsemi ‘810 Products comprise a system for a ring network.

**Introducing Vitesse's SparX-IV Family
Managed L2/L3 Gigabit Ethernet Switch Solution**

- ▶ **Optimal port configurations for Gigabit Wi-Fi networks**
 - ▶ Aggregation of 8 to 24 2.5G access points
 - ▶ 10G uplinks
- ▶ **Flexible routing and Layer 3 support**
 - ▶ Layer 3 routing
 - ▶ Larger TCAM and routing tables
 - ▶ More flexibility in classification and IPv4/v6 routes
- ▶ **Expanding Vitesse portfolio for IoT applications**
 - ▶ Ruggedized for industrial environments
 - ▶ Integrated VeriTime™ IEEE 1588 timing and synchronization
 - ▶ Hardware-based failover

4x10GE

 SparX-IV™
 VSC744x
 48x 1G or
 24 x 2.5G

VITESSE

Vitesse Samples Next Gen ethernet Switching Silicon for 801.11ac Networks, CONVERGE! NETWORK DIGEST (July 8, 2014) (describing the SparX-IV functionality in the VSC744x products).

159. The Microsemi ‘810 Products include functionality for two or more uni-directional busses that connect a first and second switch fabrics.

160. The Microsemi '810 Products are a system wherein ring segments connected between adjacent network elements form routes for transporting cells using virtual connections.

161. The Microsemi '810 Products comprise a system, wherein for each virtual connection, one route is a working route and the other route is a protection route.

162. The Microsemi '810 Products comprise a system where the first and second routes are associated with the first and second switch fabrics.

163. By making, using, testing, offering for sale, and/or selling products and services, including but not limited to the Microsemi '810 Products, Microsemi has injured DIFF Scale Operation Research and is liable for directly infringing one or more claims of the '810 patent, including at least claim 13, pursuant to 35 U.S.C. § 271(a).

164. On information and belief, Microsemi also indirectly infringes the '810 patent by actively inducing infringement under 35 USC § 271(b).

165. On information and belief, Microsemi has had knowledge of the '810 patent since at least service of this Complaint or shortly thereafter, and on information and belief, Microsemi knew of the '810 patent and knew of its infringement, including by way of this lawsuit.

166. On information and belief, Microsemi intended to induce patent infringement by third-party customers and users of the Microsemi '810 Products and had knowledge that the inducing acts would cause infringement or was willfully blind to the possibility that its inducing acts would cause infringement. Microsemi specifically intended and was aware that the normal and customary use of the accused products would infringe the '810 patent. Microsemi performed the acts that constitute induced infringement, and would induce actual infringement, with knowledge of the '810 patent and with the knowledge that the induced acts would constitute infringement. For example, Microsemi provides the Microsemi '810 Products that have the

capability of operating in a manner that infringe one or more of the claims of the '810 patent, including at least claim 13, and Microsemi further provides documentation and training materials that cause customers and end users of the Microsemi '810 Products to utilize the products in a manner that directly infringe one or more claims of the '810 patent.³³ By providing instruction and training to customers and end-users on how to use the Microsemi '810 Products in a manner that directly infringes one or more claims of the '810 patent, including at least claim 13, Microsemi specifically intended to induce infringement of the '810 patent. On information and belief, Microsemi engaged in such inducement to promote the sales of the Microsemi '810 Products, e.g., through Microsemi user manuals, product support, marketing materials, and training materials to actively induce the users of the accused products to infringe the '810 patent. Accordingly, Microsemi has induced and continues to induce users of the accused products to use the accused products in their ordinary and customary way to infringe the '810 patent, knowing that such use constitutes infringement of the '810 patent.

167. The '810 patent is well-known within the industry as demonstrated by multiple citations to the '810 patent in published patents and patent applications assigned to technology companies and academic institutions. Microsemi is utilizing the technology claimed in the '810 patent without paying a reasonable royalty. Microsemi is infringing the '810 patent in a manner best described as willful, wanton, malicious, in bad faith, deliberate, consciously wrongful, flagrant, or characteristic of a pirate.

³³ See, e.g., VSC7444 26-PORT L2/L3 ENTERPRISE GIGABIT ETHERNET SWITCH WITH 10 GBPS LINKS (Jan. 23, 2017); INDUSTRIAL IoT, FLEXIBLE AND SECURE LOW-POWER ETHERNET SOLUTIONS (Jan. 23, 2017); VSC7448 52-PORT L2/L3 ENTERPRISE GIGABIT ETHERNET SWITCH WITH 10 GBPS LINKS (May 31, 2016); VSC7449-01 52-PORT L2/L3 ENTERPRISE GIGABIT ETHERNET SWITCH WITH 10 GBPS LINKS (May 31, 2016); VSC7440 10-PORT L2/LE ENTERPRISE GIGABIT ETHERNET SWITCH WITH 10 GBPS LINKS (Oct. 18, 2016).

168. To the extent applicable, the requirements of 35 U.S.C. § 287(a) have been met with respect to the '810 patent.

169. As a result of Microsemi's infringement of the '810 patent, DIFF Scale Operation Research has suffered monetary damages, and seeks recovery in an amount adequate to compensate for Microsemi's infringement, but in no event less than a reasonable royalty for the use made of the invention by Microsemi together with interest and costs as fixed by the Court.

COUNT V
INFRINGEMENT OF U.S. PATENT NO. 6,721,328

170. DIFF Scale Operation Research references and incorporates by reference the preceding paragraphs of this Complaint as if fully set forth herein.

171. Microsemi designs, makes, uses, sells, and/or offers for sale in the United States products and/or services for clock recovery in a packet network.


172. Microsemi designs, makes, sells, offers to sell, imports, and/or uses optical networking products, including the following product lines: PAS740x GPON ONT SoC and PAS65xx EPON ONU (collectively, the "Microsemi '328 Product(s)").

173. On information and belief, one or more Microsemi subsidiaries and/or affiliates use the Microsemi '328 Products in regular business operations.

174. On information and belief, one or more of the Microsemi '328 Products include technology for clock recovery in a packet network.

175. On information and belief, the Microsemi '328 Products are available to businesses and individuals throughout the United States.

176. On information and belief, the Microsemi '328 Products are provided to businesses and individuals located in the Eastern District of Texas.



PAS65xx Integrated EPON ONU SoC, PRELIMINARY BRIEF at 1 (2012) (showing a block diagram with functionality for Clock Sync and Clock Data Recovery).

177. On information and belief, Microsemi has directly infringed and continues to directly infringe the '328 patent by, among other things, making, using, offering for sale, and/or selling technology for clock recovery, including but not limited to the Microsemi '328 Products, which include infringing technology for clock recovery in a packet network. Such products and/or services include, by way of example and without limitation, the Microsemi '328 Products.

178. On information and belief, the Microsemi '328 Products comprise a system for receiving data packets at a destination node.

179. On information and belief, the Microsemi '328 Products comprise a system for storing data packets in a buffer.

180. On information and belief, the Microsemi '328 Products enable reading the data packets out of the buffer using a locally generated clock.

181. On information and belief, the Microsemi '328 Products monitor a fill level of the buffer over a first period of time.

182. On information and belief, the Microsemi '328 Products identify a relative maximum fill level for the buffer during the first period of time.

183. On information and belief, the Microsemi '328 Products identify a relative maximum fill level by comparing read and write address for the buffer and updating a register for a period of time when a buffer fill level, based on the difference between the read and write addresses is larger than a value previously stored in the register.

184. On information and belief, the Microsemi '328 Products use the relative maximum fill level to control a frequency of the locally generated clock so as to control the rate at which data is read out of the buffer.

185. By making, using, testing, offering for sale, and/or selling products and services, including but not limited to the Microsemi '328 Products, Microsemi has injured DIFF Scale Operation Research and is liable for directly infringing one or more claims of the '328 patent, including at least claim 1, pursuant to 35 U.S.C. § 271(a).

186. On information and belief, Microsemi also indirectly infringes the '328 patent by actively inducing infringement under 35 USC § 271(b).

187. On information and belief, Microsemi has had knowledge of the '328 patent since at least service of this Complaint or shortly thereafter, and on information and belief, Microsemi knew of the '328 patent and knew of its infringement, including by way of this lawsuit.

188. Alternatively, Microsemi has had knowledge of the '328 patent since at least October 19, 2010, when U.S. Patent No. 7,817,673, which is owned by Microsemi and cites the '328 patent as relevant prior art, was issued. Alternatively, Microsemi has had knowledge of the

'328 patent since at least August 12, 2008, when U.S. Patent No. 7,411,970, which is owned by Microsemi and cites the '328 patent as relevant prior art, was issued. Alternatively, Microsemi has had knowledge of the '328 patent since at least December 23, 2004, when U.S. Patent Appl. No. 10/792,389, which cites the '328 patent as relevant prior art, was published.

189. On information and belief, Microsemi intended to induce patent infringement by third-party customers and users of the Microsemi '328 Products and had knowledge that the inducing acts would cause infringement or was willfully blind to the possibility that its inducing acts would cause infringement. Microsemi specifically intended and was aware that the normal and customary use of the accused products would infringe the '328 patent. Microsemi performed the acts that constitute induced infringement, and would induce actual infringement, with knowledge of the '328 patent and with the knowledge that the induced acts would constitute infringement. For example, Microsemi provides the Microsemi '328 Products that have the capability of operating in a manner that infringe one or more of the claims of the '328 patent, including at least claim 1, and Microsemi further provides documentation and training materials that cause customers and end users of the Microsemi '328 Products to utilize the products in a manner that directly infringe one or more claims of the '328 patent.³⁴ By providing instruction and training to customers and end-users on how to use the Microsemi '328 Products in a manner that directly infringes one or more claims of the '328 patent, including at least claim 1, Microsemi specifically intended to induce infringement of the '328 patent. On information and belief, Microsemi engaged in such inducement to promote the sales of the Microsemi '328 Products, e.g., through Microsemi user manuals, product support, marketing materials, and training materials to

³⁴ See, e.g., ONN HARAN AND AMIR SHEFFER, THE IMPORTANCE OF DYNAMIC BANDWIDTH ALLOCATION IN GPON NETWORKS, *PMC-Sierra White Paper* (Jan. 2008); PAS65XX INTEGRATED EPON ONU SoC, PMC PRELIMINARY PRODUCT BRIEF (Feb. 23, 2012).

actively induce the users of the accused products to infringe the '328 patent. Accordingly, Microsemi has induced and continues to induce users of the accused products to use the accused products in their ordinary and customary way to infringe the '328 patent, knowing that such use constitutes infringement of the '328 patent.

190. The '328 patent is well-known within the industry as demonstrated by multiple citations to the '328 patent in published patents and patent applications assigned to technology companies and academic institutions. Microsemi is utilizing the technology claimed in the '328 patent without paying a reasonable royalty. Microsemi is infringing the '328 patent in a manner best described as willful, wanton, malicious, in bad faith, deliberate, consciously wrongful, flagrant, or characteristic of a pirate.

191. To the extent applicable, the requirements of 35 U.S.C. § 287(a) have been met with respect to the '328 patent.

192. As a result of Microsemi's infringement of the '328 patent, DIFF Scale Operation Research has suffered monetary damages, and seeks recovery in an amount adequate to compensate for Microsemi's infringement, but in no event less than a reasonable royalty for the use made of the invention by Microsemi together with interest and costs as fixed by the Court.

COUNT VI
INFRINGEMENT OF U.S. PATENT NO. 6,859,430

193. DIFF Scale Operation Research references and incorporates by reference the preceding paragraphs of this Complaint as if fully set forth herein.

194. Microsemi designs, makes, uses, sells, and/or offers for sale in the United States products and/or services for protection switching in a ring network.

195. Microsemi designs, makes, sells, offers to sell, imports, and/or uses networking products, including: VSC7444, VSC7442, VSC7448, VSC7449, and VSC7440 (the “Microsemi ‘430 Product(s)’”).

196. On information and belief, one or more Microsemi subsidiaries and/or affiliates use the Microsemi ‘430 Products in regular business operations.

197. On information and belief, one or more of the Microsemi ‘430 Products include technology for network management.

198. On information and belief, the Microsemi ‘430 Products are available to businesses and individuals throughout the United States.

199. On information and belief, the Microsemi ‘430 Products are provided to businesses and individuals located in the Eastern District of Texas.

200. On information and belief, Microsemi has directly infringed and continues to directly infringe the ‘430 patent by, among other things, making, using, offering for sale, and/or selling technology for network management, including but not limited to the Microsemi ‘430 Products, which include infringing technology for protection switching in a ring network. Such products and/or services include, by way of example and without limitation, the Microsemi ‘430 Products.

201. On information and belief, the Microsemi ‘430 Products comprise a number of network elements.

202. On information and belief, the Microsemi ‘430 Products contain ring segments coupled between adjacent network elements to form first and second routes for transporting cells using virtual connections wherein, for each virtual connection, one route is a working route and the other route is a protection route.

203. On information and belief, the Microsemi '430 Products contain functionality wherein each network element separately tracks the status of a number of virtual connections on each route such that when an error is detected on the working route for a virtual connection, the network element switches to the protection route for the virtual connection.

204. On information and belief, the Microsemi '430 Products comprise a system wherein each network element includes two ring interface modules having a microprocessor, a physical layer device, and a switch fabric.

205. By making, using, testing, offering for sale, and/or selling products and services, including but not limited to the Microsemi '430 Products, Microsemi has injured DIFF Scale Operation Research and is liable for directly infringing one or more claims of the '430 patent, including at least claim 10, pursuant to 35 U.S.C. § 271(a).

206. To the extent applicable, the requirements of 35 U.S.C. § 287(a) have been met with respect to the '430 patent.

207. As a result of Microsemi's infringement of the '430 patent, DIFF Scale Operation Research has suffered monetary damages, and seeks recovery in an amount adequate to compensate for Microsemi's infringement, but in no event less than a reasonable royalty for the use made of the invention by Microsemi together with interest and costs as fixed by the Court.

PRAYER FOR RELIEF

WHEREFORE, DIFF Scale Operation Research respectfully requests that this Court enter:

- A. A judgment in favor of DIFF Scale Operation Research that Microsemi has infringed, either literally and/or under the doctrine of equivalents, the '413, '827, '758, '810, '328, and '430 patents;
- B. An award of damages resulting from Microsemi's acts of infringement in

accordance with 35 U.S.C. § 284;

- C. A judgment and order finding that Microsemi's infringement was willful, wanton, malicious, bad-faith, deliberate, consciously wrongful, flagrant, or characteristic of a pirate within the meaning of 35 U.S.C. § 284 and awarding to DIFF Scale Operation Research enhanced damages.
- D. A judgment and order finding that this is an exceptional case within the meaning of 35 U.S.C. § 285 and awarding to DIFF Scale Operation Research their reasonable attorneys' fees against Microsemi.
- E. Any and all other relief to which DIFF Scale Operation Research may show themselves to be entitled.

JURY TRIAL DEMANDED

Pursuant to Rule 38 of the Federal Rules of Civil Procedure, DIFF Scale Operation Research, LLC requests a trial by jury of any issues so triable by right.

Dated: March 8, 2018

Respectfully submitted,

/s/ Daniel P. Hipskind

Elizabeth L. DeRieux
State Bar No. 05770585
Capshaw DeRieux, LLP
114 E. Commerce Ave.
Gladewater, TX 75647
Telephone: (903) 845-5770
Email: ederieux@capshawlaw.com

Dorian S. Berger (CA SB No. 264424)
Daniel P. Hipskind (CA SB No. 266763)
Eric B. Hanson (CA SB No. 254570)
BERGER & HIPSKIND LLP
9538 Brighton Way
Suite 320
Beverly Hills, CA 90210
Telephone: 323-886-3430
Facsimile: 323-978-5508
E-mail: dsb@bergerhipskind.com
E-mail: dph@bergerhipskind.com
E-mail: ebh@bergerhipskind.com

*Attorneys for DIFF Scale Operation
Research, LLC*