

JUDGE ENGELMAYER

UNITED STATES DISTRICT COURT
SOUTHERN DISTRICT OF NEW YORK

CHKB212 077AH

19CV8289

Write the full name of each plaintiff.

CV

(Include case number if one has been assigned)

-against-

National Grid

40 Sullivan Road

Waltham, MA 02459

COMPLAINT

Do you want a jury trial?

☒ Yes ☐ No

Write the full name of each defendant. If you need more space, please write "see attached" in the space above and attach an additional sheet of paper with the full list of names. The names listed above must be identical to those contained in Section II.

NOTICE

The public can access electronic court files. For privacy and security reasons, papers filed with the court should therefore *not* contain: an individual's full social security number or full birth date; the full name of a person known to be a minor; or a complete financial account number. A filing may include *only*: the last four digits of a social security number; the year of an individual's birth; a minor's initials; and the last four digits of a financial account number. See Federal Rule of Civil Procedure 5.2.

UNITED STATES DISTRICT COURT

500 Pear street NY, NY.

CHIKEZIE OTTAH

V

NATIONAL GRID

Background

The defendant have been informed of this infringement since 2011, and the latest remind sent to the defendant was 02/26/2018 asking the defendant to seek licensing agreement with us, please see exhibit 1, page 1. To result into taking the defendant to court is rather a difficult one, but I have exhausted all avenues to reach the defendant.

The defendant facility is located in Coney Island NY, I accidentally came across the defendant, National Grid vehicle, vehicle plate No. 47347 MG, I saw a book holder was mounted inside the vehicle without licensing. My product is a book or technology holder, the technology or book holder in a mobile vehicle environments. Now the full facts, the claims, and USPTO granted legal claims. See exhibit 1, page 1

CLAIMED ELEMENTS OF US 840;

- 1. A book support platform, the book support platform comprising a front surface, a rear surface and a plurality of clamps, the front surface adapted for supporting a book, the plurality of clamps disposed on the front surface to engage and retain the book to the book support platform, the rear surface separated from the front surface:**
- 2. A clasp comprising a clip head, a clip body, a pair of resilient arms, the clip arms adjustably mounted on the clip head and attach to the clip body, and (see exhibit 1, page 2, we also claimed priority)**
- 3. An arm comprising a first end and a second end and a telescoping arrangement, the clasp on the first end, the second end pivotally attached to the book support platform, the telescoping arrangement interconnecting the first end to the second end, the clasp space from the book support platform, wherein the book holder is removably attached and adjusted to a reading position by the telescoping arrangement axially adjusting the space relation between the book support platform and the clasp and the pivotal connection on the book support platform pivotally adjusting the front surface with respect to the arm.**
- 4. Audio equipment, include planar panel, TV, monitor, CAMERA, computer, lap top, cell phone, hard ware and soft ware, audio video.**

5. book, E-book, blue tooth, and hard ware and soft ware

6. A book or audio video equipment or drawing surfaces removable attach to a holder on a mobile vehicle or mobile vehicle structures, there on for the occupants of the vehicle. (See exhibit 1, page 2)

The last 3 elements was incorporated (37 C F R 1.57) from an original claims disclosed on 2/19/2003 page 2, also disclosed again on 4/24/2004, pages 11-13, the publication was in US Patent application number 10/366/779. See the disclosure in prosecution history, Publication number 10/366/779, Fig.8, page 36/38, claimed embodiment paragraph 3, column 25, line 5, dated 07/25/05, it is a further description of another design of the invention book or technology mention in support of the original claims. Please Your Hon. See Fig.8, paragraph 1, page 5, line 7 to 8, US Patent 840, more designs and tools mount of book and technology continued in support of the original claims in a mobile vehicle. As stated in claims 4 and 5, claims 4 and 5 is incorporated into the claims, 37 CFR 1.57, 35 USC 154. See US 840 page 6, paragraph 1, line 1 to11. According to (Supreme Court of US guide) US Appeals court guide lines they are substantially the same.

US PATENT 840 MOUNT

Please see, the publication in US Patent 10/366/779, page 6, dated 02/19/03, the drawing is showing a mounted technologies (include Fig.1. 16 general

planar panel) and the drawing also illustrate drilling hard ware screws, bolts, connectors or brackets, (this illustration is incorporated into the claim, see US Patent 840, page 6, paragraph 1, line 4-11, 37 CFR 1.57 . See Fig.4, paragraph 1, line 14-15, US 840. Also see, page 6, paragraph 3, claimed element 2, and it states ." A clasp comprising a clip head, a clip body, a pair of resilient arms, the clip arms adjustably mounted on the clip head and attach to the clip body", this goes to establish the Supreme court guide line in substantially the same, the drawing is illustrating a mounted technology, the specification establish in many ways object or parts can be mounted with hard wares , the claim section have claimed many hard ware, and claimed technology and its equipments are substantially the same (or equivalent). Your Hon. it is legally and factually correct US Patent 840 can mount, a picture is what a thousand words, see exhibit 1. Page 5.

REMOVABLE ATTACH (Clip Body Alternative Arm)

See the preferable claimed embodiments for the design, publication number 10/366/779, dated Jul.25, 2005, page 9 of 38, Fig. 4, column 0020 and page 12 of 38, Fig. 4, and Fig. 5, column 0033 and column 0034 (a brief and detailed description of the invention) . also see the publication number

10/366/779 , dated April 5 2004, claim sheet 3 of 12 showing the drawings, this is incorporated into the claim, please see brief description of the invention, Fig.4, page 2, Paragraph 14, US Patent 840, it states” it is a side perspective view of the book holder of FIG. 1, illustrating an alternative clip arrangement” like clip body, an alternative arm . See page 6, paragraph 1, line 4 to 11, “modification”. US Patent 840, (37 CFR 1.57). See exhibit 1,

They are same is true in specification of US Patent 840, see Fig. 4, and Fig. 5. Please see the illustrated drawings, Fig. 4, and Fig.5 on sheet 3 of 4, US Patent 840. Please Your Hon. see the accused product in exhibit 1.

Computer modified platform

Slid able connector (this part allow pivotal adjustment between platform and upper end of 1st arm)

Upper end , 1st arm

The 1st lower arm end, rotationally or slidably attached into upper end 2nd arm.

TELESCOPIC

The sliding or rotational movement amount to the axially movement of the two arms in relation to the platform and the attached base (clasp is

removed). See exhibit 1, page 8, see claimed clip body thread screw.

The lower part of the arm, the modified design remove the clasps and the base (clip body) is attached, with a thread screw drill the computer or book holder lower end of the arm into the base of the mobile vehicle. “preferable said clip means includes a clip body having a set of mounting positions for mounting a clip arm, and a screw threaded into the said body for selectively fixing the position of said clip arm along said clip body” this is a fact form the claimed embodiment, see reference embodiment above , this fact is clearly stated in the specification of US Patent 840 and the same clip body (include screw thread) is claimed again in US Patent 840 Your Hom. This is a true design of US Patent 840, and a true copy of the defendant product.

RELY ON WIERMA US PATENT No. 4, 201, 013,

Wierma discussed a book holder for use in a bed, the wierma book holder is clamped to a bed head board, but US patent 840 is very different in scope, from wiema US 013 patent. I respectfully plead with the court to remove DE NOVO standard review because base on the above claims alone the two patent do not have the same scope, in the past the court system have amended or remove De DOVO standard where the patent are to be

the same. the court rendered it opinion base on the DE NOVO Standard, then on the Appeal court which I have petitioned for review now, Appeal from USCA Fed. Circuit, case number 17-1842, the case was decided De Novo standard. In their opinion Hon. Judges, Newman, Hughes, and Stoll noted that the application of DE NOVO standard review is not rigid, in a minute, the Judges seen to believe in Hon. Justice Breyer, Justice Thomas and Justice Alito, who wrote that de novo standard can be reversed and or amended. See Teva Pharmaceutical USA inc. V Sandoz Inc. please Your Hon. I plead that for fairness and justice that you amend or remove de novo standard.

PLAUSIBLE CLAIM FOR RELIEF

See above, claims of US patent 840, page 1, paragraph 1 to 6, pages 2 to 3 and see the facts built up from claimed embodiments to the product, see page 6, paragraph 1, line 4 to finish. In a simple and coherent facts and legally correct claims, US Patent 7, 152, 840, illustrate the platform or a configured and adaptable platform, the platform adaptable to mount book or technology, in this case a lap top computer, from the back surface, the upper end, of the upper arm is attach to the rear surface of the platform, the front surface of the platform is attach to the computer with a clip, Your Hon we demand \$50 million damages.

clamp, or key, or others. See exhibit 1, page 9 and page 3. See the claimed drawing (alternative designed base and platform below or the equivalent)

2. hardwares, and software,

Hard ware like clasps, base, connectors, brackets, screw thread, screw grip, bolt and many more, all this hard ware are called clip body.

Software, simply state all soft ware are them self a tool, USB, mouse, USB Ports, memory CPU, power, conducts, semi conductors, wires or cables, serial ports etc.

3. An upper end arm , the product and US patent have an upper end arm or the equivalent. (the upper arm have connectors or others equivalent tools that allow pivotal positioning of the platform computer to the user)

4. Lower end arm, the product in question and US Patent 840 have a lower end arm, the lower arm end is attached to the upper arm end by a connectors or slide, or rotate into the lower into the lower end of the upper arm or other equivalent into the upper end of the lower, the connector allows telescopic arrangements, continue on the lower arm;

5. Base, the base is modified from the clip body, the lower end of the lower arm is mounted on the base at a predetermine location using the screw

thread drill lab top holder hard onto the floor of the mobile vehicle.

As a pro se, I strongly, correctly presented the infringement case against the accused product from National grid the court have jurisdiction off.

I plead that the court give us the relief of infringement base on the out line claims, which is plausible.

AURGMENT; there is an infringement of US Patent 840 by the defendant product, a claim is infringe if each limitation in the claim is found in an accused product, or method either literally or under the doctrine of equivalents, Vehicular techs Corp V. Titan Wheel Int'l Inc. , 141 F 3d 1084, 1089 Fed. Cir. 1989. The designed parts are legally claim, (37 CFR 1.57), from document published during prosecution , the same destruction is in the specification of US Patent 840, the same elements and description is found in the claim, and the element is found on the accused product. It is an infringement. The design have been consentience and substantially the same

Sign

Date

V. PLAINTIFF'S CERTIFICATION AND WARNINGS

By signing below, I certify to the best of my knowledge, information, and belief that: (1) the complaint is not being presented for an improper purpose (such as to harass, cause unnecessary delay, or needlessly increase the cost of litigation); (2) the claims are supported by existing law or by a nonfrivolous argument to change existing law; (3) the factual contentions have evidentiary support or, if specifically so identified, will likely have evidentiary support after a reasonable opportunity for further investigation or discovery; and (4) the complaint otherwise complies with the requirements of Federal Rule of Civil Procedure 11.

I agree to notify the Clerk's Office in writing of any changes to my mailing address. I understand that my failure to keep a current address on file with the Clerk's Office may result in the dismissal of my case.

Each Plaintiff must sign and date the complaint. Attach additional pages if necessary. If seeking to proceed without prepayment of fees, each plaintiff must also submit an IFP application.

9/4/19 _____
 Dated Plaintiff's Signature

CHKEZIE O T T A I T
 First Name Middle Initial Last Name

648 DOROTHEA LOMB
 Street Address

Long Island
 County, City State Zip Code

Long Island NY
 Telephone Number Email Address (if available)

I have read the Pro Se (Nonprisoner) Consent to Receive Documents Electronically:

☐ Yes ☐ No

If you do consent to receive documents electronically, submit the completed form with your complaint. If you do not consent, please do not attach the form.

U.S. Postal Service™

CERTIFIED MAIL® RECEIPT

Domestic Mail Only

For delivery information, visit our website at www.usps.com

WALTHAM, MA 02451

OFFICIAL USE

Certified Mail Fee

\$ 3.45

Extra Services & Fees (check box, add fee as appropriate)

- | | |
|--|---------|
| <input type="checkbox"/> Return Receipt (hardcopy) | \$ 0.00 |
| <input type="checkbox"/> Return Receipt (electronic) | \$ 0.00 |
| <input type="checkbox"/> Certified Mail Restricted Delivery | \$ 0.00 |
| <input type="checkbox"/> Adult Signature Required | \$ 0.00 |
| <input type="checkbox"/> Adult Signature Restricted Delivery | \$ 0.00 |

Postage

\$ 0.50

Total Postage and Fees

\$ 3.95

Sent To

NATIONAL GROUP

Street and Apt. No., or PO Box No.

City, State, ZIP+4®

See Reverse for Instructions

PS Form 3800, April 2015 PSN 7530-02-000-9047

7017 3380 0000 088E 2102
07EE 2E9E 0000 3832 3310

0332 07
BROOKLYN, NY 11224
FEB 27 2018
NEPTUNE FINANCIAL
1806670717976272029037

[illegible][illegible]

And your friends can receive the \$2000
bonus to get the latest edition
Personal Finance and more great buy-
backs. You may also visit www.1500.com
for a complete list of 1-800-222-2211


All orders final in terms and postage.
 Refunds for our return services only.
 Thank you for your business.

THE UNIVERSITY OF CHICAGO


THE 22 APRIL 1964 EDITION
OF THE ENGLISH

54165 1940-1941 1942-1943
 54166 1941-1942 1943-1944
 54167 1942-1943 1944-1945

of 2000 (1000 hours) with
your web browser.



PAGE 2




publication #
10/366/779
6, claim as a mobile
vehicle
7, claim priority

I swear in the laws of United States of America, this is a true CLAIM from the original copy of US Patent 10/366, 779. It is shown herein as disclosed, it is fair, merit, correctly and legally incorporated into US 840 and encompassed into US 840 Patent claim. See US Patent 840, Page 6, paragraph 1. See prosecution history in the specification, paragraphs 0034-0039.

Page 2

restaurant, at school,
and at home. Reading,
writing, singing, and
playing with books
and/or audio
equipments.

Noon start is a
book-holder.




Page 2

carriage, bed, chairs
and on the floor that
help mold the kids
reading, writing,
singing and playing
habits.

The product give the
kids advantages in
learning because noon-
start can be use by kids
in any environment, at
the bus stop, train, at
the park, at the beach,

10346779.042403



Page 2


CLAIMS.

1. Chineye Ottah and Chikezie Ottah are claiming priority with noon-start as a head-start product and a lock holder targeted to structures use mostly by children.

Noon-start is the first head-start product on children strollers.


Claim Paragraph 7
E. With BODK-3 Motor
Video Sample

PAGE 3





SURFACE FRONT ADAPTED FOR SUPPORTING A BOOK, HEREIN A CAMERSA. THE COURT WANT ME TO ADDRESS THAT." Drawings and pictures can anticipate claims if they clearly show the structure which they are claimed. In re Mraz, 28 F.2d 1069, 173 USPQ25 (ccpa 1972" , see Jockmus V. Leviton, 28 F.2d 812(2nd Cir.1928. the model have been established, the method with elements, screw and camera are thesame

PAGE 2



SURFACE FRONT ADAPTED FOR SUPPORTING A BOOK, HEREIN A
CAMERSA. THE COURT WANT ME TO ADDRESS THAT." Drawings and
pictures can anticipate claims if they clearly show the structure which
they are claimed. In re Mraz, 28 F.2d 1069, 173 USPQ25 (ccpa 1972", see
Jockmus V. Leviton, 28 F.2d 812(2nd Cir.1928. the model have been
established, the method with elements, screw and camera are the same

Page 7
Change Drawing



PAGE 7. (1 OF 2 PAGES)

U.S. Patent

Dec. 26, 2006

Sheet 3 of 4

US 7,152,840 B2




Fig. 5




Fig. 4

nationalgrid

HERE WITH YOU. HERE FOR YOU.

THE NATIONAL GRID
ENERGY GROUP

PAGE 11

47347 + MG

• COMMERCIAL •

1-718-643-4050

PAGE 11

PS Form 2976, July 2013 PSN 7530-01-000-8833

2 - Shipping Label (Postage and Customs Declaration)

Sender's Signature and Date (9)
 I certify the particulars given in this customs declaration are correct. This item does not contain any undeclared dangerous articles, or articles prohibited by legislation or by postal or customs regulations. I have met all applicable export filing requirements under federal law and regulations.

AES Exemption (8)
☐ NOEEI § 30.37(a) ☐ NOEEI § 30.37(h)

Detailed description of contents (1)
☐ Documents ☐ Commercial sample ☐ Humanitarian Donation ☐ Gift
☐ Merchandise ☐ Dangerous Goods ☐ Other

Qty. (2)	Weight (3) lb. oz.	Value (4) (US \$)	HS Tariff # (5)	Country of Origin (6)
Total (7)				

Making Office Date Stamp

To:
 Address: 40 Sullivan St.
 City: Waltham, MA 02451
 Country: U.S.


Business:
 Address: 40 Sullivan St.
 City: Waltham, MA 02451
 Country: U.S.

From:
 Address: 2111 Cambridge St.
 City: Brooklyn, NY 11231
 Country: U.S.

USPS Customs Declaration
 L583246419US

Barcode:
 L583246419US





(10) Patent No.: US 7,152,840 B2
(45) Date of Patent: Dec. 26, 2006

U.S. Patent

Dec. 26, 2006

Sheet 2 of 4

US 7,152,840 B2






Fig. 3

U.S. Patent

Dec. 26, 2006

Sheet 3 of 4

US 7,152,840 B2



U.S. Patent

Dec. 26, 2006

Sheet 4 of 4

US 7,152,840 B2




Fig. 7




Fig. 6




Fig. 8

12. R92.43 P41R4

US 7,152,840.B2

1
BOOK HOLDER

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates generally to a removable book holder assembly for use by a person in a protective or mobile structure such as a car seat, wheelchair, walker, or stroller. The Book holder having an adjustable, releasable clipping means and a support arm configured for axial, rotational and pivotal adjustment of the book supporting surface of the book holder to hold a book in a readable position in front of the user.

2. Description of the Related Art

The prior art of book holders comprises a variety of devices for supporting a book on a platform in a position for viewing or reading. A conventional book holder includes a supporting structure for supporting the book support on a table. The platform is supported by a table or other such flat structure as seen in the Michels U.S. Pat. No. 5,755,423 for a FOLDING PORTABLE SUPPORT STAND, wherein a device is disclosed comprising hinged covers folding into a support structure for holding a book in the open position on a flat horizontal surface.

The prior art also discloses structures built around the person to hold a book in useful relation such as the ADJUSTABLE BOOK HOLDER in U.S. Pat. No. 6,202,973 to Navarin et al. In the '973 patent a structure is disclosed for holding a book in a readable position on a structure attachable to the reader's torso. The Weeks U.S. Pat. No. 3,497,882 for SUPPORT MECHANISM FOR SUPPORTING VARIOUS DEVICES TO BE EMPLOYED IN COOPERATION WITH A HOSPITAL BED likewise discloses a support structure disposed over the bed and a book holder slidably mounted on the support structure for holding the book in reading position while the reader is lying in bed.

The *Wiersma* U.S. Pat. No. 4,201,013 for a BOOK HOLDING DEVICE discloses a detachable device for use on a bed to suspend a book holder from over the reader's head. The *Wiersma* device is clamped to a headboard of a bed using C-clamps:

The book holders disclosed in the prior art suffer from a number of disadvantages. In particular, such book holders include do not provide an adequate solution for young children or mobility limited adults. These people spend a significant amount of their time outdoors (e.g., parks, beaches, playground, theme parks, etc) and conventional book holders are primarily designed for indoor use. The book holders in the prior art lack the ease of application to a mobile vehicle such as a wheelchair or stroller to allow the reader to have mobility to explore their environment in a stationary sitting or reclining position while reading a book supported on the mobile vehicle. As a result, the learning benefits are significantly reduced.

The prior art does not accommodate easy and quick attaching the book support onto a structure for mobile use. Thus there is a need for an improved Book Holder that is quickly and easily clipped to a mobile vehicle such as a wheelchair or stroller for holding the book in a reading position in spaced relation to the clip.

SUMMARY OF THE INVENTION

It is an object of the present invention to provide a book holder that can be easily and removably attached to and removed from a bar or portion of the mobile vehicle without tools.

It is an object of the present invention to provide an adjustable clasp for attaching the book holder to the mobile vehicle to easily and quickly attach or detach the book holder.

It is further object of the present invention to provide an arm between the clasp and the book support platform to hold the book in spaced relation from the clip.

It is another object of the present invention to provide a pivotal attachment between the clasp and the support platform to hold the book on the support platform at a selected angle with respect to the reader for ease of viewing.

It is another object of the present invention to provide a telescoping arm between the clasp and the book support platform to axially adjust the position of the support platform with respect to the clasp to position the platform in a position for ease of viewing by the reader.

It is another object of the present invention to provide a book holder having an elongate arm with a rotational adjustment to rotate the position of the support platform with respect to the clasp to a position for ease of viewing by the reader.

It is another object of the present invention to provide a clasp comprising a clip having an adjustable, resilient arm for removably attaching to a mounting structure on the mobile vehicle.

It is another object of the present invention to provide a locking means on the book holder to retain the rotational, pivotal and axial position of the support platform with respect to the clasp.

It is another object of the present invention to provide a support platform adaptable for use as a writing board,

It is another object of the present invention to provide a connector means for removably securing a book to the book holder in a reading position.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a perspective view of a book holder showing a first embodiment of the present invention;

FIG. 2 is a schematic view of a book holder according to

FIG. 3 is an exploded view of a book holder illustrating the square telescoping arm;

FIG. 4 is a side perspective view of the book holder of

FIG. 1 illustrating an alternative clip arrangement;

FIG. 5 is a perspective view an adjustable clip

FIG. 6 is a perspective view of a book clas

FIG. 7 is a perspective view of a clip arm.

DETAILED DESCRIPTION OF THE INVENTION

Referring to FIG. 1 there is illustrated a book holder assembly 10 according to the first embodiment of present invention. The book holder 10 comprises a book platform 12 and an adjustable arm 14 and a clasp 15. The book platform 12 includes a generally planar panel 16 having a front 18 and a rear surface 20. The front surface 18 is configured to hold a book or suitable for use as a writing/drawing board (eg a white-board, a blackboard, an electronic board). The rear surface 20 of the book platform 12 is attached to the adjustable support arm 14 at angle suitable for reading. The book platform 12 can be integrally formed with the support arm 14 such that the support arm 14 forms a portion of the

p. 602. C.

US 7,152,840 B2

3

book support protrudes from the rear surface 20 of the panel 16. Preferably, though the supporting arm 14 and the book platform 12 are provided as separate items to be assembled by the user.

Mounted to the front surface 18 of panel 16 are two pairs of spring biased book clamps 22 for securing a book (not shown) to the book holder 10. The first pair of spring biased book clamps 22a, 22b is located near the top edge 24. The second pair of spring biased book clamps 22c, 22d is located near the bottom edge 26.

Continuing to refer to FIG. 1 the panel 16 may be made of plastic and the book clamps 22 made of steel covered by plastic. However, other materials such as wood, metal, etc., and combination thereof may be used in the manufacturing of the book holder assembly 10.

The arm 14 comprises a first end 23 and second end 25. The clasp 15 is on the first end 23. The second end 25 is spaced from the first end 23. The second end 25 is adjustably attached to the book platform 12. The arm 14 includes a telescoping arrangement 32 in which an upper support portion 34 of the support arm 14 slides within a lower support portion 36 and is held at a selected position by a locking member 55 (FIG. 2). The lower support portion 36 of the support arm 14 is attached to the clasp 15. The clasp 15 comprises one or more clips 40 for removably attaching the book holder 10 to the mobile vehicle (not shown).

The clips 40 are adjustable in shape and size to fit the shape and size of the supporting frame member on the mobile vehicle (not shown). The clips 40 comprise a pair of resilient C-shaped clip arms 42 adjustably attached to the clip 40. The first clip arm 42a is spaced from the second clip arm 42b in order to tightly retain the supporting frame member of the mobile vehicle (not shown) therebetween. To secure the book holder 10, the user forces the clip arms 42a and 42b apart to allow the frame member to slip between the clip arms 42a, 42b. The clip arms 42a, 42b then snap resiliently together to hold the book holder 10 to the frame member (not shown) of the mobile vehicle (not shown).

Referring to FIG. 2, the book holder 210 comprises a book support platform 212, a generally planar panel 216, a support arm 214 and a dual clasp 215. The support arm 214 comprises a support member 50 extending from the middle section of the panel 216, an elongate arm 52 and an adjustable angle mount 54. The angle mount 54 connects the support member 50 to the elongate arm 52 to hold the panel 216 in spaced relation to the clasp 215. The angle mount 54 comprises locking member 55 to hold the panel 216 and clasp 215 in the user selected position. The angle mount 54 allows the panel 216 to be adjusted both axially and rotationally with respect to the clasp 215. The book support 212 may be pivotally mounted (FIG. 4) to the support member 50 to allow the panel 216 to be pivoted with respect to the support member 50.

Continuing to refer to FIG. 2, the dual clasp 215 comprises a clip bar 238 and a pair of clips 240 attached to the clip bar 238. The clips 240 are spaced from each other to provide a secure attachment to the mobile vehicle (not shown). As a result, the book holder 210 of FIG. 2 is adjustable for height and rotation and pivotal angle with respect to the clasp 215.

Referring now to FIG. 3 an alternative support arm 314 comprises concentrically mounted, square tube members 60, 62. The open box-shaped male member 60 is adapted to attach to a book support platform (12, FIG. 1) on one end and slidably insert into member 62 with the other end. The male member 60 is adapted for separable, concentric interconnection with the female member 62 to form a telescoping

4

arrangement for axial adjustment of the spaced relational distance between the book support 312 and the female member 62. The male member 60 comprises a front portion 64a, a back portion 66a, a pair of side portions 68a and 70a, a lower portion 72a, and a top 74a. The side portions 68a and 70a of the male member 60 have holes 80a formed in a pattern therein. The top 74a is adapted to attach to the book support (12, FIG. 1). The female member 62 comprises a front portion 66b, a back portion 66b, a pair of side portions 68b and 70b, a lower portion 72b, and an open top 74b. The side portions 64b and 66b of the male member 62 have holes 80b formed therein for concentric alignment with the holes 80a in the male member 60. The lower portion 72b is adapted to attach to the clasp 15. The male member 60 fits slidably into the female member 62 such that at least one hole 80a in the side wall 64a of male member 60 is concentrically aligned with a hole 80b in the adjacent side wall 64b of the female member 62 at a predetermined position to axially space the clasp 15 from the book support (12, FIG. 1). The user then fixes the male member 60 to the female member 62 by connector means (not shown).

FIG. 4 illustrates a book holder 410 comprising a book support 412 and a support arm 414. The support arm 414 comprises a clasp 15, a lower section 73 and an upper section 75. The clasp 15 comprises an adjustable clip 70 mounted on the lower section 73. The adjustable clip 70 is rotatable with respect to the arm 414 to removably attach the book holder 410 to a vertical or horizontal object (eg, a pole) (not shown) on the mobile vehicle. The arm connector 415 rotatably and slidably attaches the lower section 73 of the supporting arm 414 to the upper section 75. The upper section 75 has pivotal connector 420 (FIG. 4) on the book support 412. The clip 70 has adjustable clip arms 74a, 74b to allow different sizes of objects to be attached to the book holder 410. The position of the clip arms 74a, 74b along the clip body 78 can be selectively fixed by a screw 415.

Referring to FIG. 5, the clasp 15 includes a clip body 101 and a pair of clips arms 74a, 74b extending from the clip body 101. The clip 70 comprises a clip head 79 having a plurality of holes 77 fastener. The clip arms 74a, 74b are mounted on the clip head 79 in spaced relation to securely and removably attach the book holder 410 (FIG. 4) to the mobile vehicle (not shown). The body 101 of the clip 70 may have a plurality of holes 91 formed therein in spaced relation to each other for adjustable connection of the clip 70 to the arm 414 (FIG. 4). Each clip arm is attached to the clip body in one of several selectable positions along said clip body. Preferably, the clip 70 includes a clip body 101 on the arm 414, a clip head 79 on the clip body 101 and a plurality of clip arms 74a, 74b removably attached to the clip head 79.

A screw 415 another fastener is removably attached to the clip head 79 for selectively fixing the position of said clip arm along said clip body. The clip means may alternatively be a spring clip or include at least one resilient clip arm.

Referring to FIG. 6 the head 79 is shown with two sets of clip arms 74a, 74b. Each clip arm 74a and 74b is attached by fastener 81 which may be removable such as a screw. The arms 74 are thereby adjustably spaced from each other to adapt to resiliently clasp onto a mounting portion of the mobile vehicle (not shown).

Referring to FIG. 7 a clip arm 74 is shown comprising a flex section 103, a base 102 and a tip 107. The base 102 has one or more holes 109 formed therein for aligning with a hole on the clip head 79 to accommodate attaching the clip arm 74a to the clip head 79 by screw, rivet or other mechanical fastener 81. The clip arms 74a, 74b are attached to the clip head 79 in a C relation (FIG. 6) to form adjustable

V1210

US 7,152,840 B2

5

clasp 15. The flex section 103 allows the tip 107 to deflect from its rest position to accommodate the portion of the vehicle to be attached to be disposed between the clip arms 74a, 74b. The resilient material of the lip arms 74a, 74b urges the tip 107 back to the rest position causing the clip arm 74a, 74b to bear against the vehicle to removably attach the book holder 10 to the vehicle (not shown). Tip 107 may also have holes 109 formed therein for alternate configurations on head 79 (FIG. 6) or alternate attachment methods.

Referring to FIG. 8, a book clamp 22 comprising a body 108, a spring 120 and a slidable grip 122. The slidable grip 122 is slidably mounted to the body 108. The spring 120 has a first end 124 on the body 108 and a second end 126 on the grip 122 to urge the grip in the clamped position 127. The book clamp 22 is mounted to the panel 16 having the grip 122 extending from the front surface 18 for engaging a book or other device to be retained on the book holder 10. The spring 129 and slidable attachment between the grip 122 and the clamp body 108 allow the grip to be moved into position to engage the book with the finger portion 128 of the grip 122. The spring 120 bears against the grip 122 to hold the book against the front surface 18 thereby securing the book (not shown) to the book holder 10.

In use, the book holder 10 is attached to the vehicle (not shown) by use of the clasp 15. The clasp 15 is rotationally adjusted on the support structure on the vehicle to begin the book holder 10 adjustment to a usable position. The telescoping mechanism in the arm 14 is used to axially adjust the spacing between the clasp 15 and the support platform 12. The rotational coupling between the first end of the arm 14 and the second end of the arm is used to rotate the support platform around the axis of the arm 14 to an openable position. Lastly, the pivotal connection 420 (FIG. 4) between the arm 14 and the support platform 12.

The book platform 12 may also be used to support such items as audio/video equipment, PDAs, or mobile phones, cameras, computers, musical instruments, toys, puzzles and games. The panel 16 may be provided with a set of mounting positions for receiving and/or mounting the above items (NOT SHOWN).

6

Although the invention has been described above in connection with particular embodiments and examples, it will be appreciated by those skilled in the art that the invention is not necessarily so limited, and that numerous other embodiments, examples, uses, modifications and departures from the embodiments, examples and uses are intended to be encompassed by the claims attached hereto. The entire disclosure of each patent and publication cited herein is incorporated by reference, as if each such patent or publication were individually incorporated by reference herein.

We claim:

1. A book holder for removable attachment, the book holder comprising:

a book support platform, the book support platform comprising a front surface, a rear surface and a plurality of clamps, the front surface adapted for supporting a book, the plurality of clamps disposed on the front surface to engage and retain the book to the book support platform, the rear surface separated from the front surface;

a clasp comprising a clip head, a clip body and a pair of resilient clip arms, the clip arms adjustably mounted on the clip head, the clip head attached to the clip body, and

an arm comprising a first end and a second end and a telescoping arrangement, the clasp on the first end, the second end pivotally attached to the book support platform, the telescoping arrangement interconnecting the first end to the second end, the clasp spaced from the book support platform wherein the book holder is removably attached and adjusted to a reading position by the telescoping arrangement axially adjusting the spaced relation between the book support platform and the clasp and the pivotal connection on the book support platform pivotally adjusting the front surface with respect to the arm.

SEE PAGE 6, PARAGRAPH 1, U.S. PATENT 840

SEE PAGE 5, PARAGRAPH 1, LINE 7 TO 8

During Protection

PAGE 36/38 FIG. 8, PARAGRAPH 3, COLUMN 9

PUBLISHED CLAIM, ORIGINALLY


DATED 02/19/03, PAGE 2, PARAGRAPH 5

SEE SUBSTANCE

MISTAKEN, DID THEY NOT, DID CAUSE HARM

AND THE LAW,


PAGE 2



publication #
10/366/779
6, claim as a mobile
vehicle.
7, claim priority

I swear in the laws of United States of America, this is a true CLAIM from the original copy of US Patent 10/366, 779. It is shown herein as disclosed, it is fair, merit, correctly and legally incorporated into US 840 and encompassed into US 840 Patent claim. See US Patent 840, Page 6, paragraph 1. See prosecution history in the specification, paragraphs 0034-0039.

20256779.0002003



Page 2


carriage, bed, chairs
and on the floor that
help mold the kids
reading, writing,
singing and playing
habits.

The product give the
kids advantages in
learning because non-
start can be use by kids
in any environment, at
the bus stop, train, at
the park, at the beach.

Page 2

restaurant, at school,
and at home. Reading,
writing, singing, and
playing with books
and/or audio
equipments.

Noon start is a
book-holder.



10346779-042403

Page 2


CLAIMS

1. Chinese Ottah and
Chikeze Ottah are
claiming priority with
noon-start as a head-
start product and a
book holder targeted to
structures use mostly
by children.

Noon-start is the first
head-start product on
children strollers.


Claim Priority →
E. with book & video
video equipment

PAGE 3



SURFACE FRONT ADAPTED FOR SUPPORTING A BOOK, HEREIN A
CAMERSA. THE COURT WANT ME TO ADDRESS THAT." Drawings and
pictures can anticipate claims if they clearly show the structure which
they are claimed. In re Mraz, 28 F.2d 1069, 173 USPQ25 (ccpa 1972" , see
Jockmus V. Leviton, 28 F.2d 812(2nd Cir.1928. the model have been
established, the method with elements, screw and camera are the same

PAGE 2



SURFACE FRONT ADAPTED FOR SUPPORTING A BOOK, HEREIN A
CAMERSA. THE COURT WANT ME TO ADDRESS THAT." Drawings and
pictures can anticipate claims if they clearly show the structure which
they are claimed. In re Mraz, 28 F.2d 1069, 173 USPQ25 (ccpa 1972" , see
Jockmus V. Leviton, 28 F.2d 812(2nd Cir.1928. the model have been
established, the method with elements, screw and camera are the same

Page 7
Continued Drawing




Fig. 4




Fig. 5

PAGE 7. (1 of 2 pages)

U.S. Patent

Dec. 26, 2006

Sheet 3 of 4

US 7,152,840 B2




Fig. 5





Fig. 4



Page 11

nationalgrid
HERE WITH YOU. HERE FOR YOU.

nationalgrid
nationalgrid
nationalgrid

Page 11

Page 11



1-718-643-4050

LC5832464190
USPS® CUSTOMER SERVICE

USPS® Customs Declaration Form
 IMPORTANT: This form must be filed with the package.
 Privacy Notice on reverse of form and on back of
 print in English and your language.

From: Charles & Lois Harris
BUSINESS CHICK 21R

BUSINESS
4.8 7,152-84
PERSONS
3110

2111 CANALSIDE RD
City Bklyn NYK State NY Zip 11222
Telephone/Fax or Email

Addressed to Law Name
NATIONAL
BUSINESS

Address National Guard

40 SYLVAN RD,

Country USA/Hawaii, MA 02451
Telephone 212-223-2222

2- Shipping Label (Self and Customer Copy)

☐ Documents ☐ Commercial sample ☐ Merchandise ☐ Dangerous Goods
☐ Gift ☐ Humanitarian Donation ☐ Other

Detailed description:

Detailed description of contents (1)	Qty. (2)	Weight (3) lb. oz.	Value (4) (US \$)	HS Tariff # (5)	Country of Origin (6)
AES Exemption (9)		Totals (7)			

AES Exemption (8)
☐ NOEEI § 30.37(a) ☐ NOEEI § 30.37(h)
 I certify the national

I certify the particulars given in this customs declaration are correct. This item does not contain any undeclared dangerous articles, or articles prohibited by legislation or by postal or customs regulations. I have met all applicable export filing requirements under federal law and regulations.

Sender's Signature and Date (9)

Mailing Office Date Stamp

PS Form 2976, July 2013 PSN 7530-01-000-9833

2- Shipping Label (Net) and Customer Copy (Net)

