4

6 7

5

8 9

10

11

12 13

14 15

16

17

18 19

20

21 22

23

24

25 26

27

28

number of other technological innovations that we now take for granted. This lawsuit concerns another such innovation: technology that allows for the safe and secure communication of sensitive information via the Internet, such as personal, banking, commercial, financial, and other information.

Federal law empowers the government to license its patents to private parties 2. for commercialization as well as for enforcement of the patent without the United States as a party. 37 C.F.R. § 404.5(b)(2). By doing so, the government can use market forces to better capitalize on its technologies the way a private party would. In addition, a license agreement can give the private licensee the proper incentives to protect the government's intellectual property from theft, a task often handled better by a private entity.

THE PARTIES

- Plaintiff Network Signatures, Inc. ("Network Signatures") is a corporation 3. duly organized and existing under the laws of California with its principal place of business 30021 Tomas Street, Suite 300, Rancho Santa Margarita, California 92688. As alleged below, the United States of America has granted to Network Signatures an exclusive license concerning the patented technology at issue in this lawsuit.
- 4. Defendant is a company duly organized and existing under the laws of the State of Illinois, with its principal place of business at One State Farm Plaza, Bloomington, Illinois, 61710-0001. Defendant is in the business of providing financial products and services to persons in the U.S. and worldwide through physical and electronic channels, including the Internet.

JURISDICTION AND VENUE

5. This is a civil action for patent infringement arising under the Patent Act of the United States, 35 U.S.C. §§ 1 et seq. This court has subject matter jurisdiction of such federal question claims pursuant to 28 U.S.C. §§ 1331 and 1338(a).

18638.1

1 | 2 | 3 | 4 | 5 |

6. Venue is proper under 28 U.S.C. §§ 1391(b), 1391(c) and 1400(b) in that the acts and transactions complained of herein were conceived, carried out, made effective, and had effect within the State of California and within this district, among other places. Defendant resides in this judicial district by virtue of its business activities in this district, has committed acts of infringement in this judicial district, or has committed acts of contributory infringement and inducement of infringement within this judicial district.

NETWORK SIGNATURES LICENSES THE NAVY'S TECHNOLOGY

- 7. On April 23, 1996, the United States Patent & Trademark Office duly and legally issued United States Letters Patent No. 5,511,122 ("the '122 Patent"), entitled "Intermediate Network Authentication."
- 8. The '122 patent claims, among other things, a critical method of authenticating a computer in which a private electronic key is used, together with a validating public electronic key, to create a cryptographic signature, the cryptographic signature is transmitted in at least one packet to the validating computer, and the signature is verified by the validating computer using its private key and the public key of the computer to be authenticated. This authentication method allows for the safe and secure communication of sensitive information, such as personal, banking, commercial, financial, and other information, as is transmitted between computers by Defendant and its customers and users herein.
- 9. The '122 Patent is owned by the United States of America, as represented by the Secretary of the Navy. To allow enforcement, commercialization of and protection of this patent and the technology it represents, in September 2004, the United States Navy executed an exclusive license agreement with Metrix Services, Inc. ("Exclusive License Agreement") and, by this Exclusive License Agreement, expressly granted Metrix Services the exclusive right to practice, enforce, and sublicense, among other rights, the '122 Patent, subject to the general limitations imposed by federal law. A true and correct copy of the Exclusive License Agreement is attached hereto as Exhibit A and incorporated herein by 18638.1

reference. With the express approval of the United States Navy, Metrix Services transferred its entire right, title, and interest to, and in, the '122 Patent to Network Signatures on February 14, 2006. A true and correct copy of the First Amendment to the Exclusive License Agreement, which, among other things, approved the assignment of the Exclusive License Agreement to Network Signatures, is attached hereto as Exhibit B and incorporated herein by reference. A true and correct copy of the Assignment from Metrix to Network Signatures is attached as Exhibit C and incorporated herein by reference.

- 10. Pursuant to its rights under the Exclusive License Agreement, Network Signatures has begun the commercial development of a product, known as EasyConnect, that utilizes the '122 Patent. Network Signatures has demonstrated the product to NRL personnel and has received NRL's recognition of its development efforts. A true and correct copy of an October 12, 2006, letter from the Navy to Network Signatures reflects this and is attached as Exhibit D and incorporated by reference herein.
- 11. Network Signatures has also begun exercising its other primary obligation under the Exclusive License Agreement: protecting the Navy's intellectual property rights from infringement.

FIRST CLAIM FOR RELIEF

AGAINST DEFENDANT FOR DIRECT, CONTRIBUTORY AND INDUCING INFRINGEMENT OF U.S. PATENT NO. 5,511,122

- 12. Plaintiff incorporates herein by reference the allegations set forth in paragraphs 1-11 of the Complaint as though fully set forth herein.
- 13. A true and correct copy of the '122 Patent is attached as Exhibit E and incorporated herein by reference. On information and belief, Defendant uses digital certificates and digital signatures implemented though the use of public key infrastructure to facilitate communication with its employees and customers. For example, Defendant enables a computer of a Defendant customer, affiliate, business partner, or employee ("sending computer") to send a secure communication over the Internet to another

computer ("receiving computer") by using a confidential private key, and a public key, to digitally sign the message being sent. When the receiving computer receives the signed message, it uses the sending computer's public key, and its private key, to decrypt the signature (collectively referred to as "Defendant Authentication Activities").

- 14. By making, using, selling, and offering for sale Defendant Authentication Activities, Defendant has directly infringed and continues to directly infringe the '122 Patent, including infringement under 35 U.S.C. § 271(a) and (f).
- 15. On information and belief, Defendant has also indirectly infringed and continues to indirectly infringe the '122 Patent by actively inducing direct infringement by other persons—specifically, customers and partners of Defendant—who operate methods that embody or otherwise practice one or more of the claims of the '122 Patent when Defendant had knowledge of the '122 Patent and knew or should have known that their actions would induce direct infringement by others and intended that their actions would induce direct infringement by others.
- 16. On information and belief, Defendant has also indirectly infringed and continues to indirectly infringe the '122 Patent by contributory infringement by providing non-staple articles of commerce to others for use in an infringing system or method with knowledge of the '122 Patent and knowledge that these non-staple articles of commerce are used as a material part of the claimed invention of the '122 Patent.
- 17. On information and belief, Defendant's foregoing acts of infringement include infringement by use and implementation of the Defendant Authentication Activities which are made part of their financial products and services.
- 18. On information and belief, Defendant will continue to infringe the '122 Patent unless enjoined by this Court.
- 19. As a direct and proximate result of Defendant's infringement of the '122 Patent, Network Signatures and the United States Government have been and continue to be damaged in an amount yet to be determined.

18638.1

20. Unless a preliminary and permanent injunction are issued enjoining Defendant and its officers, agents, servants and employees, and all others acting on their behalf or in concert with Defendant, from infringing the '122 Patent, Network Signatures, and the United States Government, will be greatly and irreparably harmed.

PRAYER FOR RELIEF

WHEREFORE, Plaintiff Network Signatures prays for judgment against Defendant as follows:

- (1) For a judicial determination and declaration that Defendant has directly infringed, and continues to directly infringe, United States Letters Patent No. 5,511,122;
- (2) For a judicial determination and declaration that Defendant has induced, and continues to induce, the infringement of United States Letters Patent No. 5,511,122;
- (3) For a judicial determination and declaration that Defendant has contributorily infringed, and continues to contributorily infringe, United States Letters Patent No. 5,511,122;
- (4) For a judicial determination and decree that Defendant, its respective subsidiaries, officers, agents, servants, employees, licensees, and all other persons or entities acting or attempting to act in active concert or participation with it or acting on its behalf, be preliminarily and permanently enjoined from further infringement of the '122 Patent;
- (5) For a declaration that Defendant notify all of its customers and users of the infringing system and customers' participation in the infringement with Defendant's encouragement, and that Defendant encourage customers to cease all such infringing actions;
- (6) For a judicial decree that orders Defendant to account for and pay to Network Signatures all damages caused to Network Signatures by reason of Defendant's infringement pursuant to 35 U.S.C. Section 284, including enhanced damages under 35 U.S.C. Section 285;

18638.1

- (7) For an award of damages according to proof at trial;
- (8) For a judicial declaration that this case is exceptional under 35 U.S.C. Section 285 and Defendant be ordered to pay Network Signatures' costs, expenses, and reasonable attorney's fees pursuant to 35 U.S.C. Sections 284 and 285;
- (9) For a judicial order awarding to Network Signatures pre-judgment and postjudgment interest on the damages caused to it by Defendant's infringement; and
- (11) For any such other and further relief as the Court may deem just and proper under the circumstances.

June 30, 2011

ONE LLP

Ву: __

Nathaniel L. Dilger, Esq. Attorneys for Plaintiff

Network Signatures, Inc.

DEMAND FOR JURY TRIAL Plaintiff Network Signatures, Inc. hereby demands trial by jury in this action. June 30, 2011 **ONE LLP** Attorneys for Plaintiff Network Signatures, Inc. 18638.1

COMPLAINT

EXHIBIT A

Case 8:07-cv-01427-AG-MLG Document 1 Filed 1.2/10/2007 Page 13 of 53

27 September 2004

EXCOUSIVE DICEOSE

Between

METETE BERVICES, INC.

And

UNITED STATES OF AMERICA

As Represented By

THE SECRETERY OF THE MEVY

MRL-LIC-D4-23-7F

EXHIBIT A



Case 8:07-cv-01427-AG-MLG Document 1 Filed 1.2/10/2007 Page 14 of 53

INDEX

1	
Presmble	Page
Article I .	The first date.
	Definitions,
,	TITCHNSH GLant.
Article III	TITCEMENE E Deriormance.
Article IV	Royalties
Erticle' V.	Patent Warking and Womendorsement
Article VI	Representation and Wattauties
Article VII	Reports
Article VIII .	Wodification and Technication
ATTICLE II	MDEZDE, a su su su a de de la companya de la compan
Article X	Ethi cereing
Article II.	Pesservation of Rights.
Article XII	Tiltigation and the same as a second second

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 15 of 53

PREAMETE

This exclusive license (hereinsfier nalled "LICENSE") is made and entered into by and between the United States of America as represented by the Secretary of the Nevy (hereinafter nalled "LICENSOR") and Metrix Services, Inc., a corporation organized and existing under the laws of the State of California (hereinafter called "LICENSEE") having an address at 2 Peters Canyon, Irvine, CA 92606.

WITNESSETH:

WHEREAS TITLE 35 of the United States Code, Section 207, authorizes Federal agencies to license their patents; and WHEREAS TITLE 37 of the Code of Federal Regulations, Chapter IV, Part 404 entitled "Licensing of Government Owned Inventions" sets forth the terms and conditions under which licenses may be granted; and

WHEREAS the shove-cited anthorities provide that licensing of Government inventions will best serve the interests of the Tederal Government and the public when utilisation of such inventions is promoted and such inventions are brought to Practical Application; and

WHEREAS DICEMSON has an assignment of full right, title, and interest to the invention disclosed and claimed in U.S. Patent Mo. 5,511,122 issued on April 23, 1996, for "Intermediate Metwork Authentication", and

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 16 of 53

WHEREAS INCENSOR has published in the Federal Register of December 17, 1995, the availability of a linease under U.S. Patent No. 5,511,122, and

WHEREAS DICENSES has supplied LICENSOR with a plan for development and marketing of this invention and has expressed its intention to carry out this plan upon the granting of this LICENSE; and

WHEREAS LICENSEE has agreed that any products embodying this invention or produced through the use of this invention for use or sale in the United States will be manufactured substantially in the United States; and

WHEREAS LICENSOR has published in the Federal Register of September 9, 2004, notice of its intention to grant this LICENSE under U.S. Patent No. 5,511,122 to LICENSEE and has provided the public with an opportunity for filing written objections; and

WENREAS LICENSOR has determined that:

- (A) The interest of the Federal Government and the public will best be served by the proposed linease, in view of the biCompact's intentions, plans, and shility to bring the invention described and claimed in U.S. Patent No. 5,517,122 to Practical Application or otherwise promote the invention's utilisation by the public;
- (B) The desired Practical Application has not been achieved, or is not likely expeditiously to be achieved, under any

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 17 of 53

monerclusive license which has been granted, or which may be granted, on the invention,

- (C) Exclusive licensing is a reasonable and necessary incentive to call forth the investment of risk capital and expenditures to bring the invention to Practical Application or otherwise promote the invention's utilization by the public;
- (D) The proposed terms and scope of exclusivity are not present than reasonably necessary to provide the incentive for bringing the invention to Practical Application or otherwise promote the invention's utilization by the public; and

WHEREAS LICENSOR has not determined that the grant of this License will tend substantially to lessen compatition or result in undue concentration in any section of the country in any line of commerce to which the technology to be licensed relates or to create or maintain other situations inconsistent with the antituant laws; and

WHEREAS INCRESSED has considered the capabilities of INCRESSES to bring the invention to Practical Application and has found that the INCRESSES is a responsible party for negotiating this INCRESSES on ferms and conditions most favorable to the public interest and that to great this exclusive INCRESSES would be in the public interest;

NOW, therefore, in accordance with and to the extent provided by the aforementioned authorities and in consideration of the foregoing premises and of the covenants and obligations Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 18 of 53

hersinafter set forth to be well and truly performed, and other good and valuable consideration, the parties hereto agree to the foregoing and as follows:

PRITCIE I

Definitions

The following definitions shall apply to the defined words where such words are used in this largense:

- Z. The "Licensed Patent" means T.S. Patent No. 5,511,122 entitled "Intermediate Network Anthentication" issued April 23, 1995, to Randall Atkinson;
- E. 2 "Tildensed Invention" means an invention claimed in the Ideansed Patent and any patents issuing thereon;
- C. To "Practice the Incersed Invention" means to make, use, import, offer for sale, and sell by or on behalf of LICENSEE or otherwise dispose of according to law any machine, article of manufacture, composition of matter, or process physically ambodying or made according to a licensed invention;
- D. "Practical Application" means to manufacture in the case of a composition, product or article of manufacture, to practice in the case of a process or method, or to operate in the case of a machine or system, and, in each case under such conditions as to establish that a Licensed Invention is being utilized and that its benefits are to the extent parmitted by law and Government regulations available to the public on reasonable terms;

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 19 of 53

- E. A "Royalty-Bearing Product" means any product defined by any claim of the Licensed Patent or made by a method claimed in the Tricensed Patent;
- F. "Wet Selling Price" shall mean the invoice price of the Royalty-Bearing Product sold less all discounts and rebates actually allowed, allowances actually granted on account of rejections, returns, or billing errors, and separately billed duties, insurance, taxes, and other government or regulatory charges: A Royalty-Bearing Product will be considered to be sold when shipped or delivered to a customer or, in case of a service, will be considered to be sold when shipped or delivered to a customer or, in case of a service, will be considered to be sold when placed into service for a customer or made available to a customer for use.
- E. "United States" means the United States of America, its territories and possessions, the District of Columbia, and the Commonwealth of Puerto Rico;
- E. A "Grace Period" is the period after September 30 of a calendar year and before Santary 1 of the following calendar year; and
- I. *AFFILIAME* shall mean any company, ourporation, association or business in which LICEMBEE owns directly or indirectly a controlling inherest.
- I. "SHRITCENSEE" shall mean any non-Approprie granted a sublicense under Article X;

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 20 of 53

R. "Sublicense Income" shall mean any payments that LICENSEE or an AFFINITY receives from a SUBLICENSEE in consideration of the sublicense of the rights granted by LICENSEE and AFFILITYES under Article X. including without limitation license fees.

milestone payments, license maintenance fees, royalty fees, upfront fees, one-time royalties and other payments.

PRTICIE II

LICENSE Grant

LICENSOR grants to LICENSEE an exclusive right and license to Practice the Licensed Invention throughout the United States commencing on the date of execution of this LICENSE by LICENSER, which shall become the effective date of the LICENSE, until the expiration of U.S. Patent No. 5,511,122 unless the LICENSE is sponer modified or terminated in whole or in part.

TICEMED Granted because to one or more APPLIATES subject to the terms and conditions hereof, provided that the APPLIATES is not directly or indirectly controlled by a foreign company, corporation, association, business or government.

This litewise is nonsesignable without written approval of III CENSOR except to the successor of that part of LICENSOE's business to which this lineased Invention pertains, provided that the successor is not directly or indirectly controlled by a foreign company, corporation, association, business or government.

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 21 of 53

ARTICLE TIT

LICENSEE'S PECTORMEDGE

THE PLANT AND LICENSEE BY CATTY OUT THE PLAN FOR DEVELOPMENT and matheting of a Licensed Invention submitted with LICENSEE's Application for License Sated August 27, 2004 and amended September 13, 2004, to bring this Licensed Invention to Practical Application one (1) year from date of execution of the LICENSE and LICENSEE will, thereafter, continue to make the benefits of this Licensed Tuvention reasonably accessible to the public for the remainder of the period of this LICENSE.

products embodying this licensed Invention or produced through the nee of a Licensed Invention for use or sale by Licensed or its sublicensess in the United States will be manufactured substantially in the United States.

LICENSEE shell pay to the LICENSON a non-refundable licensing fee in the amount of twenty five hundred dollars (\$2,500) payable upon the execution of this License by Licenses. Payment will be made in the manner prescribed in Article IV.

LICENSEE agrees to promptly report to LICENSOE any changes in mailing address, name or company attiliation during the period of this LICENSEE and to promptly report discontinuance of LICENSEE's making the benefits of this Licensed Invention reasonably accessible to the United States public.

1000

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 22 of 53

27 September 2004

ARTICIE IV

Royalties

LICENSEE shall pay a royalty to LICENSOR of three percent (3%) of the Net Selling Price for each Royalty-Bearing Product made, used, or sold by LICENSEE or its licensed Affiliarms.

LICENSEE shall also pay a royalty to LICENSOR of three percent (3%) of the Sublicensee Income. Notwithstanding the above, in no event shall any single sale or license be subjected to the payment of a royalty greater than 3% or multiple royalties of 3%.

If a Royalty-Rearing Product is distributed in whole or in part for non-cash consideration (whether or not at a discount), the Net Selling Price shall be calculated as the price of the Royalty-Bearing Product charged to an independent third party foring the same royalty reporting period, or in the absence of such sales, on the fair market value of the Royalty-Bearing Product.

Wor-cash consideration shall not be accepted by LICHNSEE or any sublicensee for the sale of any Royalty-Bearing Product without the prior written consent of LICENSOR.

Royalties will not be paid on items sold directly to agencies of the T.S. Government or for known T.S. Government and use.

On sales made between LICENSEE and its AFFILIATES or sublicensees for resale, the royalty shall be paid on the higher Net Salling Price.

Case 8:07-cv-01427-AG-MLG Document 1 Flied 12/10/2007 Page 23 of 53

Motwithstanding the provisions of the preceding paragraphs in this Article IV, LICENSEE agrees to pay at least a minimum annual royalty of ten thousand dollars (\$10,000) for uslandar year 2005, and each uslandar year thereafter throughout the period of the LICENSEE. The minimum annual royalty for each calendar year shall be due and payable in advance on or hefore September 30 of the preceding year and will be credited as advance payment of royalties to accuse during the calendar year following payment. The minimum annual royalty payments will not be refunded in whole or in part.

LICENSES shall send to LICENSOE all royalties which accorded between January 1 and December 31 of each year by February 28 of the following year. A royalty report shall be included with each payment setting Torth the quantity and Net Selling Price of each Royalty Bearing Product sold during the period covered by the report, to whom sold and the date of such sale, and the total amount of royalties being paid for that year. Royalty reports are due each calendar year. The last royalty report is one sinty (60) days after the expiration of this Greense.

Thited States dollar amounts to the DEAS-CE DSEN 8347 and mailed to:

Define of Nevel Research
Patent Conneel of the Navy (ONR Dicc)
BDD N. Duincy Street
Arlington, VA 22217-5660

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 24 of 53

with a copy of each royalty report to:

Head, Technology Fransfer Office Naval Research Laboratory, Code 1004 4555 Overlook Ave., AW Washington, DC 20375-5320

III (BNISEE agrees to make and keep and shall require its AFFILITYES and sublinensees to make and keep full, accurate and complete books and records (together with supporting documentation) as are necessary to establish its compliance with this Article IV. Such records shall be relained for at least three (3) years following the end of the reporting period to which they relate.

Interest agrees that Incember may, if Incember so desires at a future time or times, have a fully authorized agent or representative in Licenson's behalf examine all such books and records and supporting documentation either at incember's business and premises or at a place matually agreed upon by Incember and Incember for the sole purpose of varifying reports and payments hereunder. In conducting examinations pursuant to this paragraph, Incember representative shall have access to all records that incember reasonably believes to be relevant to the calculation of royalties under article IV. If a royalty payment definiency is determined, incember shall pay the royalty definiency outstanding within thirty (36) days of receiving written notice thereof. Beyments made by incember after the due data shall include interest at the annual rate of two percentage points above the

:27 September:2004

Prime Rate (as reported in the Well Street Journal for the due date) for the period of lateness. Such examination by LICEMSOR's representative shall be at LICEMSOR's expense, except that if such examination shows an underreporting or underpayment in excess of five percent (5%) for any twelve (12) month period, then LICEMSEE shall pay the cost of such examination.

ARTICLE T

Patent Merking and Moneudorsement

LICENSEE hereby agrees to mark each product manufactured or sold under this License (or when the character of the product precludes marking, the package containing any such product) with the notation "Licensed from U.S. Mary under U.B. Patent No. 5,511,122". LICENSEE agrees not to create the appearance that Licensee endorses Licensee's business or products.

APPICE VI

Representation and Warranties

TITEMEGR makes no representation or warranty as to validity of U.S. Patent No. 5,511,122 or of the scope of any of the plains contained therein or that the exercise of this LICENSE will not result in the infringement of other patent(s). Neither TICENSOR nor its employees assumes any liability whatspever resulting from the exercise of this LICENSE.

/ 13

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 26 of 53

Nothing relating to the grant of this LICENSE, nor the grant itself, shall be construed to confer upon LICENSE or any sub-licenses hereunder or any other person any immunity from or defenses under the antitrust laws or from a charge of patent misuse, and the acquisition and use of rights pursuant to this LICENSE shall not be immunized from the operation of State or Federal law by reason of the source of the grant.

Nothing contained in this license shall be interpreted to grant to licensee any rights with respect to any invention other than the Licensed Invention.

ARTICLE VII

Reports

DICENSEE agrees to submit annual reports on or before March 1 of each relender year on its efforts to achieve Practical Application of the Dicensed Invention by one (1) year from date of execution of the DICENSEE, with particular reference to DICENSEE's plan for development and marketing of the Dicensed Tevention achieved with DICENSEE's application for Dicense. These reports shall contain a discussion of the actual number of staff and dollars apant during the preceding year committed to the commercialization effort. These reports shall contain information within DICENSEE's knowledge, or which it may acquire under posmal business practices, pertaining to the compercial use being made of this Dicensed Invention and other information which DICENSOE may

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 27 of 53

:27 September 2014

determine is pertinent to Government licensing activities.

LICENSEE agrees to submit such reports to LICENSEOR until such time
that the invention has been brought to the point of Practical

Application.

APPICLE VIII

Modification and Termination

This. License may be terminated in whole or in part by

- (A) TICENSOR determines that TICENSEE is not executing the plan submitted with the request for license dated August 27, 2004 and amended September 13, 2004, and TICENSEE cannot otherwise demonstrate to the satisfaction of TICENSOR that it has taken or can be expected to take within a reasonable time effective steps to achieve Practical Application of this Licensed Invention;
- (E) LICENSOR determines that such action is necessary to meet requirements for public use specified by Faderal regulations issued after the date of this license and such requirements are not reasonably satisfied by Licenses;
- (C) Incenses willfully made a false statement of or willfully comitted a material fact in its application for license or in any report required by this Incense; or
- (D) IICENSEE commits a substantial breach of a covenant pragresment herein contained.

影響

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 28 of 53

27 Baysembar 2004

IICENSEE may terminate this LICENSEE's written notice must notice of termination to LICENSOR. The IICENSEE's written notice must include LICENSEE's statement that neither the LICENSEE nor its sublicensees nor any LICENSEE AFFILIATES will practice the Licensed Invention in the United States after the LICENSE terminates. LICENSEE's written notice shall specify the effective date of termination.

This license may be modified or terminated in whole or inpart consistent with the law and applicable regulations upon mutual agreement of Licenses and Licenses evidenced in writing and signed by both parties.

This LICENSE may be restricted to the fields of use or geographic areas, or both, in which the LICENSEE has brought the invention to Practical Application and continues to make the banefits of the invention reasonably accessible to the public. However, such restriction may be made only after the expiration of seven (7) years following the effective date of this LICENSE.

Incement may request modification of this Incement in writing sent to Incement and stating the reasons therefor.

Hefore modifying or terminating in whole or in part this IIICENSE for any cause other than by mutual agreement, IIICENSOR shall formish IICENSEE and each sublicensee of record a written notice of intention to modify or terminate in whole or in part this IICENSEE, and IICENSEE and any sublicensee shall be allowed thirty (30) days after such notice or other agreed-upon time

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 29 of 53

27 September 2004

period, whichever is greater, to remedy any breach of any covenant or agreement set forth in this literate or to show cause why this literate should not be modified or terminated in whole or in part.

TICENSES has a right to appeal, in accordance with procedures prescribed by the Chief of Maval Research, any decision or determination concerning the interpretation, modification, termination in whole or in part of this LICENSE.

Motwithstanding the provisions of Article II, LICENSES and LICENSES agree that this LICENSES shall automatically terminate on September 30 of any year if the minimum annual royalty due for the following calendar year, as expressed in Article IV of this LICENSE, is not timely paid. If, however, the minimum annual royalty payment together with a surcharge of one hundred fifty dollars (\$150) is paid during the Grace Period before the following calendar year, then this LICENSE shall be considered as not having automatically terminated.

ARTICLE IS

Notice

and notices required under this litense shall be considered andly given if sent by courier requiring signed receipt upon delivery or if timely mailed by U.S. Postal Service, first class, postage prepaid and addressed as follows:



Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 30 of 53

(a) if to TICEMEOR:

Office of Neval Research Patent Counsel of the Navy (OMR 01CC) 800 M. Opincy Street Arlington, VA 22217-5660

with a copy to:

Head, Technology Transfer Office Naval Research Taboratory, Code 1004 .4555 Overlook Eve., SW Washington, DC 20875-5320

(b) · if to LICENBER:

Hasim Ausari
Metriz Bervices, Inc.
2 Deters Canyon
Irvins, CA 92606

or such mailing address as either party may from time to time apacity in writing.

ARTICLE X

Bublicensing.

- LICENSEE MEY Great, subject to the approval of LICENSOR, arblicenses under this LICENSE upon terms and conditions that LICENSEE may arrange provided that:
- A. Each sublicense shell be in writing and make reference to this License including the rights retained by Licenson under this License, and
- H. Each sublicense shall specify that it is granted pursuant to this LICENSE, shall specify that no provision shall be in derogation of or diminish any rights in this LICENSE and shall include the condition that the sublicense shall entomatically be



Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 31 of 53

27 September 2004

modified or terminated in whole or in part upon the modification or termination in whole or in part of this license; and

C. IZCHNSHE shall furnish LICENSOR with a copy of the standard sublicense agreement for approval thirty (3D) days before the first sublicense is granted. When substantial changes are made to the standard sublicense agreement, LICENSEE shall provide LICENSOR a copy of the modified sublicenses for approval thirty (3D) days before LICENSEE shall quant any sublicense firecensder.

D. The granting of any sublicense by IICENSEE shall in no way nelieve LICENSEE from any of the requirements of this LICENSE including royalties. Any sublicense granted by LICENSEE that does not comply with the requirements of this Exticle 2 is void.

ARTICLE XI

Reservation of Rights

TITEMENT TESETVES the right to require TITEMENT to and IITCHMENT to great promptly sublicenses to responsible applicants on reasonable terms when necessary to fulfill health and safety needs of the public to the extent such needs are not being reasonably satisfied by LICEMENT and its sublicensees.

This LICENSE is subject to the irrevocable, royalty-free right of the Government of the United States to practice and have practiced this Licensed Invention throughout the world by or on behalf of the United States and by or on behalf of any foreign government or intergovernmental or interpational organisation



Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 32 of 53 :27 September 2004

pursuant to any existing or future treaty or agreement with the Government of the United States.

This LICENSE is subject to any licenses in force at the time of the grant of this LICENSE. .

APTICLE ICI

Litigation

TICHNSOR does not by entering into this TICHNSE transfer the property rights in the Licensed Tovertion, provided however; that during the period that this bicemes is employive. Ticemess has the right of enforcement of the Licensed Patent, at no cost to the Government and without requiring the Government to be a party to the litigation, pursuant to the provisions of Chapter 29 of Fitle 15, United States Code, or other statutes. TICHNEES shall pay LICENSOR thirty percent (30%) of the actual recovery after deduction of DICENSEE's litigation costs and expenses.

IN WITHESE WHEREOF, the parties hereto have caused this . instrument be Executed Dy their duly representatives.

DELIVED STATES OF AMERICA For the Becretary of the Mayy

Captain, U.S. Mavy

Commandi by Officer

METRIE SERVICES, INC.

Title: Cio

EXHIBIT B

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 33 of 53-

ETRET AMENDMENT TO EXCLUSIVE LICENSE AGREGMENT BETWEEN

THE UNITED STATES OF AMERICA AS REPRESENTED BY THE SECRETARY OF THE NAVY AND

METRIX SERVICES, INC.

The Excitasive Lineaus Agreement executed on September 22, 2004, (hereinefter called "LICENSE") between the United States of America, as represented by the Secretary of the Navy, (hereinefter called "LICENSOR"), and Mehix Services, Inc., a composition organized and existing mater the laws of the State of California, (hereinefter called "LICENSEE") having an address at 2 Peters Canyon, Irvine, CA 92606 is hereby amended by mutual agreement.

WHEREAE, LICENSOR desires the grant of autilicensing rights to LICENSEE ha

WHEREAS, LICENSEE desires the LICENSE be assigned to their successor in part Network Signatures, LLC; and

WHEREAS, LICENSEE desires the removal of the requirement that products he manufactured substantially in the United States; and

WHEREAS, IJCENSEE desires the Prectical Application date be extended; and

WHEREAS, LICENSEE desires the litigation planes be clarified to include the right of the LICENSEE to collect for past and future infingement; and

WHEREAS, LICENSOR desires the Higgston clause he modified to require LICENSEE obtain LICENSOR's approval before enforcing the Licensed Patent.

NOW, WHEREFORE, LICENSOR and LICENSEE agree to amend the LICENSE as follows:

- The LICENSE shall be assigned to Natwork Signatures, LLC.
- Article III, paragraph 1 shall now rend;

LICENSEE agrees to carry out the plan for development and marketing of a Licensed Invention submitted with LICENSEE's Application for License deted August 27, 2004 and amended September 13, 2004, to bring this Licensed Invention to Prantical Application two (2) years from date of execution of the LICENSE and LICENSEE will, thereafter, continue to make the benefits of this Licensed Invention reasonably accessible to the public for the remainder of the period of this LICENSE.

Article III, paragraph 2 shall now read:

(23)

LICENSOR agrees that products embodying this Licensed Invention or produced through the use of a Licensed Invention for use or sale by LICENSEE, its AFFILIATES or its sublicensess in the United States do not used to be manufactured substantially in the United States. Notwithstanding the above, products embodying this Licensed Invention or produced through the use of a Licensed Invention for use or sale by LICENSEE, its AFFILIATES of the sublicensess cannot be manufactured in any of the countries identified: (I) in the Treasury Department Office of Foreign Assets Control schedule in 31 C.F.R. § 500.201; (2) in the State Department Directorate of Defense Trade Controls list in 22 C.F.R. § 126.1(a); or (3) on the Treasury Department Office of Foreign Assets Controls list in 22 C.F.R. § 126.1(a); or (3) on the Treasury Department Office of Foreign Assets Controls website for sauctioned countries (http://www.breas.gov/offices/enforcement/offac/sauctions/).

4. Article IV, paragraph 1 shall now read:

LICENSEE shall pay a royalty to LICENSOR of three percent (9%) of the Net Selling Price for each Royalty-Bearing Product made, used, or sold by LICENSEE and its licensed. AFFILIATES, LICENSEE shall pay LICENSOR thirty percent (99%) of any coinsideration received from a SUELICENSEE for a sublicense except in the case of litigation where LICENSEE shall pay LICENSOR thirty percent (30%) of the actual recovery effect deduction of LICENSEE's litigation nosts and expenses as provided in Article XII.

5. Article VII, sentance I shall now read:

ITCEMSEE agrees to submit annual reports on or before Merch 1 of each calendar year on its efforts to schieve Practical Application of the Licensed Invention by two (2) years from date of execution of the LICENSE, with particular reference to LICENSEE's plan for development and marketing of the Licensed Invention admitted with LICENSEE's application for license.

6. Payments and reports required under Article TV and communications and motioes required under Article XI shall now be sent to:

(a) if to LICENSOR:

Office of Naval Research
Office of Corporate Counsel (ONR EDCC)
One Liberty Center
875 North Rendolph Street
Atlington, VA 22203-1995

with a copy to:

Hesd, Technology Transfer Office Nevel Research Laboratory, Code 1004 4555 Overlook Ava., SW Washington, DC 20375-5320



Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 35 of 53

(b) if to IJCENSEE:

Hezim Ansari Network Signstons, LLC 14252 Culver Dr., 914 Irvina, CA 92604

7. Article XII shall now read:

LICENSOR does not by entaring into this LICENSE transfer the property rights in the Licensed Invention, provided however, that during the period that this LICENSE is exclusive, LICENSEE has the right of enforcement of the Licensed Patent, at no cost to the Government and without requiring the Government to be a party to the litigation, presuent to the provisions of Chapter 29 of Title 35, United States Code, or other statutes. LICENSEE shall inform LICENSOR of any action, legal or otherwise, it intends to take with respect to the right prior to taking such action. LICENSOR has the right to object to such action within ien (10) days of receiving notification of such action. HILCENSOR does not respond within the ten (10) day period, LICENSOR shall be deemed to not object to the proposed action. LICENSEE's right of enforcement expressly includes the right to collect damages for past and future infiringement of the Licensed Patent to the extent permissible under law. LICENSEE's hall pay LICENSOR thirty percent (30%) of the gonal recovery after deduction of LICENSEE's litigation costs and expresses.

IN WITHESS WHEREOF, the parties herein have caused this instrument to be executed by their duly sufficiency representatives.

The state of the s	•
UNITED STATES OF AMERICA For the Secretary of the Nevy	METRIX SERVICES/INC.
By Clanel Robby	By. # 4
D.R. GAHAGAN Captain, U.S. Navy Commanding Officer	HAZIM ANSARI Title: CEO
Date: <u>EFEBOS</u>	Date: Z/14/16
	· · · · · · · · · · · · · · · · · · ·
NETWORK SIGNATURES, ILC	
Ву:	
Date:	

NAL-LIC-IN-15-161(i) 21 December 2005

EXHIBIT C

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 36 of 53

Page 1

THEMPIEER

WHEREAS, Metrix Services, Inc. having a principal place of business in Tustia, California, owns an Exclusive License to U.S. Patent No. 5,511,122, entitled "Intermediate Network Authorheation" and has been granted such Exclusive License from the United States of America, as represented by the Bearstary of the Navy- {hereinafter "Exclusive License");

AND WHEREAS, Network Signatures (bereinniter "ASSIGNEE"), with its principal place of business in Vista, California, desires to acquire the entire right, this, and interest in and to the said Exclusive License:

NOW, THEREFORE, in consideration of good and valuable consideration, the receipt of which is hereby acknowledged, Metrix Bervices does hereby acknowledge that it has sold, assigned, transferred and set over, and by these presents do hereby sell, essign, transfer and set over, and set over, and fire said ABSIGNEE, its accoessors, legal representatives and assigns, the entire right, title, and interest favoragions the world in, to and under the said improvements, and the said Exchange License and all provisional applications relating thereto, and all divisions, renewals and continuations or confictuations-in-part thereof, and all rights of priority under International Conventions and spatientions for Letters Priority under International Conventions and applications for Letters Priority which may be granted for said improvements in any country or countries foreign to the United States, and all Letters Priority which may be granted for said improvements in any country or countries foreign to the United States, and all Letters Priority which may be granted for said improvements in any country or countries foreign to the United States and all extensions, renewals and reissues thereof.

AND Metrix Services does hereby covenant and agree that it will communicate to the said ASSICINES, its successors, legal representatives and assigns, my facts known to it respecting said improvements, and testify in any legal proceeding, sign all inwind papers, exacute all divisional, nonlinving and reissue applications, make all rightful dails and generally do everything possible to old the said ASSICINES, its successors, legal representatives and assigns, to obtain and enforce proper potent protection for said improvements in all countries.

IN TESTIMONY WHEREOF, Assignor intending to be legally bound has hereonto nitred his signature.

This 14 day of February, 2006

Signature of Hazim Ansari, CEO of Metric Services



EXHIBIT D



Case 8:07-cv-p1427-AG-MLG Document 1

Filed 12/10/2007 Page 37 of 53

DEPARTMENT OF THE NAVY

NAVAL RESEARCH LABORATORY

4855 EVERLOCK AVE SW

WASHINGTON DO 20075-2020

IN SEPLY PERF TH

1004/620G 12 October 2006

Hazim Ansari Network Signatures, Inc. 14252 Culver Dr., 914 Irvine, CA 92604

Re: Metwork Signatures October 5, 2006 demonstration of EasyConnect^{IM} at the Naval Research Laboratory (NRL)

Mr. Ansari

Thank you for visiting NRL October of to demonstrate Network Signatures' EasyConnect^{TML}

FRI's technical and legal personnel who attended the demonstration have considered Network Signatures' presentation and have determined that EasyConnectTM relates to an embodiment of the invention distinct in United States Patent No. 5,511,122 (the 122 patent) entitled Intermediate Network Authentication."

Based on Network Signatures' demonstration, and absent any evidence to the contrary, NRL takes the position that Network Signatures has successfully carried out a plan for development of the licensed invention elained the '122 patent and has brought an invention as recited in the '122 patent to practical application. So long as Network Signatures makes ResyConnectTM available to the public on reasonable terms, NRL will agree that Network Signatures has made the benefits of this invention reasonably accessible to the public, and therefore Network Signatures will be compliant with the first paragraph of Article III of the Explusive License Agreement executed on September 28, 2004, and amended on February 14, 2006 (Agreement). FRL requests Network Signatures keep MRL informed regarding its commercialization and marketing activities as part of the annual reports Network Signatures will submit under Article TV of the Agreement.

I am also in receipt of your request that the Amendment to the Agreement be revised to reflect that Metwork Signatures is a Subchapter C corporation and not a Limited Liability Company (LLC). With your permission, I will make a "pen and ink" change on the Amendment to so reflect the proper states of Network Signatures.

Case 8:07-cv-0;1427-AG-MLG Document 1 Filed 12/10/2007 Page 38 of 53

If you have any further questions and/or comments, please do not hesitate to contact the NRL Technology Transfer Office.

Sincerely,

Deirdre Zammit

Technology Transfer Office

EXHIBIT E

Case 8:07-cv-01427-AG-MLG

Document 1 Filed 12/10/2007 Page 39 of 53

United States Patent [19] Aflumon

[11] Patent Number:

5.511.122

[45] Date of Patent:

Apr. 23, 1996

[54]	INTERMEDIATE NETWOR	ETC
	ATTITIONITICATION	_

[75] Inventor: Randall Athinson, Amandale, Va.

Assignme: The United Sinies of America es represented by the Secretary of the Navy, Washington, D.C.

[21] Appl. No.: 254.087 [22] Filed: Jun. S. 1994 1517 Int Ci. H04K 1/00 [52] U.S. CL . 380/25; 380/23; 380/21; 380/30 [50] - Tield of Senich 380/23, 25, 30,

3804, 49, 21 [56] References Cited ILS. PATENT DOCUMENTS 4,438,R24 3/1984 Mueller-Schiner 4,965,827 10/1990 MicDonald 5375.765 12/1992 Perimon . 5,204,901

Afinos Hambay et ni. 5,204,951 4/1093 Bering 5,241,599 B/1493 Beliavin et al. 5,280,583 5,371,794 LJ1994 'Npknymmn ni ni 395/200 12/1894 Diffis at al. ENORE: 5,416,842 .5/1995 Ariz. SKOMO

DIRER PUBLICATIONS

Tearille, Gene, "Datagram Authentication in Internet Gate-Pure: Implications of Fragmentation and Dynamic Routing", IEEE Journal on Spicated Areas in Communications, vol. 7, No. 4, (May, 1989), IEEE, NY, NY

ISI, Transmission Commi Proposal, RFC-793 Network Information Center, (Sep., 1981).

Voyduck, V. I. and Kent, S. T., "Security in High-Level Nemvork Promotols", Insel Communications, vol. 23, No. 7 (Jpl., 1985).

Rivest, R. & Dosse, S., "The MDS Message-Digest Algoritim," RFC-1321, DDN Network Information Center (Apr., 1992).

Cole, Roymand, Ir. et al., "Multilevel Secure Mixed-Wedia Communication Naturals," Proceedings of the 1989 IEEE Conference on Milliney Communications (MILCOM '89), IEEE, N.Y., N.Y.

Clark, D. D. and Wilson, "A Comparison of Commercial and Milliony Computer Security Policies," Proceedings of the 1987 IEEE Symposium on Security & Privacy, IEEE Computer Bociety, Oakinno, California (1987). NES, FIPS PUB 46, "Data Encryption Standard (DES),"

National Bureau of Standards, U.S. Department of Commerce (Juri., 1977).

Schneicz, B., "Applied Crypiography," John Wiley & Sona, Inc., NY, NY (1994), p. 3.
Bellovin, Steven M., "Secority Problems in the TCPAP Proposed Solie" ACM, Computer Consumications Review,

vol. 19, No. 2 (Apr., 1989), pp. 32–48. Bellovin, Steven M., "Limitations of the Kerbergs Authortication System", Proceedings of the Winter 1991 Useaix Conference, Usenix Association, Berkley, CA (1991). Kent, S. T. & Linn, T., Privacy Enhancement for Interest Historic Mail: Part 11—Certificate-Inseed Key Manage-ment, RFC-1114, DDN Network Information Center (Aug.,

Kent, S. T. US DoD Security Options for the Internst Protocol, RFC-1108, DON Network Information Can.


(List continued on next pages,)

Primary Examiner David C. Cain Allomey, Agent, or Pirm-Thomas E. McDonnell; Daniel Kelish

ABSTRACT

. An internativork nutbenrication method is provided for verifying a sending host by a receiving host or an intermediate runter or galeway. The method comprises the steps of: miniming a network address and a public key of a receiving host, utilizing the public key from the receiving host in combination with a private key of the coriginating host to generate a cryptographic signome; transmitting the signahur, along with data through a first subservente in at least one packet; receiving or least one packet at the receiving host; and the receiving host utilizing a private, hery of said receiving instaire and a public key of said arriginating has no verify suid cryprographic signature.

14 Chins, 4 Drawing Sheets



. 'BE0/23

Case 8:07-cv-01427-AG-MLG Page 40 of 53 Document 1 Filed 1.2/10/2007

> 5,511,122 Page 2

OTHER FUELICATIONS

ier (Nov., 1991).

ier (Nov., 1991).
Muckupetria, Paul, Domaio Names-Amplementation and
Specification, RFC-1035, DDN Network Information Conter (Nov., 1967).
Needimm, R. M. and Sahrosder, M. D., "Using Encryption
for Authentication in Large Networks of Computers", Communications of the ACM, vol. 21, No. 12 (Dec., 1978).
"Security Requirements for Cryptographic Modules", Fed"Security Requirements for Cryptographic Modules", FedTolorowstein Procession Shordwick Publication 14(1-). and Information Processing Standards Publication 140-1,


(Jan. 11, 1994), pp. 1–51. Branstad, Decode et al., "SP4: A Transport Encapsulation


Security Protocol", Prospedings of 1987 NCSC Conference, pp. 158–161.

Naison, Buth, "SDNS Sérvices and Architecture", Proceedings of 1927 NOSC Conference, pp. 153–157.

Lumbert, Paul A., "Layer Warz: Protect the Internet with Network Layer Security", Motordia, Inc., Secure Telecommanications.

Dinkel, Charles (Editor), "Secure Data Network System (SDNS) Network Transport, and Message Security Protocols", U.S. Dopt, of Commerce, Nat'l, Trist, Sids., MISTIR 90-4250.






Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 43 of 53

U.S. Patent

Apr. 23, 1996

Bheet 3 of 4

5,511,122




Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 44 of 53

U.S. Patent

Apr. 23, 1996

Bheet 4 of 4

5,511,122





Case 8:07-cv-01427-AG-MLG

Document 1

Filed 12/10/2007

Page 45 of 53

5.511.122

DYTERMEDIATE NETWORK AUTHENTICATION

BACKGROUND OF THE INVENTION

The present invention relates generally to network securicy in a distributed network or between networks, and more particularly to an internatwork authentication method which lication of fragmented data regardless of the network pro-

Historically, most networking protocols and architectures have not included solid authentication or confidentiality mechanisms. The MIT Athene project has been the exception to this role with its development of the Kerbergs authentication system. This system is beginning to be implemented at some sites and some workstation manufacturers are considering implementing Kerberos in facir standard OS releases, but the overwhelming majority of necworked sites have no notherication or confidentiality mechanisms in their network architectures. The ISO (international Singducie Organization) OSI (Open Standards Interconnection) suite provides for confidentiality services in the upper layers but does not require suffication of any of the lower layer 25 promods. These lower layer protocols have a number of security problems in protocols commonly used in the internet and have estain limitations intrinsic to the Kerberrs omincols. The seconity issues in the 180 DSI suite appear to have gotten less attention that in the Internet suite because 30 the Internet suite is more winely implemented at mesent

Recently, the internet Engineering Task Force has begun to incorporate authentication and confidentiality mechanisms in some polocols, notably the Simple Natwork Monagament Protocol (referred to as "SMMP") and Privacy Enhanced Mail. A few other recon protocol specifications. such as for the Border Gineway Protocol (referred to as "BGP") and Open Shories! Path First freferred to us "OSPF") rousing protocols provide books for authentication to be added later but do unt define or mondage any real authentication rechanism. The HGP version 3 specification explicitly somes that the definition of authentication mechamisms other than the default "no authentication" option are rout of the scope of the specification. Similarly, the OSPF version 2 specification asserts that "OSPF also provides for the numentication of runting updates, . . " when in fact the only authentication mechanisms specified are "no authentication" or "clearizat password" Overall, there is no fundamenual systemic security meditenture in the Internet protocol . 50 : pulb of the first packet fragment or damegram fragment.

Bollovin, in his micle subled "Security Problems in the TCP/IP Promoni Suite" ACM Computer Communications Review, Vol. 19, No. 2 (April 1989), pp. 22—18 identifies that there are security lines in the TCP/IF (Transmission Council as Promod/Internet Protocol) protocol suite because hosts rely on IP source address for authentication and also because moding protocols have minimal to no mathentication. The Bellovio article is incorporated herein by reference. Simiharly, the ISO protocol has not paid sufficient attention to so building security mechanisms into the newyork, honsport, or routing protocols.

Some proposed computer security policies, such as Clork-Wilson, are not practical to implement using current network protocols, which tely on datagram fragmentation, unless as intermediale pulhentication is provided. For a discussion of such policies, see D. D. Clark and D. R. Wilson, "A

Comparison of Commercial and Military Computer Security Policies," Proceedings of the 1987 IEEE Symposium on Security & Privary, IEEE Computer Society, Onkland, Calif. (1987), which is incorporated herein by reference

Aside From concerns about almoks, there is recently much interest in implementing policy-based routing, network usage accounting, and network auditing. Mone of these may he dependably implemented unless the network protocol headers may be unibenticated by routers as well as the end is conchie of intermediate authentication as well as authen- 10° incas. If there is no intermediate authentication, then it is sense of ban gotter based voltage at based to the others to pay for one's network traffic. Without authentication, unditing cannot yield meaningful results. It is clear that network protocol header authentication is essential for both existing and finure services.

> Thus, there is a need for providing intermediate authorfication in networking. By being able to nuthenticate a packet while in mute, the possibility of host masqueoding and network attacks are reduced. Additionally, policy-based multing, network usage accounting, and network auditing mov be implemented.

SUMMARY OF THE INVENTION

It is therefore an object of the present invention to provide an authentication method which will provide for both intermediate authonication as well as host to host authentication in a datasement that permits fragmentation of data-

It is a further object to provide an accurate method for determining the network traffic generated by a particular

It is yet midther object to provide a means for accuracy billing a host for he use of network teather and facilities.

"It is yet another object to provide For detection of a non-valid hist on a network.

It is yet another object to improve network reliability as well as network security.

It is yet another object to provide support for network auditing, network traffic counting, and policy based roung.

in all of the above embodiments, it is an object to provide un ambentication system which utilizes un asymmetric key system in the nubentication system.

It is still another object of the invention to provide an ambenication system in which the first packet or datagram inguent is dynamically routed while all succeeding maket fragments or delagram fragments then follow the established

According to one brand aspect of the present invention, there is provided a method for network multiendoution conposing the suspent: obtaining a narwork address and a public key for a receiving bost; utilizing the public key from the receiving host in combination with a private key from the sending host to generate a cryptographic signature; transmilling the signature along with data through a first subsetwork in at least one panker; receiving at losse one packet at slaving a gnizilita Jean gnivisser adt ban paod gnivisose adt key for said receiving host site and a public key for said sending host to verify said cryptographic signature.

According to mother bond espect of the invention, there is provided a method for network authentication of fragmented poolous comprising the steps of: requesting a network address for a receiving host from a subnatwork name system; utilizing a private key from a sending host to generate a cryptographic signature; transmitting the signaCase 8:07-cv-01427-AG-MLG Document 1

Filed 12/10/2007

Page 46 of 53

5,511,12

3

time along with data to a first subnetwork in at least one packet, having a first packet size which is different from that of the transmitting host and thereby impresenting the original packet into me least two packet fragments, the packet fragments having a first packet fragments which is manufacted to a first symbolic intermediate gassway or router in the first subnetwork, and each subsequent fragment of that first packet fragment following the progress of the first packet fragment following the progress of the first packet fragment through the first subnetwork in a train-like fashion; representabiling the fragmented packets at an intermediate to gateway or router; performing a verification of the cryptographic signature on the reassembled packet; retransmitting the fragmented packets through the first subnetwork; regaining at least one packet at the receiving host; and utilizing a high large for the sending host to verify the cryptographic to algorithms.

By being able to provide both host to host authentication as well as intermediate authentication, the possibilities of lost musquenading and network attacks are reduced or eliminated. Additionally, policy-besed conting, network 20 mage accounting, and network authing may be implemented.

Other objects and features of the present invention will be apparent from the following doubled description of the preferred embodiment.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention will be further described in conjunction with the accompanying drawings, in which:

FIG. I is a flow char, illustrating a method utilized in a typical or prior art communications transaction between host, and host, in which no authentication is conducted in a network which may employ fragmentation of dangerous;

FIG. 2 is an exemplary natwork topography of communications between host, and host, according to the prior are

FIG. 3 is a flow cloud Hostrating a first preferred communications increasing between local, and hosts in which end to end authentication is conducted in a network which an may employ fragmentation of datagrams; and

FIG. 4 is a flow that illustrating a second preferred communications translation between host, and lost, in which bolk intermediate and end to end militarization may be conducted in a network which may employ ingunatolism 45 of datagrams.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

With reference to the Figures, whomin like reference characters indicate like elements throughout the seyoral views and, in particular, with reference to FIGS. I and 2, a generic mathead of host to host communication is filustrated. In order to appreciate the improvements associated with the invention disclosed herein, a detailed description of the prior approach to network communication is essential.

In prior notwers communication applications, a host, generically referred to as host, or element 60 will wish to communicate with a host, or element 83. Host, 60 may be an in the same subnetwork or network as host, 60 may he in a fifferent subnetwork or network Network, 82 is the network containing fact, 60 and network, 84 is he network containing fact, 60 and network to the condition where host, 60 mid host, 65 mr in different subnetworks where host, 60 wishes in communicate with host, 60 wishes in communicate with host, 65 mid host, 65 wishes and key of host, 65 from a

network name system via the networks or from a configuration table at host, 60. This request is illustrated by bux 10 in Fig. 1. The network name system will provide the network address of host, 60 as illustrated by box 11. Next, the network address is received by host, 60, see hox 14. After receiving the address, host, 60 begins to transmit distigrams or packets towards host, 63 via a gainway 62, see hox 16. The physical communication protocol being used between host, 60 and subnetwork. The physical proposition of the physical and network. The physical communication protocol being used between host, 60 and subnetwork. The physical conditions are protocol being used between host, 60 and subnetwork. The physical conditions are protocol being used between host, 60 and subnetwork. The physical colors are protocol being used between host, 60 and subnetwork. The physical colors are protocol being used between host, 60 and subnetwork and a protocol being used by the protocol by the protoc

Subnetwork, 82, as illustrated by hox 18, will then process duto into packets which are link or subnetwork specific. A sunderd protocol which is utilized is the IP. In this protocol, dalograms or packets are formed from the data stream. Puckers generally comprise a bender section, a data section and a trailer section. The specific relationship hetween these sections or the existence of these sections are protocol specific and thus will not be discussed in any detail. The data may be imposed by the creation of packets for subnetwork, 32 and thereby take different maies through aubnetwork, 82 towards host, 83. For Illustrative purposes, three packets or fragmented packets, P₁, P₂ and P₃ are illustrated. These packets are communitied through subnetwork, 82 by a conventional transmission method. Fach packet or fingment may take a different mute through the subnetwork as illustrated by lines 26, 28 and 30 which correspond to the mutes of puckets P_1, P_2 and P_3 respectively. Thus, such packet may go through a different intermediate router 64, 66, 68 or 70 as illustrated in FIG. 2.

U.S. Pal. No. 5.175,765 in Parlman is exemplary of the drawbacks of the prior art. Perlman dischases an authenticution system which utilizes an asymmetric key system to authenticate a data pocket. This system utilizes a robust broadcasting technique and therefore is not capable of parliaming intermediate fragmentation or intermediate authentication for the reasons discussed above. Both of these capabilities are important for proper network usage accounting.

Evenmelly, packets P_1 , P_2 and P_3 will migrate farmight submeasured, R2 along the dashed lines in FH3. 2. In a configuration, and shown, if host, R3 -were located within submetwork, R2 host, R3 would become the pair access to the data common thereby. Host, R3 would utilize his data and will assume that the sender, P_1 , P_2 , P_3 would not be any end to end or intermediate authorities that host in the host or data, in this simunitar, the data would be fragmented only one line, i.e., thering the creation of packets P_1 , P_2 and P_3 .

In the configuration shown in FIG. 2, hust, 33 is incated in a different subnetwork, 84 than subnetwork, 22. Packers P₁, P₂ and P₃ will be consmitted from gateway 72 of subnetwork, 82 to gateway 74 of subnetwork, 84. This step is linestrated in FIG. 1 as block 32. The linestubuctwork pathocols utilized in subnetwork, 82 may differ from those of subnetwork, 84 in this signation, subnetwork, 84 will create additional packets P₄, P₅, P₆ and P₇, see block 34. Four packets have been used for illustrative purposes only but any number of packets may be generated by subnetwork, 84. Since the link or subnetwork protocols of subnetwork, 84. Since the link or subnetwork protocols of subnetwork, 82 may also be different. Thus, the original data, header and trailer information of each packet in subnetwork, 92 may now appear in different packets in subnetwork, 92 may now appear in different packets in subnetwork, 94 may now be contained

Case 8:07-cv-01427-AG-MLG

Document 1

Filed 12/10/2007

Page 47 of 53

5,511,122

5

between packets P_4 and P_5 . Thus, the data has been fragmented for a second time. Parkets P_4 , P_5 , P_5 , and P_7 are transmitted through the intermediate routers 76 and 78 of autoetwork, 34 along the cashed lines of subnetwork, 32 above. 5 There may be any number of intermediate routers and those used in FiG. 2 are for Husbraitve purposes only. Lines 44, 46, 48 and 50 Hillstrate the transmission concept in FiG. 1.

In such a technique, the ability to authentique packets at an intermediate galaway or router, such as router 76, is an completely lost since each packet fragment may take a different mate through submetwork, 84. Additionally, since the information contained in packet P_1 may be split between packets P_4 and P_5 , it is impossible to assemble the information of packet P_1 as an intermediate galaway or router. In 15 this situation, the original data is fragmented two times, i.e., these when packets P_4 , P_6 and P_7 are created and not once when packets P_4 , P_6 and P_7 are created.

Eventually, packets $P_{\rm et}$ $P_{\rm S}$, $P_{\rm G}$ and $P_{\rm T}$ will migrate through subnetwork, S4 along the dashed lines in E43. 2. Flost, 93 will receive the packets and consumble them to goin access to the data nonceived therein, see blocks 52 through 56. Host, 93 will ratilize this rate and will assume that the neutral, host, 60, is the neutral sender of the data. Thus, there is no and to end or intermediate authentication of the lost or data.

Several U.S. Prients have touched on the subject of michantication. For example, U.S. Pat No. 4,965,827 to MoDonald discloses on authentication algorithm for varifying that a massage has not been compted or changed during transmission. This method utilizes a symmetric gryptographic bash function which is only used for the authentication of the date. In a symmetric key system, the same key is used for encryption and decryption and does not provide the protection of an asymmetric key system. The McDonald system provides no menos forauthenticating that a particular host has actually sear the data. Thus, a host may musqueraide us a valid host and send invalid data over the network Additionally, network applications including intermediate ap muthentication are not described by the McDounld patent. As mother example of a TLS. Patent discussing authentication, U.S. Pal. No. 5,241,599 to Bellovin et al., discloses a key management protocol which could be used over a network which is not secure.

The above discription provides a basic undersimiling of how data is transferred between bise, 60 and host, 83, Now we will turn to a new method of host authentication as illustrated in FIGS. 3 and 4. FIG. 3. Illustrates a host to knot authentication method and FIG. 4. Illustrates a host to so intermediate growny or router authentication method. Like reference numerals have been utilized where there is no significant difference between the invention and the prior are. Frants above the reference numerals have been utilized where the elements are similar to the prior are that have additional features or modifications. Finally, new reference numerals are provided for new steps which me conducted.

Cryptographic Method

Before a description of the new methods are provided, it is necessary to describe current cryptographic mechanisms. Cryptographic mechanisms provide the greatest assurance of the authenticity of into Cryptographic systems come in two varieties, symmetric key and asymmetric key. See, H. as Schneier, "Applied Cryptography," John Wiley & Sons, Inc., New York, N.Y. (1994), p.3, which is incorporated herein by

reference. In a symmetric lay system, the same key is used for corryption and decryption. When providing confidentiality using an asymmetric system, such party has two keys, one public and one private, and date is usually encrypted using the sender's private key and the recipients public key. When providing authentication using an asymmetric system, the date, and the keys are used to generate a digital signature. That algorithms is verified by the recipient, maing the data received and the appropriate decryption keys.

б

Host to Host Authentication

Throng now to RIG. 3, the steps involved in a new method of host authentication are illustrated. A host, generically referred to us host, or element 60 will wish to entanomicate with a host, or element 85. First, 23 may be in the same subnetwork or network 32 as host, 60 or may be in a different subnetwork or network 84. First, 10 or may be in a different subnetwork or network 84. First, 11 and 2 filiustrate the condition where host, 60 and host, 83 are in this can subnetwork, 32 and 84, respectively. When host, 60 with sequest the address and public key of host, 60 will request the address and public key of host, 65 from a subnetwork name system. This request is illustrated by host 10 in Ric. 3. The public key request is illustrated by host method and its importance will be discussed in detail below.

Subnetwork Name System

It is possible to distribute the public keys to all hosts and users of the internetwork, see Mockapetris, Paul, Domnin Names-Implementation and Specification, RFC-1035, DDN Network Information Center (November, 1987) which is hereby incorporated by reference. Public keys for hosts -seeman Its ban sendates solveneeman all ni behilder on: vice responses are authenticated. This means that all of host public keys we distributed in an authenticated manner. Name service requests need not be authenticated or conficiential in the general case. However, if the visibility of some data in the nameservice database is to be controlled, then authoritance confidential requests would be required to access non-published data and authenticazed confidential responses to such requests would also be required. The public keys for the root nameservers should be made readily available, such as by telephone and postal roof, so that system administrators may have confidence in the authorticity of the root public key, Otherwise, if the correct root public key were not widely known, in intruder would be ensity obite to resequerate as the logitimate conneserver.

Because the user and application level keys are distributed using mechanisms implemented in the local fact, those keys may be changed easily by the user without around no all of the they change being delayed in propagation of all of the disectory or network name service providers. Host keys me less assily changed, but such changes should be regularly scheduled in order to limit damage from exampromised keys.

Modifications To Current Protocol

This section described additions and changes to the internat Protocol suite to enable its use to distribute asymmetric keys and to enable its responses to be nuthrollicated.

A new TYPE field is added to the resource records in the Domain Name System. This new field commins a signed asymmetric host authentication key to be used by hosts attempting to authenticate network packers. Each host which transmits may authenticate frames must have this record in the Domain Name System (referred in as "DNS") and the yalue of the record must be correctly advertised. The pro-

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 48 of 53

5,511,122

posed name of this new DNS record type is HAK. The value of the HAK is represented as hexadecimal numbers using the digits I through 9 and letters A through F. The HAK record's value is the nuthantication key confidence used for 5. XAH on this best that the HAK record is associated with No HAK records may exist that are not associated with a specific host

All Subnetwork Name System responses from nameseryers provide authentication. All Subnetwork Name System requests should provide authentication. Hosts receiving up unnulunificated response should take note of the lack of 10 authentication and may ignore unauthenticated responses if required by the security policy applicable to the subnetwork of the receiving host or take appropriate action. Hosts receiving a response containing inconeceastherdication data should diseard the response without processing it futher

To provide user asymmetric keys for encryption or authentication, it is suggested that a new service, the Key Information Protocol or KIP, be provided This service would accept requests for user public keys and would respond only if such information were available. The "no 20 key exists for that user" and "that user not valid here" cases would both cause an "invalid request" to be sent back to the requestor. All responses would use IP authentication. The Key Information Protocol would also use the host's public authentication key in the KIP response to emplie the recipi- 25 ent to authenticate the response. KIP should provide for esparate authentication and confidentiality keys. Deparating on perecived need, KIP could even be extended to use a Meedham & Schroeder-like mechanism to set up and use symmetric keys for some session with the two KIPs han- 30 dling the key set up securally (each on behalf of its local user) ding makey set up seeming teach to be only on a topol usery bee, Nacdham, R. M. and Schroeder, M.D., "Lising Empty-tion for Authentication in Large Natworks of Computers", Communications of the ACM, Vol. 21, No. 12 (Decomber 1978), pages 993-999, which is incorporated herein by reference. The use of the Nacdham & Schroedertype symmobile key mechanism is less desirable than using asymmetric key technology because of the increased complexity.

When the KIP encept is implemented, a new Domain Manue System record should be added that would point to the name of the host providing KIP service for a host or :submerwork

Turning back to the steps in the host to bost authenticulium method Illustrated in FIG. 3, the subnetwork more system $_{45}$ will provide either the name of the nameserver for the actions work containing the desired host or the public key and eddress of the desired host All responses would be authenneural using the public key of the nameserver and may monthentic responses would be discorded and iganced. It so might be valuable to sudit all mantheatic responses. This process would be repeated as necessary until the requesting host received un authentic response communing the public trey and address of the desired other host. If the locally musual numeserver uses coching of dam, response time se would be reasonable despite boving authentication. Using local numerovers and caching is a good implementation strangy for nameservice regardless of whether puthenticetion is used. This process of the subnetwork name server

As shown in box 14', the network address and public key information is next received by host, 60. At this point, host, 60 uses an asymmetric cryptographic algorithm to generate a digital signature, see box 86. As discussed further below, as the public key of host, 33 is used in combination with the private key of bost, 60 to generate a digital signature.

8 Arymmetric Algorithm

An asymmetric algorithm is utilized to generate a digital signature. This may be accomplished in several ways. The first method in to utilize a wall known asymmetric algorithm such as RSA. See, U.S. Pat. No. 4,405,829 to R. L. Rivest, A. Shamir and L. M. Adleman, which is incomparated herein by reference, A second method is to encrypt the output of a symmetric cryptographic bash function using an asymmetric encryption algorithm. A third method is to use a keyed asymmetric cryptographic hash algorithm. The above three methods have been utilized in the past to provide end-to-end application-layer nuthenneation but have not been used to provide intermediate network authentication. There is a algolicant difference between authenticating the accuracy of transmitted data, i.e. application-layer mathentication, and network-layer authentication, the subject maner of this application. For convenience, the output of the asymmetric algorithm will be referred to as a digital eigendure.

.Confidentiality and authentication might also be built into. applications above the transport layer or into the transport layer itself. In some cases, it might be desirable to also use mechanisms built into the upper layer protocol that are independent of these network-layer mechanisms. For example, the Second SMAP specifications build authentication and optional confidentiality mechanisms into the SMMP applications. This approach has the advantage that a security breach at a higher layer does not necessarily compromise the security at the network Inyer. However, security above the nowork layer does not provide authentication or confidentiality to all notwork users or applications and is not a ganeral approach. For examples of transport-layer promonts, see ISI, Transport Control Protocol, RFC-793 Network Information Center (September, 1981) and ISI, OSI Transport Processi Specification, IS-8073, ISO (1986), both of Which are hereby incorporated by reference.

The next question is what will the asymmetric algorithm be used on, i.e., the date, the header information or the entire network protocol frame. It makes more sense to authenticate the entire network protocol frame than the header data since. The incremental cost of authenticating the entire frame instead of jost the benders is not significant and the increased catropy and size of the authenticated information makes many cryptomolytic attacks on the authentication burder, while also ensuring the authenticity of the clain. Astlovia, in "Security Problems in the TCP/IP Erotocol Spite" (sopra) described a number of anacks or the transport layer, such as en sharapean. Or norizinary reducte sometimes TCP guien. mother host's connection. Even trustworthy hosts need to isolute user connections from one mother and to ensure that no user is capable of masqueening as mother user via networking mechanisms. The ability to provide circulorleated confidentiality mechanisms is also desirable. Melther TCP nor DSI transport protocol currently provides either authentication or confidentially mechanisms, which is the men of this disclosure, although the U.S. Covernment has published a standard called SP4 that adds security to TCP and un TBO CBI Transport Protocol .

While it is possible to support transport authentication using antirely different mechanisms than those used to gelling and sanding the address and public key is illustrated so "provide network authentication, it is desirable to device a common approach to mathematication so that the averhead of implementation is minimized and so that the different services integrate together nicely. Moreover, there is a potential for decreased size in the trusted code required to implement the authentication services. It is usually easier to verify the correctness and trustworthiness of smaller amounts of node than larger amounts of code.

5,511,122

9

Turning back to the steps in the host to hast anthentication method Blustrated in MG. 3, after performing the asymmetric encryption, host, 60 begins to transmit data, address and the digital signature to subnatwork, 62 via a gateway 62, see box LG. The link/subnatwork communication protocol being used between host, 60 and subnatwork, 62 may vary with the particular type of bost and network and thus, the location of the signature may vary.

Subnetwork, 82, as illustrated by box IR, will then process date into protess or fragments which are network or 10 subnetwork specific. For illustrative purposes, three pockets or, P_1 , P_2 and P_3 are illustrated. Packets generally comprise a header acction, a dam section and a matter section. The specific relationship between these sections or the existence of these sections are protocol specific and time will not be discussed in any detail. The location of the signature may be in my of the above identified packet sections. These packets are transmitted through subnetwork, \$2 by a conventional transmission method. The packets may also be mater as will he discussed in relation to the intermediate authorition method, below. Each packet or fragment may take a different 20 mute through the network as Mustrated by lines 26, 28 and 30 which correspond to the mules of packets P_1 , P_2 and P_3 , respectively. Thus, each packet may go through a different intermediate router 64, 66, 68 or 70 m Dinamited in FIG. 2.

An intermediate inster is any device which routes packets between any two communication devices. A gateway is an intermediate router which connects two submetworks. Time-fore, the terms may be used interchangeably throughout the detailed description.

Eventually, packets P₁, P₂ and P₃ will migrate through anometwork, 92 along the dushed lines in FiG. 2 in an architecture and shown, in which host, 63 is because within anometwork, 92, then host, 93 will receive the packets or fragments and reassemble them to guit access in the data as and signature contained therein. First, 93 will utilize a corresponding asymmetric algorithm to decode or verify the corresponding asymmetric algorithm to decode or verify the signature, and thereby verify the authenticity of host, 60. This is accomplished by utilizing the public key of host, 60 in combination with the private key of host, 63 see the 40 in combination with the private key of host, 63, see the 40 in combination and the private key of host, 63 see the 40 in consistency of host, 60 in combination and the private key of host, 63 in combination and the private key of host, 63 in consistency of host, 60 in combination and the private key of host, 63 in consistency of host, 60 in combination and for the private key of host, 60 in combination and for the first of the firs

If host, 93 is located in aconfiner submetwork 24, as Thus material in FIG. 2, then packers P_3 , P_2 and P_3 will be manuscritted from galeway 72 of submetwork, 82 to gateway 74 of subnetwork, 24. This step in illustrated in FIG. 3 as 45 block 32. The linksningswork protocols utilized in subnetwork, 112 may differ from that of sabactwork, 34. In this situation, subustwork, 14 will crease additional packets or fragments P_4 , P_5 , P_6 and P_7 , see block 34. Four packets have been used for illustrative purposes only and any number of so puckets may be generated by subnetwork, 94. Since the protocols of aubretwork; 82 and subnetworks 84 may be different, the size of the pockets rony also be different. Thus, the original signature, dam, header and trailer information of each packet in autonetwork, 112 may now appear in different 55 packets in subsetwork, 64, i.e., the information from packet F, may now he contained between packets P, and P, As stated above, purkets P_4 , P_5 , P_6 and P_7 are transmitted through the intermediate content 76 and 78 of autoretworks B4 along the dashed lines of subperwork, 84 and in a similar-so fashion to that of submetwork, 82 above, Optionally, the peckets may be transmitted in a monner similar to ther explained for the intermediate authentication method below. There may be any number of intermediate routers and links between routers and those used in FIG. 2 are for illustrative as purposes only. Lines 44, 46, 48 and 50 illustrate the general mensmission concept in FIG. 3.

The ability to sufficient packets at an intermediate galaway or router, such as router 75, is not a concern in a host to host authentication method.

Eventually, packets P_a , P_a , P_a and P_r will migrate through subnetwork. 94 shong the mashed lines in Fig. 2. Host, 33 will receive the packets and reassemble them to gain access to the signature data contained therein, see blocks 52 and 54. Host, 53 will utilize a corresponding asymmetric algorithm in decode or verify the signature and chereby verify the authoritiety of host, see block 93. This is accomplished by utilizing the public key of host, 60 in combination with the private key of host, 33, see the discussion on cryptographic algorithms above. If host, is authoric, then the data will be utilized by host, 33 to therwise, 2 security protocol may be initiated to multify a network official of a potential security problem, see block 92.

Intermediate Authentication

Turning now in FIG. 4, a meliand for intermediate authertication is illustrated. This melbod is very similar to that of the lost to host authentication as described above. Theretors, only the differences between the two methods will be discussed in detail.

In order to permit any intermediane norwork gateway or course to anthonormal the contents of the network frame, the public key for each host is published and the private key is kept private by that host. The sending host, 60 uses its public encryption key has the data to generate a cryptopublic signature which is embedded in the pucket, see block 96. In this mathod, the public key of host, 63 is not requested or utilized in any manner.

Network frames are frequently fregmented into smaller frames that will fit within the size limitation of the protocols in and underneath the link or subproverk layer. Thus, the original finnes may be fragmented, i.e. prokets P., P. and Pa may be different in size than the ones originally housmined by host, 60 in animetwork, 52. In most cases carrently, reassembly only occurs at the destination node and has the whicks with respect to performance degradation manufated with packet beginnin reassembly. Intermediate undes, such as noners or gateways, meed not pay the reasonably cost unless they wish to perform intermediate numentication. Note that the original network packets may still be routed independently and dynamically and thus this new rechnique is still very flexible. When the puckets migrate from one subnetwork to mother, the packets may be reassonabled into the original packets and then be transmitted as the original packets, thereby avoiding additional imponentation and allowing for dynamic muting of the original packets in the current subservork.

These protect fragments are introduced to subnetwork, 122 as described above. The fragments are remainfed through subnetwork, 122 in a very different manner. The first fragment of each original packet to be transmitted is sent to the list available intermediate matter in a conventional fashion. Each subsequent fragment of the original packet will then follow the same mute as the first fragment through subnetwork, 122. This method is significantly different than the reasonission scheme which is utilized in the prior at. Thus, the packet fragments form a train through subnetwork, 122 as illustrated in FiG. 4 by point 95 and line 100. Each original packet is routed conventionally unless the original pooled is fragmented. In the case when the packet is fragmented, each packet fragment will traverse the some route as its first fragment.

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 50 of 53

5,511,122

77

At this stage, the intermediate router may decide to authenticate the packet fragment information. The decision on when and how then to authenticate will be a policy decision and will vary between subpetworks. If the intermedials router does perform authentication, then the intermedials router will assemble the procket fragments P_1, P_2 and Par ene dashed box 104. This step is necessary since the priginal packets have been fragmented, i.e. packets P., P. and P₃ are different in size than the ones originally transmitted by host, 60 to subnetwork, B2. Then the intermediate router reads the repsembled packet to determine the sendei's identity and attempts to confirm that the claimed sender's published public key produces the correct results when applied to the embedded digital signature, see doshed boxes 106 and 103. If there is a correct result from the reynchromous algorithm, then the sender and the date one nulbentic, 15 Otherwise, the sender or some part of the data is not authentic. This pendie policy-based muting and magebased accounting to be dependably implemented as illustrated in dashed but 112. Finally, the intermediate conter transmits the researchied pucket to the new router or 20 gateway, possibly mitagmenting the packet if necessary, see dushed hox 114. The above process may be repeated by much intermediate router or gateway and is filestrated by dashed blook 116. Note that the resessibiled packets may still be rouned independently and dynamically and as the new 25 rechnique remins hexibility.

The panket fragments are eventually received by subnetwork. By ne described above. As stated previously, there may be a second imposentation problem which may occur when prokers P. P., P. and P. are formed. One must have the splire original network frame intest in order to obscurpt to authenticate it. Network frames are frequently Engmented into smaller frames that will fit within the size limitation of the protocols in and underneath the link or aubustwork layer as Illustrated by packets P_4, P_5, P_5 and P_7 . This means that at each point where a rooter or galaway wishes to attempt to suffications the network packet, it must reassemble all diffic components of the original metwork pucket first it also menns that if any intermediate router or gateway does not reassemble the original frame before resending or resending different fragments of a given network packet over different routes, that intermediate routers or galeways downstream From that gateway or moter will be upable to authentique the fragmented network packets.

In most cases currently, reassembly only occurs at the destination node. Inconciling modes, such as motors or gateways, do not currently pay this cost. Reassembly and potential subsequent refragmentation will impair software performance when the link and physical protocols carry vary small amounts of data in each lower level frame. This imposition may be reduced by utilizing appropriate hardware. Commercially available musters commonly have such hardware.

Any geneway or router in subnetwork, 64 is capable of as intermediate authentication by executing the steps illustrated in dashed block 116.

Eventually, packets P_A, P_B, P_B and P_T will migram through subnetwork. It along the dashed lines in FIG. 2. Host, fill will receive the packets and remaxemble them to gain access an to the signature data contained therein, see blocks 52 and 54. Host, 83 will utilize a corresponding asymmetric algorithm to decode or verify the signature and thereby verify the authenticity of host, see block 124. This is accomplished by utilizing the public key of host, fill, see the discussion on an encryption above. If host, is authentic, then network accounting will take place and the data will be utilized by

host_U 23, see blocks 130 and 36. Otherwise, a security protocol may be initiated to notify a nerwork official of a potential scencity problem, see block 128.

Proposed Protocol Windifications

This section describes proposed changes to protocols to utilize the above described mathod. For example, 3 author-boation modes are illustrated in FIGE. 1, 3 and 4. Other nuthentication modes are possible with this scheme. One is the degenerate case of no authentication and two actually provide some authentication. The existence of them outhertication case permits hosts or networks not interested in the offered security properties to go without them and not have m pay for what they so not seek to use. The first real multientication mode suggested would use the MDS digital signature algorithm applied across the header of the network-layer frame and then encoded using previously agreed upon DES encryption key using the chained block mode of DBS. See, Rivest, R. & Dusse, S., "The MD5 Mesongs-Digest Algorithm," RFC-1321, DDN Network Information Center (April, 1992); NBS, EIPS PUB 46, "Onto Encryption Standard (DES)," National Bureau of Standards, U.S. Department of Commerce (January, 1977). The second real anthentication made would use the MID5 digest algorithm having been applied across the entire perwork-layer frame (exclusive of the nuthentication information field) and then have that encoded using RSA encryption.

Additional Denefits

Another mitical service that needs muthentication is the network name service. If an introder may masquerate as the logitimete nameservice provider, he may course decial-of-service attacks, may madify data in transit, and may make other anodes on users of the internetwork. If however, the nameservice were authenticated, finese attacks would not be mare the

Additionally, this authentication architecture could be used to implement the Clark-Wilson commercial security policy over a network or interneuscak. To support Clark-Wilson, authentication of users real identifies is essential. In the upproach angigested here, the lasts would be authenticated to each other and could provide user authenticated keys or such keys could be placed in a control directory service with its responses being authenticated. Full proaction from hose masquerating and network traffic course policies could be easily enforced. Since the Clark-Wilson policy is more concerned with integrity than confidentiality, this might be sufficient for a commercial firm or educational institution. Confidentiality could easily be added at the important layer or chove if it were useded and used only mand it.

With a few extensions the approach mutilined here could also support a multi-level security policy using either a "pink mehitecture" or a "rad/black architecture" are described in zole, Raymond, Ir et al., "Multilevel Secure Mixed-Madia Communication Networks," Proceedings of the 1987 IEEE Conference on Milliary Communications (MILCOM '19), IEEE, New York, N.Y. For example, there might be encryption of secretar inself night be encryption. Either asymmetric are symmetric keys could be used, though use of the latter would complicate key management. Recause the petwork layer is fully authenticated, the receiving hast, may be

Case 8:07-cv-01427-AG-MLG Document 1 Filed 12/10/2007 Page 51 of 53

5.511.122

13

confident of where the transmission originated. Also, valmerability to comin kinds of doubt or service attacks may be significantly reduced by predicting the attacks described endier. The of the link encryption below the network layer to minimize the effectiveness of traffic montysis remains fensible and is unaffected by network layer or higher medianisms such as these.

It appears femilie to implement the required changes to the existing protocols in a way that would retain intemperability with older versions. Moreover, this architecture to socies ricely to large internetworks such as the current internet. There are a member of herdware implementations of DES available already and it is feasible to implement digital signature algorithms and asymmetric key captage-phy in bandware as well. If these were integrated into a 1straignet, the cost of authentication would be minimized. Moreover, notes that do not wish to use authentication do not have to. Only the root nameservers and house wishing to use authentication services need pay for its implementation costs and prescheat.

Although the present invention has been fully described in connection with the preferred conhodiment thereof with reference to the accompanying drawings, it is to be moted that various manges and modifications are apparent to those skilled in the nrt. Such thougas and modifications are no beta condensations as included within the acops of the present invention as defined by the appended chains, unless they depart therefrom.

What is claimed in

- 1. A motive for subscribering an originaling host at a 20 receiving host, and method comprising the steps of
 - (a) objecting a network address and a public key of soldreceiving lines;
 - (b) utilizing and public key from and receiving host in ma combination with a private key from seld sending host to generate a cryptographic signature;
 - (c) transmitting said cryptographic signature along with data through a liea subnerwork in as least one packer,
 - (d) receiving said at least one precket at said receiving 40 host, and
 - (e) said receiving lost milizing a private key of said receiving host and a public key of said originating hast to verify said cryptographic signature.
- 2. The method recited in their 1 wherein an asymmetric .45 algorithm is used to generate said crypingraphic algorithe. 3. The method recited in thim 2 wherein said esymmetric
- algorithm is an RSA digital signature algorithm.

 4. A method for authentication of an originating host at a receiving host allowed and one or more intermediate routers, said 50 method composing the mean of
 - (a) obmining a network address for said receiving bust-
 - (b) nillizing a private key from sold originating host to generate a cryptographic algorithm;
 - (c) transmitting and cryptographic signature along with data through a first subnetwork in at least one packet, having a first packet size;
 - (h) receiving said at least one peotest at said receiving host; and

14

(a) said receiving host utilizing a public key of said originaling host to verify suid cryptographic signature, 5. The method recited in claim 4 wherein said punckers are mulkentioned at an intermediate router by utilizing a public

unthenticated at an intermediate router by utilizing a public key of said originating host to verify said cryptographic signature.

6. The method recited in claim 4 wherein an asymmetric algorithm is used to generate said cryptographic signature. 7. The method recited in plains 6 wherein said asymmetric

algorithm is an RSA digital algorithm algorithm.

8. A method for authentication of an originating host at a receiving best site and one or more intermediate counters, and method composing the steps of:

(a) obtaining a network address for said receiving bost,

(6) utilizing a private key from said originating host to generate a cryptographic eigenome;

- (c) banamining and crypusprophic signature along with data through two or more subnetworks in at lenst one packet having a first packet size, where the packet is fragmented into 2 or more packet fragments during hansit from said originating bost to said receiving host;
- (d) receiving said or least one purket or said receiving host, and

(e) said receiving host utilizing a public key of said originating host to verify said cryptographic signature.

9. The method radied in claim 8 wherein said manifolding step is conducted by transmitting a first imagmented packet of said first subject work peakets to a first synthetic intermsdies router, and each subsequent fragmented packet of said first subsect work packets following the progress of said first imagmented packet through said second subnerwork in a train like festion.

10. The method restred in claim 4, wherein said at least one packet having a first purket size is fragmented and itemby farming at least two fragmented purket, and fragmented packet which is transmitted to a first resultable intermeditate router in said first subnetwork, and each subscripent fragmented packet following the propess of said first transmented packet following the propess of said first transmented packet through said first subnetwork in a train like fusition.

11. The method resided in cluim 9 wherein sold packet fragments are nuberdicated at an intermediate router by first mesembling sold packet fragments and their utilizing a public key of sold originaling busy to verify said cryptographic signature.

12. The method refued in choice 10 wherein sold packet fragments meantheattacted at an intermediate router by first resembling sold packet fragments and then utilizing a public key of sold originating bast so verify sold trayptographic signature.

IS. The method recited in ninim 1 wherein said receiving host, utilizing a public key of said originating host, verifies that said dam has been sent by said sending bast by utilizing said cryptographic signature.

14. The method recited in thrim 4 wherein said receiving host, utilizing a public key of said originating host, verifies that said data has been some by said originating host by utilizing mid cryptographic algorithm.

UNITED STATES DISTRICT COURT CENTRAL DISTRICT OF CALIFORNIA

NOTICE OF ASSIGNMENT TO UNITED STATES MAGISTRATE JUDGE FOR DISCOVERY

This case has been assigned to District Judge Josephine Tucker and the assigned discovery Magistrate Judge is Jacqueline Choolijan.

The case number on all documents filed with the Court should read as follows:

SACV11- 982 JST (JCx)

Pursuant to General Order 05-07 of the United States District Court for the Central District of California, the Magistrate Judge has been designated to hear discovery related motions.

All discovery related motions should be noticed on the calendar of the Magistrate Judge

NOTICE TO COUNSEL

A copy of this notice must be served with the summons and complaint on all defendants (if a removal action is filed, a copy of this notice must be served on all plaintiffs).

Subsequent documents must be filed at the following location:

Western Division 312 N. Spring St., Rm. G-8 Los Angeles, CA 90012	[X] Southern Division 411 West Fourth St., Rm. 1-053 Santa Ana, CA 92701-4516	Eastern Division 3470 Twelfth St., Rm. 134 Riverside, CA 92501
---	---	--

Failure to file at the proper location will result in your documents being returned to you.

Case 8:11-cv-00982-JST -JC Document 1	Filed 06/30/11 Page 54 of 58 Page ID #:55
Name & Address:	e and
Nathaniel L. Dilger (Bar No. 196203)	
ONE LLP	
4000 MacArthur Blvd., West Tower, Ste. 1100	·
Newport Beach, CA 92660 Tel: 949-502-2870	
CENTRAL DISTRIC	DISTRICT COURT CT OF CALIFORNIA
Network Signatures, Inc.,	CASE NUMBER
a California corporation,	7
PLAINTIFF(S)	SACV 11-00982 JST (JCx)
v.	,
State Farm Mutual Automobile	-
Insurance Company,	2772575276
	SUMMONS
DEFENDANT(S).	
TO: DEFENDANT(S): State Farm Mutual Automobi	le Insurance Company
must serve on the plaintiff an answer to the attached ☐ counterclaim ☐ cross-claim or a motion under Rule 1 or motion must be served on the plaintiff's attorney. Na	2 of the Federal Rules of Civil Procedure. The answer thaniel L. Dilger , whose address is 100, Newport Beach, CA 92660 . If you fail to do so,
	Clerk, U.S. District Court
Dated:	By: Dwayne Roberts Deputy Clerk
	(Seal of the Court) SEAL
[Use 60 days if the defendant is the United States or a United States 60 days by Rule 12(a)(3)].	agency, or is an officer or employee of the United States. Allowed
CV-01A (12/07) SUMN	10NS

Case 8:11-cv-00982-JST E3C ISBRUTH COVER SHEET OF SS OF 58 Page ID #:56

I (a) PLAINTIFFS (Check box if you are representing yourself □) Network Signatures, Inc., a California corporation					DEFENDA State Fa		tomobil	e Insui	rance Company				
(b) Attorneys (Firm Name, Address and Telephone Number. If you are representing yourself, provide same.) Nathaniel L. Dilger, Esq. (ndilger@onellp.com) ONE LLP 4000 MacArthur Blvd., West Tower, Suite 1100, Newport Beach, CA 92660				Attorneys (If Known)								
H. BAS	SIS OF JURISDICTION	l (Place	an X in one box only.)				RINCIPAL PA			or Diversity Cases	Only		-
□ I U.S	S. Government Plaintiff	2 3	Federal Question (U.S. Government Not a Party)		Citizen of This			PTF I	DEF	Incorporated or Plof Business in this			F DEF □ 4
□ 2 U.S	S. Government Defendant	□ 4	Diversity (Indicate Citize of Parties in Item III)	nship	Citizen of Ano	ther State	}	□2 [□ 2	Incorporated and of Business in An			□ 5
					Citizen or Sub	ject of a Fore	ign Country [<u> </u>	3	Foreign Nation		□ 6	□6
IV. ORIGIN (Place an X in one box only.) Original													
	V. REQUESTED IN COMPLAINT: JURY DEMAND: Ves \(\text{No} \) No (Check 'Yes' only if demanded in complaint.) CLASS ACTION under F.R.C.P. 23: \(\text{Yes} \) Yes \(\text{Yes} \) No \(\text{MONEY DEMANDED IN COMPLAINT: \$ To be determined.} \)												
			S. Civil Statute under whic	h you a	are filing and w	rite a brief sta	atement of cau	se. Do	not cit	e jurisdictional sta	itutes unic	ess diversity	·.)
*													
	ATURE OF SUIT (Plac	e an X	Charles and a common property and the charles and the common and t		A second of the second second second	10000000 1000000000000000000000000000		759998823	andra e		Wa nasalaha	N VBOD	
CONTRACTOR THE	THER STATUTES		CONTRACT	PFI	TORTS RSONAL INJUR	ACTION DECISION AND THE PARTY AND ADDRESS OF	TORTS PERSONAL			RISONER ETITIONS	Berein and American	LABOR air Labor S	tandards
	State Reapportionment Antitrust		Marine		Airplane	200 200 200 200 200 200 200 200 200 200	PROPERTY		****	Motions to	1	Act	
	Banks and Banking	□ 130	Miller Act	□ 315	Airplane Produ	uct 🗆 370	Other Fraud			Vacate Sentence		_abor/Mgmt	
□ 450	Commerce/ICC	□ 140	Negotiable Instrument		Liability	. 1	Truth in Lend	~		Habeas Corpus		Relations	
	Rates/etc.	□ 150	Recovery of	□ 320	Assault, Libel Slander	₩ □ 380	Other Person			General		_abor/Mgmt	
	Deportation		Overpayment &	□ 330	Fed. Employer	rs,	Property Dan	nage	1535	Death Penalty		Reporting & Disclosure A	
□ 470	Racketeer Influenced		Enforcement of	330	Liability	.5 11 385	Property Dan Product Liab			Other		Railway Lat	
	and Corrupt Organizations	□ 151	Judgment Medicare Act	□ 340	Marine	B	ANKRUPTCY					Other Labor	
	Consumer Credit		Recovery of Defaulted	□ 345	Marine Produc		Appeal 28 U		555	Prison Condition	1	Litigation	
□ 490	Cable/Sat TV		Student Loan (Excl.	D 250	Liability	i	158		FO	RFEITURE/	□ 791 I	Empl. Ret. I	nc.
	Selective Service		Veterans)		Motor Vehicle Motor Vehicle	11 1 4 / 3	Withdrawal 2			PENALTY		Security Act	
□ 850	Securities/Commodities/	□ 153		333	Product Liabil	ity	USC 157	900000000000000000000000000000000000000		Agriculture	34412-3477 MILLONDON A	PERTY RIC	iH1S
	Exchange		Overpayment of	□ 360	Other Persona	1	IVIL RIGHTS			Other Food & Drug	1 820 € 1 830 E	Copyrights	
□ 875	Customer Challenge 12		Veteran's Benefits		Injury	I 440	Voting Employment	. -		Drug Related		Frademark	
m 900	USC 3410 Other Statutory Actions	l .	Stockholders' Suits Other Contract	□ 362	Personal Injury Med Malpract	^{y-}	Housing/Acc			Seizure of		IAL SECU	RITY
	Agricultural Act	1	Contract Product	□ 365	Personal Injur		mmodations			Property 21 USC	□ 861 1	HIA (1395f))
	Economic Stabilization		Liability	303	Product Liabil		Welfare	1		881		Black Lung	
	Act	□ 196	Franchise	□ 368	Asbestos Pers	· I—	American wi	ith 🗀	630	Liquor Laws	□ 863 I	DIWC/DIW	W
	Environmental Matters		REAL PROPERTY		Injury Product	t l	Disabilities -	1	-	R.R. & Truck		(405(g))	
	Energy Allocation Act		Land Condemnation	SPERSONNER.	Liability		Employment	1		Airline Regs	ı	SSID Title >	
	Freedom of Info. Act	220	Foreclosure		MMIGRATION Naturalization	□ 446	American wi	_	J 060	Occupational		RSI (405(g) RAL TAX	
□ 900			Rent Lease & Ejectment	H 402	Application	'	Disabilities - Other		3 690	Safety /Health		Taxes (U.S.	
	nation Under Equal		Torts to Land Tort Product Liability	□ 463	Habeas Corpu	is- 171 440	Other Civil	ا	J 090	Cilio		or Defendan	
m 050	Access to Justice Constitutionality of	ı	All Other Real Property		Alien Detaine		Rights				□ 871	IRS-Third P	
□ 320	State Statutes	2,0	, Other router roporty	□ 465	Other Immigra Actions	ation						USC 7609	
						l					<u>L</u>		
			`		,				_				

FOR OFFICE USE ONLY: Case Number: SACV 11-00982 JST (JCx)

AFTER COMPLETING THE FRONT SIDE OF FORM CV-71, COMPLETE THE INFORMATION REQUESTED BELOW.

Case 8:11-cv-norsessistes district for the cover sheet

VIII(a). IDENTICAL CASES: Has If yes, list case number(s):	this action been pre-	viously filed in this court ar	nd dismissed, remanded or closed? 🗹 No 🗆 Yes				
VIII(b). RELATED CASES: Have If yes, list case number(s): (SEE AT	any cases been prev TACHMENT A)	riously filed in this court the	at are related to the present case? No Yes				
⊠ B. C □ C. F	Arise from the same Call for determination or other reasons wo	or closely related transaction of the same or substantial ould entail substantial duplic	ons, happenings. or events; or Ily related or similar questions of law and fact; or cation of labor if heard by different judges; or and one of the factors identified above in a, b or c also is present.				
IX. VENUE: (When completing the							
(a) List the County in this District; C Check here if the government, its	California County ou agencies or employ	itside of this District; State yees is a named plaintiff. If	if other than California; or Foreign Country, in which EACH named plaintiff resides. This box is checked, go to item (b).				
County in this District:*		·····	California County outside of this District; State, if other than California; or Foreign Country				
Orange County							
(b) List the County in this District; C ☐ Check here if the government, its	California County ou s agencies or employ	ntside of this District; State yees is a named defendant.	if other than California; or Foreign Country, in which EACH named defendant resides. If this box is checked, go to item (c).				
County in this District:*			California County outside of this District; State, if other than California; or Foreign Country				
		-	Illinois				
(c) List the County in this District; C Note: In land condemnation ca	California County ou	utside of this District; State n of the tract of land invol	if other than California; or Foreign Country, in which EACH claim arose.				
County in this District:*			California County outside of this District: State, if other than California; or Foreign Country				
Orange County			•				
* Los Angeles, Orange, San Bernar Note: In land condemnation cases, us	dino, Riverside, Ve	entura, Santa Barbara, or tract of land in Jolved					
X. SIGNATURE OF ATTORNEY (11/	Date June 30, 2011				
Notice to Counsel/Parties: The	e CV-71 (JS-44) Ci	ed by the Judicial Conferen	ormation contained herein neither replace nor supplement the filing and service of pleadings are of the United States in September 1974, is required pursuant to Local Rule 3-1 is not filed ating the civil docket sheet. (For more detailed instructions, see separate instructions sheet.)				
Key to Statistical codes relating to So	cial Security Cases:						
Nature of Suit Code	Abbreviation	Substantive Statement of Cause of Action					
861	НІА	All claims for health insurance benefits (Medicare) under Title 18, Part A, of the Social Security Act, as amended. Also, include claims by hospitals, skilled nursing facilities, etc., for certification as providers of services under the program. (42 U.S.C. 1935FF(b))					
862	BL	All claims for "Black Lung" benefits under Title 4, Part B, of the Federal Coal Mine Health and Safety Act of 1969. (30 U.S.C. 923)					
863	DIWC	All claims filed by insured workers for disability insurance benefits under Title 2 of the Social Security Act. as amended; plus all claims filed for child's insurance benefits based on disability. (42 U.S.C. 405(g))					
863	DIWW	All claims filed for widows or widowers insurance benefits based on disability under Title 2 of the Social Security Act, as amended. (42 U.S.C. 405(g))					
864	SSID	All claims for supplemental security income payments based upon disability filed under Title 16 of the Social Security Act, as amended.					
865 . :	RSI	All claims for retirement (old age) and survivors benefits under Title 2 of the Social Security Act, as amended. (42 U.S.C. (g))					

Page 2 of 2

ATTACHMENT A

- 2:08-cv-06429-SJO-AJW
- 2:09-cv-03760-JVS-RNB
- 2:09-cv-03762-GHK-RC
- 2:09-cv-03764-JVS-RNB
- 2:09-cv-03767-JVS-RNB
- 2:10-cv-04610-JVS-RNB
- 2:10-cv-04612-JVS-RNB
- 2:10-cv-04613-JVS-RNB
- 2:10-cv-08171-JVS -RNB
- 2:10-cv-08172-JVS -RNB
- 2:10-cv-08173-JVS -RNB
- 2:10-cv-08178-GHK -PJW
- 3:08-cv-051391-MHP
- 8:06-cv-00629-JVS-RNB
- 8:07-cv-01426-AHS-RNB
- 8:07-cv-01427-JVS-RNB
- 8:07-cv-01429-JVS-RNB
- 8:07-cv-01430-CJC-RNB
- 8:08-cv-00718-DOC-RNB
- 8:08-cv-00775-JVS-RNB
- 8:08-cv-00776-JVS-RNB
- 8:08-cv-00777-JVS-MLG
- 8:08-cv-00778-JVS-RNB
- 8:08-cv-00779-JVS-RNB
- 8:09-cv-01026-JVS-RNB
- 8:09-cv-01028-JVS-RNB
- 8:09-cv-01029-JVS-RNB
- 8:09-cv-00196-AG-RNB
- 8:09-cv-00197-JVS-RNB
- 8:09-cv-00206-JVS-RNB
- 8:09-cv-00374-GW-PJW
- 8:09-cv-00375-JVS-RNB
- 8:09-cv-00376-JVS-RNB
- 8:09-cv-01332-JVS-RNB
- 8:09-cv-01333-JVS-RNB
- 8:09-cv-01334-JVS-RNB
- 8:10-cv-00666-AG-MLG
- 8:10-cv-00667-JVS-RNB

8:10-cv-01209-JVS-RNB

8:10-cv-01210-JVS -RNB

8:10-cv-01211-JVS-RNB

8:10-cv-01639-JVS -RNB

8:10-cv-01640-JVS -RNB

8:11-cv-00109-JVS -RNB

8:11-cv-00110-JVS –RNB

8:11-cv-00186-JVS –RNB

8:11-cv-00187-JVS -RNB

8:11-cv-00414-JVT -RNB

8:11-cv-00435-JVS –JCG