

1 André E. Jardini (State Bar No. 71335)
aej@kpclegal.com
2 K.L. Myles (State Bar No. 243272)
klm@kpclegal.com
3 KNAPP, PETERSEN & CLARKE
550 North Brand Boulevard, Suite 1500
4 Glendale, California 91203-1922
Telephone: (818) 547-5000
5 Facsimile: (818) 547-5329
6 Joseph S. Farzam (State Bar No. 210817)
farzam@lawyer.com
7 JOSEPH FARZAM LAW FIRM
1875 Century Park East, Suite 1345
8 Los Angeles, CA 90067
Telephone: (310) 226-6890
9 Facsimile: (310) 226-6891

10 Attorneys for Plaintiff
PI-NET INTERNATIONAL, INC.
11

12 UNITED STATES DISTRICT COURT
13 CENTRAL DISTRICT OF CALIFORNIA
14

15 PI-NET INTERNATIONAL, INC.,
16 Plaintiff,
17 v.
18 PAYLESS CAR RENTAL SYSTEM, INC.,
19 Defendant.
20

NO. CV12-4394

COMPLAINT FOR PATENT
INFRINGEMENT

DEMAND FOR JURY TRIAL

CAS
(MANX)

21 INTRODUCTION

22 1. Plaintiff PI-NET INTERNATIONAL, INC., files this complaint for patent
23 infringement and jury demand against defendant PAYLESS CAR RENTAL SYSTEM,
24 INC. ("the defendant"), and alleges as follows:

25 PARTIES

26 2. Plaintiff PI-NET INTERNATIONAL, INC. ("PI-NET") is a California
27 corporation with its principal place of business in Menlo Park, California. PI-NET has been
28 a provider of innovative software products, services and solutions that enable distributed

KNAPP,
PETERSEN
& CLARKE

GENERAL ALLEGATIONS

8. On November 16, 1999, the United States Patent and Trademark Office duly and legally issued United States Patent Number 5,987,500 (the "500 patent") entitled "Value-Added Network System For Enabling Real-Time, By-Directional Transactions On A Network" to Dr. Lakshmi Arunachalam. PI-NET is the assignee of all rights, title and interest in the '500 patent including the right to recover damages for past infringement. A copy of the '500 patent is attached to the complaint as exhibit A.

9. On January 31, 2012, the United States Patent and Trademark Office duly and legally issued United States Patent Number 8,108,492 (the "492 patent") entitled "Web Application Network Portal" to Dr. Lakshmi Arunachalam. PI-NET is the assignee of all rights, title and interest in the '492 patent, including the right to recover damages for past infringement. A copy of the '492 patent is attached to the complaint as exhibit B.

10. The '500 patent is valid and enforceable.

11. The '492 patent is valid and enforceable.

12. Defendant infringes the '500 patent directly, contributorily and/or by active inducement by conducting real-time two-way transactions from Web applications across the Web concerning rental transactions for automobiles and/or trucks. Such capabilities include a reservations system, payment information, pickup and drop-off times and locations, selection of a class of vehicle, and other detailed information. This real-time two-way transactional capability on the Web is described in the '500 patent and infringed by defendant.

13. Defendant infringes the '492 patent directly, contributorily and/or by active inducement by conducting real-time two-way transactions from Web applications across the Web concerning rental transactions for automobiles and/or trucks. Such capabilities include a reservations system, payment information, pickup and drop-off times and locations, selection of a class of vehicle, and other detailed information. This real-time two-way transactional capability on the Web is described in the '492 patent and infringed by defendant.

14. The online capabilities of defendant PAYLESS CAR RENTAL SYSTEM, INC. infringe the '500 and '492 patents, exemplified, in part, by the following screen shot of its opening screen which displays the reservation, location and vehicle selection applications of the inventions of the patents-in-suit:

The screenshot shows the Payless Car Rental website interface. At the top, there is a navigation bar with links for 'Welcome', 'Sign in', 'Register', 'Airport Parking', 'Car Sales', 'Contact Us', '1-800-PAYLESS (729-6377)', and 'Help'. Below this is a secondary navigation bar with 'Specials', 'Cars', 'Locations', 'Customer Care', and 'Perks Club'. The main content area features a search form on the left with fields for 'Pick-up Location', 'Pick-up Date' (03/29/2012), 'Drop-off Date' (04/06/2012), and 'Car Type' (All Types). To the right of the form is a large promotional banner for 'Full-Size Cars' at '\$32.⁹⁹/day'. Below the banner is a 'Deals of the Hour' section listing various cities and their corresponding rates. On the far right, there is a 'perks club' section with a 'Book Now' button and a 'Sign up for Deal Alerts!' form.

Deals of the Hour		
Orlando	Apr 14 - Apr 18	from \$18.61 / day*
Las Vegas	Apr 08 - Apr 11	from \$11.52 / day*
Denver	Apr 12 - Apr 15	from \$16.00 / day*
Fairbanks	Apr 17 - Apr 20	from \$20.95 / day*
Miami	Apr 11 - Apr 14	from \$16.00 / day*
Atlanta	Apr 08 - Apr 10	from \$17.29 / day*
Pittsburgh	Apr 05 - Apr 08	from \$11.05 / day*
Phoenix	Apr 13 - Apr 17	from \$11.00 / day*
Ft. Lauderdale	Apr 11 - Apr 13	from \$11.83 / day*
Los Angeles	Apr 13 - Apr 18	from \$12.18 / day*

* Taxes and Fees Not Included

15. Defendant's infringing acts have been without express or implied license by PI-NET, and/or in violation of PI-NET'S rights or claims for relief.

FIRST CLAIM FOR RELIEF

INFRINGEMENT OF THE '500 PATENT

16. PI-NET incorporates by reference each and every allegation in paragraphs 1 through 15, as though fully set forth herein.

17. Defendant has been and now is infringing, inducing the infringement of, and/or contributing to the infringement of the '500 patent, literally and/or under the doctrine of equivalence, by conducting real-time two-way transactions on the Web in connection with the rental of vehicles to their customers.

18. PI-NET has not authorized the defendant to use its technology for transactions over the Web with its customers as covered by the '500 patent.

1 19. As a result of defendant's infringing conduct, PI-NET has suffered and will
2 continue to suffer, substantial and irreparable damage. Upon information and belief,
3 defendant's infringement, induced infringement and/or its contributory infringement of the
4 '500 patent will continue unless enjoined by this Court.

5 20. Defendant's infringement is and has been willful.

21. Upon information and belief, to the extent defendant lacked actual knowledge of the '500 patent prior to this lawsuit, at a minimum they had constructive notice of the '500 patent by operation of at least 35 U.S.C. section 287.

22. PI-NET has no adequate remedy at law for defendant's infringement, contributory infringement, and/or induced infringement of the '500 patent. Unless the defendant's infringing activities are enjoined by this Court, PI-NET will continue to suffer monetary damages in an amount not yet determined.

SECOND CLAIM FOR RELIEF

INFRINGEMENT OF THE '492 PATENT

23. PI-NET incorporates by reference each and every allegation in paragraphs 1
through 22, as though fully set forth herein.

17 24. Defendant has been and now is infringing, inducing the infringement of,
18 and/or contributing to the infringement of the '492 patent, literally and/or under the doctrine
19 of equivalents, by conducting real-time two-way transactions on the Web in connection with
20 the rental of vehicles to their customers.

21 25. PI-NET has not authorized the defendant to use its technology for transactions
22 over the Web with its customers as covered by the '492 patent.

23 26. As a result of defendant's infringing conduct, PI-NET has suffered and will
24 continue to suffer, substantial and irreparable damage. Upon information and belief,
25 defendant's infringement, induced infringement and/or its contributory infringement of the
26 '492 patent will continue unless enjoined by this Court.

27 27. Defendant had knowledge of the '492 patent prior to filing of this complaint
28 but has continued to engage in their infringing conduct nonetheless. Defendant's

1 infringement is and has been willful.

2 28. Upon information and belief, to the extent any defendant lacked actual
3 knowledge of the '492 patent prior to this lawsuit, at a minimum they had constructive
4 notice of the '500 patent by operation of at least 35 U.S.C. section 287.

5 29. PI-NET has no adequate remedy at law for defendant's infringement,
6 contributory infringement, and/or induced infringement of the '492 patent. Unless the
7 defendant's infringing activities are enjoined by this Court, PI-NET will continue to suffer
8 monetary damages in an amount not yet determined.

9 PRAYER FOR RELIEF

10 WHEREFORE, PI-NET prays for judgment:

11 1. That defendant has infringed, contributorily infringed and/or actively induced
12 infringement of the '500 patent.

13 2. That defendant has infringed, contributorily infringed and/or actively induced
14 infringement of the '492 patent.

15 3. That defendant's infringement was willful.

16 4. That defendant be preliminarily and permanently enjoined from further acts
17 of infringement of the '500 patent.

18 5. That defendant be preliminarily and permanently enjoined from further acts
19 of infringement of the '492 patent.

20 6. That PI-NET be awarded damages adequate to compensate for defendant's
21 infringement of the '500 patent.

22 7. That PI-NET be awarded damages adequate to compensate for defendant's
23 infringement of the '492 patent.

24 8. That PI-NET be awarded prejudgment interest and post-judgment interest at
25 the maximum rate allowed by law.

26 9. That the Court declare this to be an exceptional case pursuant to 35 U.S.C.
27 section 285, and award PI-NET its attorneys' fees.

28 ////

KNAPP,
PETERSEN
& CLARKE

1 10. That the Court award PI-NET enhanced damages pursuant to 35 U.S.C.
2 section 284.

3 11. That the Court award a compulsory future royalty.

4 12. That PI-NET be awarded costs of Court; and

5 13. That PI-NET be awarded such other and further relief as the Court deems just
6 and proper.

7
8 Dated: May 18, 2012

KNAPP, PETERSEN & CLARKE

9
10
11 By: 

André E. Jardini
K.L. Myles
Attorneys for Plaintiff
PI-NET INTERNATIONAL, INC.

12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
KNAPP,
PETERSEN
& CLARKE

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28

DEMAND FOR JURY TRIAL

Plaintiff PI-NET INTERNATIONAL, INC. hereby demands a trial by jury in this matter.

Dated: May 18, 2012

KNAPP, PETERSEN & CLARKE

By: 

André E. Jardini
K.L. Myles
Attorneys for Plaintiff
PI-NET INTERNATIONAL, INC.

KNAPP,
PETERSEN
& CLARKE

EXHIBIT A



US005987500A

United States Patent [19]
Arunachalam

[11] **Patent Number:** **5,987,500**
 [45] **Date of Patent:** ***Nov. 16, 1999**

[54] **VALUE-ADDED NETWORK SYSTEM FOR
 ENABLING REAL-TIME, BY-DIRECTIONAL
 TRANSACTIONS ON A NETWORK**

[75] **Inventor:** **Lakshmi Arunachalam**, Menlo Park,
 Calif.

[73] **Assignee:** **Pi-Net International, Inc.**, Menlo Park,
 Calif.

[*] **Notice:** This patent issued on a continued prosecution application filed under 37 CFR 1.53(d), and is subject to the twenty year patent term provisions of 35 U.S.C. 154(a)(2).

[21] **Appl. No.:** **08/879,958**

[22] **Filed:** **Jun. 20, 1997**

Related U.S. Application Data

[62] Division of application No. 08/700,726, Aug. 5, 1996, Pat. No. 5,778,178

[60] Provisional application No. 60/006,634, Nov. 13, 1995.

[51] **Int. Cl.⁶** **G06F 13/00**

[52] **U.S. Cl.** **709/203**

[58] **Field of Search** 364/DIG. 1, DIG. 2;
 395/762, 200.3, 200.31, 200.32, 200.43,
 681, 682, 683, 684, 685, 689; 709/200,
 201, 202, 203, 213, 301, 302, 303, 304,
 305; 710/200

[56] **References Cited PUBLICATIONS**

"Coding with HTML forms: HTML goes interactive", Andrew Davidson, Dr. Dobbs's Journal, V20, N6, Jun. 1995, p. 16.


Primary Examiner—Robert B. Harrell

Attorney, Agent, or Firm—Blakely, Sokoloff, Taylor & Zafman LLP

[57] **ABSTRACT**

The present invention provides a method and apparatus for providing real-time, two-way transactional capabilities on the Web. Specifically, one embodiment of the present invention discloses a configurable value-added network switch for enabling real-time transactions on the World Wide Web. The configurable value added network switch comprises a system for switching to a transactional application in response to a user specification from a World Wide Web application, a system means for transmitting a transaction request from the transactional application, and a system for processing the transaction request. Additionally, a method for enabling object routing is disclosed, comprising the steps of creating a virtual information store containing information entries and attributes associating each of the information entries and the attributes with an object identity, and assigning a unique network address to each of the object identities. Finally, a method is disclosed for enabling service management of the value-added network service, to perform OAM&P functions on the services network.

35 Claims, 13 Drawing Sheets



9

U.S. Patent

Nov. 16, 1999

Sheet 1 of 13

5,987,500




FIG. 1A (PRIOR ART)

10

U.S. Patent

Nov. 16, 1999

Sheet 2 of 13

5,987,500




FIG. 1B (PRIOR ART)

U.S. Patent

Nov. 16, 1999

Sheet 3 of 13

5,987,500




FIG. 2

17

U.S. Patent

Nov. 16, 1999

Sheet 4 of 13

5,987,500

OSI MODEL
300







FIG. 3

U.S. Patent

Nov. 16, 1999

Sheet 5 of 13

5,987,500



U.S. Patent

Nov. 16, 1999

Sheet 6 of 13

5,987,500




FIG. 5A




FIG. 5B

15

U.S. Patent

Nov. 16, 1999

Sheet 7 of 13

5,987,500




FIG. 5C

16

U.S. Patent

Nov. 16, 1999

Sheet 8 of 13

5,987,500




FIG. 5D

17

U.S. Patent

Nov. 16, 1999

Sheet 9 of 13

5,987,500




FIG. 5E

U.S. Patent

Nov. 16, 1999

Sheet 10 of 13

5,987,500




FIG. 6A

U.S. Patent

Nov. 16, 1999

Sheet 11 of 13

5,987,500




FIG. 6B

U.S. Patent

Nov. 16, 1999

Sheet 12 of 13

5,987,500




FIG. 7

U.S. Patent

Nov. 16, 1999

Sheet 13 of 13

5,987,500




FIG. 8

5,987,500

1

VALUE-ADDED NETWORK SYSTEM FOR ENABLING REAL-TIME, BY-DIRECTIONAL TRANSACTIONS ON A NETWORK

RELATED APPLICATIONS

This is a divisional of application Ser. No. 08/700,726, filed Aug. 5, 1996, now U.S. Pat. No. 5,778,178.

FIELD OF THE INVENTION

The present invention relates to the area of Internet communications. Specifically, the present invention relates to a method and apparatus for configurable value-added network switching and object routing.

BACKGROUND OF THE INVENTION

With the Internet and the World Wide Web ("the Web") evolving rapidly as a viable consumer medium for electronic commerce, new on-line services are emerging to fill the needs of on-line users. An Internet user today can browse on the Web via the use of a Web browser. Web browsers are software interfaces that run on Web clients to allow access to Web servers via a simple user interface. A Web user's capabilities today from a Web browser are, however, extremely limited. The user can perform one-way, browse-only interactions. Additionally, the user has limited "deferred" transactional capabilities, namely electronic mail (e-mail) capabilities. E-mail capabilities are referred to as "deferred transactions" because the consumer's request is not processed until the e-mail is received, read, and the person or system reading the e-mail executes the transaction. This transaction is thus not performed in real-time.

FIG. 1A illustrates typical user interactions on the Web today. User 100 sends out a request from Web browser 102 in the form of a universal resource locator (URL) 101 in the following manner: <http://www.car.com>. URL 101 is processed by Web browser 102 that determines the URL corresponds to car dealer Web page 105, on car dealer Web server 104. Web browser 102 then establishes browse link 103 to car dealer Web page 105. User 100 can browse Web page 105 and select "hot links" to jump to other locations in Web page 105, or to move to other Web pages on the Web. This interaction is typically a browse-only interaction. Under limited circumstances, the user may be able to fill out a form on car dealer Web page 105, and e-mail the form to car dealer Web server 104. This interaction is still strictly a one-way browse mode communications link, with the e-mail providing limited, deferred transactional capabilities.

Under limited circumstances, a user may have access to two-way services on the Web via Common Gateway Interface (CGI) applications. CGI is a standard interface for running external programs on a Web server. It allows Web servers to create documents dynamically when the server receives a request from the Web browser. When the Web server receives a request for a document, the Web server dynamically executes the appropriate CGI script and transmits the output of the execution back to the requesting Web browser. This interaction can thus be termed a "two-way" transaction. It is a severely limited transaction, however, because each CGI application is customized for a particular type of application or service.

For example, as illustrated in FIG. 1B, user 100 may access bank 150's Web server and attempt to perform transactions on checking account 152 and to make a payment on loan account 154. In order for user 100 to access checking account 152 and loan account 154 on the Web, CGI

2

application scripts must be created for each account, as illustrated in FIG. 1B. The bank thus has to create individual scripts for each of its services to offer users access to these services. User 100 can then interact in a limited fashion with these individual applications. Creating and managing individual CGI scripts for each service is not a viable solution for merchants with a large number of services.

As the Web expands and electronic commerce becomes more desirable, the need increases for robust, real-time, bi-directional transactional capabilities on the Web. A true real-time, bi-directional transaction would allow a user to connect to a variety of services on the Web, and perform real-time transactions on those services. For example, although user 100 can browse car dealer Web page 105 today, the user cannot purchase the car, negotiate a car loan or perform other types of real-time, two-way transactions that he can perform with a live salesperson at the car dealership. Ideally, user 100 in FIG. 1A would be able to access car dealer Web page 105, select specific transactions that he desires to perform, such as purchase a car, and perform the purchase in real-time, with two-way interaction capabilities. CGI applications provide user 100 with a limited ability for two-way interaction with car dealer Web page 105, but due to the lack of interaction and management between the car dealer and the bank, he will not be able to obtain a loan and complete the purchase of the car via a CGI application. The ability to complete robust real-time, two-way transactions is thus not truly available on the Web today.

SUMMARY OF THE INVENTION

It is therefore an object of the present invention to provide a method and apparatus for providing real-time, two-way transactional capabilities on the Web. Specifically, one embodiment of the present invention discloses a configurable value-added network switch for enabling real-time transactions on the World Wide Web. The configurable value added network switch comprises means for switching to a transactional application in response to a user specification from a World Wide Web application, means for transmitting a transaction request from the transactional application, and means for processing the transaction request.

According to another aspect of the present invention, a method and apparatus for enabling object routing on the World Wide Web is disclosed. The method for enabling object routing comprises the steps of creating a virtual information store containing information entries and attributes, associating each of the information entries and the attributes with an object identity, and assigning a unique network address to each of the object identities.

Other objects, features and advantages of the present invention will be apparent from the accompanying drawings and from the detailed description.

BRIEF DESCRIPTION OF THE DRAWINGS

The features and advantages of the present invention will be apparent from the accompanying drawings and from the detailed description of the present invention as set forth below.

FIG. 1A is an illustration of a current user's browse capabilities on the Web via a Web browser.

FIG. 1B is an illustration of a current user's capabilities to perform limited transactions on the Web via CGI applications.

FIG. 2 illustrates a typical computer system on which the present invention may be utilized.

23

5,987,500

3

FIG. 3 illustrates the Open Systems Interconnection (OSI) Model.

FIG. 4A illustrates conceptually the user value chain as it exists today.

FIG. 4B illustrates one embodiment of the present invention.

FIG. 5A illustrates a user accessing a Web server including one embodiment of the present invention.

FIG. 5B illustrates the exchange component according to one embodiment of the present invention.

FIG. 5C illustrates an example of a point-of-service (POSvc) application list.

FIG. 5D illustrates a user selecting a bank POSvc application from the POSvc application list.

FIG. 5E illustrates a three-way transaction according to one embodiment of the present invention.

FIG. 6A illustrates a value-added network (VAN) switch.

FIG. 6B illustrates the hierarchical addressing tree structure of the networked objects in DOLSIBs.

FIG. 7 illustrates conceptually the layered architecture of a VAN switch.

FIG. 8 is a flow diagram illustrating one embodiment of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

The present invention relates to a method and apparatus for configurable value-added network switching and object routing and management. "Web browser" as used in the context of the present specification includes conventional Web browsers such as NCSA Mosaic™ from NCSA and Netscape Mosaic™ from Netscape™. The present invention is independent of the Web browser being utilized and the user can use any Web browser, without modifications to the Web browser. In the following detailed description, numerous specific details are set forth in order to provide a thorough understanding of the present invention. It will be apparent to one of ordinary skill in the art, however, that these specific details need not be used to practice the present invention. In other instances, well-known structures, interfaces and processes have not been shown in detail in order not to unnecessarily obscure the present invention.

FIG. 2 illustrates a typical computer system 200 in which the present invention operates. The preferred embodiment of the present invention is implemented on an IBM™ Personal Computer manufactured by IBM Corporation of Armonk, N.Y. Alternate embodiments may be implemented on a Macintosh™ computer manufactured by Apple™ Computer, Incorporated of Cupertino, Calif. It will be apparent to those of ordinary skill in the art that other alternative computer system architectures may also be employed.

In general, such computer systems as illustrated by FIG. 2 comprise a bus 201 for communicating information, a processor 202 coupled with the bus 201 for processing information, main memory 203 coupled with the bus 201 for storing information and instructions for the processor 202, a read-only memory 204 coupled with the bus 201 for storing static information and instructions for the processor 202, a display device 205 coupled with the bus 201 for displaying information for a computer user, an input device 206 coupled with the bus 201 for communicating information and command selections to the processor 202, and a mass storage device 207, such as a magnetic disk and associated disk drive, coupled with the bus 201 for storing information

4

and instructions. A data storage medium 208 containing digital information is configured to operate with mass storage device 207 to allow processor 202 access to the digital information on data storage medium 208 via bus 201.

Processor 202 may be any of a wide variety of general purpose processors or microprocessors such as the Pentium™ microprocessor manufactured by Intel™ Corporation or the Motorola™ 68040 or Power PC™ brand microprocessor manufactured by Motorola™ Corporation. It will be apparent to those of ordinary skill in the art, however, that other varieties of processors may also be used in a particular computer system. Display device 205 may be a liquid crystal device, cathode ray tube (CRT), or other suitable display device. Mass storage device 207 may be a conventional hard disk drive, floppy disk drive, CD-ROM drive, or other magnetic or optical data storage device for reading and writing information stored on a hard disk, a floppy disk, a CD-ROM, a magnetic tape, or other magnetic or optical data storage medium. Data storage medium 208 may be a hard disk, a floppy disk, a CD-ROM, a magnetic tape, or other magnetic or optical data storage medium.

In general, processor 202 retrieves processing instructions and data from a data storage medium 208 using mass storage device 207 and downloads this information into random access memory 203 for execution. Processor 202, then executes an instruction stream from random access memory 203 or read-only memory 204. Command selections and information input at input device 206 are used to direct the flow of instructions executed by processor 202. Equivalent input device 206 may also be a pointing device such as a conventional mouse or trackball device. The results of this processing execution are then displayed on display device 205.

The preferred embodiment of the present invention is implemented as a software module, which may be executed on a computer system such as computer system 200 in a conventional manner. Using well known techniques, the application software of the preferred embodiment is stored on data storage medium 208 and subsequently loaded into and executed within computer system 200. Once initiated, the software of the preferred embodiment operates in the manner described below.

FIG. 3 illustrates the Open Systems Interconnection (OSI) reference model. OSI Model 300 is an international standard that provides a common basis for the coordination of standards development, for the purpose of systems interconnection. The present invention is implemented to function as a routing switch within the "application layer" of the OSI model. The model defines seven layers, with each layer communicating with its peer layer in another node through the use of a protocol. Physical layer 301 is the lowest layer, with responsibility to transmit unstructured bits across a link. Data link layer 302 is the next layer above physical layer 301. Data link layer 302 transmits chunks across the link and deals with problems like checksumming to detect data corruption, orderly coordination of the use of shared media and addressing when multiple systems are reachable. Network bridges operate within data link layer 302.

Network layer 303 enables any pair of systems in the network to communicate with each other. Network layer 303 contains hardware units such as routers, that handle routing, packet fragmentation and reassembly of packets. Transport layer 304 establishes a reliable communication stream between a pair of systems, dealing with errors such as lost packets, duplicate packets, packet reordering and fragmen-

24

5,987,500

5

tation. Session layer 305 offers services above the simple communication stream provided by transport layer 304. These services include dialog control and chaining. Presentation layer 306 provides a means by which OSI compliant applications can agree on representations for data. Finally, application layer 307 includes services such as file transfer, access and management services (FTAM), electronic mail and virtual terminal (VT) services. Application layer 307 provides a means for application programs to access the OSI environment. As described above, the present invention is implemented to function as a routing switch in application layer 307. Application layer routing creates an open channel for the management, and the selective flow of data from remote databases on a network.

A. Overview

FIG. 4A illustrates conceptually the user value chain as it exists today. The user value chain in FIG. 4A depicts the types of transactions that are performed today, and the channels through which the transactions are performed. A "transaction" for the purposes of the present invention includes any type of commercial or other type of interaction that a user may want to perform. Examples of transactions include a deposit into a bank account, a request for a loan from a bank, a purchase of a car from a car dealership or a purchase of a car with financing from a bank. A large variety of other transactions are also possible.

A typical user transaction today may involve user 100 walking into a bank or driving up to a teller machine, and interacting with a live bank teller, or automated teller machine (ATM) software applications. Alternatively, user 100 can perform the same transaction by using a personal computer (PC), activating application software on his PC to access his bank account, and dialing into the bank via a modem line. If user 100 is a Web user, however, there is no current mechanism for performing a robust, real-time transaction with the bank, as illustrated in FIG. 4A. CGI scripts provide only limited two-way capabilities, as described above. Thus, due to this lack of a robust mechanism by which real-time Web transactions can be performed, the bank is unable to be a true "Web merchant," namely a merchant capable of providing complete transactional services on the Web.

According to one embodiment of the present invention, as illustrated in FIG. 4B, each merchant that desires to be a Web merchant can provide real-time transactional capabilities to users who desire to access the merchants' services via the Web. This embodiment includes a service network running on top of a facilities network, namely the Internet, the Web or e-mail networks. For the purposes of this application, users are described as utilizing PC's to access the Web via Web server "switching" sites. (Switching is described in more detail below). Users may also utilize other personal devices such as network computers or cellular devices to access the merchants' services via appropriate switching sites. These switching sites include non-Web network computer sites and cellular provider sites. Five components interact to provide this service network functionality, namely an exchange, an operator agent, a management agent, a management manager and a graphical user interface. All five components are described in more detail below.

As illustrated in FIG. 5A, user 100 accesses Web server 104. Having accessed Web server 104, user 100 can decide that he desires to perform real-time transactions. When Web server 104 receives user 100's indication that he desires to perform real-time transactions, the request is handed over to an exchange component. Thus, from Web page 105, for

6

example, user 100 can select button 500, entitled "Transactions" and Web server 104 hands user 100's request over to the exchange component. The button and the title can be replaced by any mechanism that can instruct a Web server to hand over the consumer's request to the exchange component.

FIG. 5B illustrates exchange 501. Exchange 501 comprises Web page 505 and point-of-service (POSvc) applications 510. Exchange 501 also conceptually includes a switching component and an object routing component (described in more detail below). POSvc applications 510 are transactional applications, namely applications that are designed to incorporate and take advantage of the capabilities provided by the present invention. Although exchange 501 is depicted as residing on Web server 104, the exchange can also reside on a separate computer system that resides on the Internet and has an Internet address. Exchange 501 may also include operator agent 503 that interacts with a management manager (described in more detail below). Exchange 501 creates and allows for the management (or distributed control) of a service network, operating within the boundaries of an IP-based facilities network. Thus, exchange 501 and a management agent component, described in more detail below, under the headings "VAN Switch and Object Routing," together perform the switching, object routing, application and service management functions according to one embodiment of the present invention.

Exchange 501 processes the consumer's request and displays an exchange Web page 505 that includes a list of POSvc applications 510 accessible by exchange 501. A POSvc application is an application that can execute the type of transaction that the user may be interested in performing. The POSvc list is displayed via the graphical user interface component. One embodiment of the present invention supports HyperText Markup Language as the graphical user interface component. Virtual Reality Markup Language and Java™ are also supported by this embodiment. A variety of other graphical user interface standards can also be utilized to implement the graphical user interface.

An example of a POSvc application list is illustrated in FIG. 5C. User 100 can thus select from POSvc applications Bank 510(1), Car Dealer 510(2) or Pizzeria 510(3). Numerous other POSvc applications can also be included in this selection. If user 100 desires to perform a number of banking transactions, and selects the Bank application, a Bank POSvc application will be activated and presented to user 100, as illustrated in FIG. 5D. For the purposes of illustration, exchange 501 in FIG. 5D is shown as running on a different computer system (Web server 104) from the computer systems of the Web merchants running POSvc applications (computer system 200). Exchange 501 may, however, also be on the same computer system as one or more of the computer systems of the Web merchants.

Once Bank POSvc application 510 has been activated, user 100 will be able to connect to Bank services and utilize the application to perform banking transactions, thus accessing data from a host or data repository 575 in the Bank "Back Office." The Bank Back Office comprises legacy databases and other data repositories that are utilized by the Bank to store its data. This connection between user 100 and Bank services is managed by exchange 501. As illustrated in FIG. 5D, once the connection is made between Bank POSvc application 510(1), for example, and Bank services, an operator agent on Web server 104 may be activated to ensure the availability of distributed functions and capabilities.

Each Web merchant may choose the types of services that it would like to offer its clients. In this example, if Bank

25

5,987,500

7

decided to include in their POSvc application access to checking and savings accounts, user 100 will be able to perform real-time transactions against his checking and savings accounts. Thus, if user 100 moves \$500 from his checking account into his savings account, the transaction will be performed in real-time, in the same manner the transaction would have been performed by a live teller at the bank or an ATM machine. Therefore, unlike his prior access to his account, user 100 now has the capability to do more than browse his bank account. The ability to perform these types of robust, real-time transactions from a Web client is a significant aspect of the present invention.

Bank can also decide to provide other types of services in POSvc application 510(1). For example, Bank may agree with Car dealership to allow Bank customers to purchase a car from that dealer, request a car loan from Bank, and have the entire transaction performed on the Web, as illustrated in FIG. 5E. In this instance, the transactions are not merely two-way, between the user and Bank, but three-way, amongst the consumer, Bank and Car dealership. According to one aspect of the present invention, this three-way transaction can be expanded to n-way transactions, where n represents a predetermined number of merchants or other service providers who have agreed to cooperate to provide services to users. The present invention therefore allows for "any-to-any" communication and transactions on the Web, thus facilitating a large, flexible variety of robust, real-time transactions on the Web.

Finally, Bank may also decide to provide intra-merchant or intra-bank services, together with the inter-merchant services described above. For example, if Bank creates a POSvc application for use by the Bank Payroll department, Bank may provide its own employees with a means for submitting timecards for payroll processing by the Bank's Human Resources (HR) Department. An employee selects the Bank HR POSvc application, and submits his timecard. The employee's timecard is processed by accessing the employee's payroll information, stored in the Bank's Back Office. The transaction is thus processed in real-time, and the employee receives his paycheck immediately.

B. Van Switching and Object Routing

As described above, exchange 501 and management agent 601, illustrated in FIG. 6A, together constitute a value-added network (VAN) switch. These two elements may take on different roles as necessary, including peer-to-peer, client-server or master-slave roles. Management manager 603 is illustrated as residing on a separate computer system on the Internet. Management manager 603 can, however, also reside on the same machine as exchange 501. Management manager 603 interacts with the operator agent 503 residing on exchange 501.

VAN switch 520 provides multi-protocol object routing, depending upon the specific VAN services chosen. This multi-protocol object routing is provided via a proprietary protocol, TransWeb™ Management Protocol (TMP). TMP incorporates the same security features as the traditional Simple Network Management Protocol, SNMP. It also allows for the integration of other traditional security mechanisms, including RSA security mechanisms.

One embodiment of the present invention utilizes TMP and distributed on-line service information bases (DOLSIBs) to perform object routing. Alternatively, TMP can incorporate s-HTTP, Java™, the WinSock API or ORB with DOLSIBs to perform object routing. DOLSIBs are virtual information stores optimized for networking. All information entries and attributes in a DOLSIB virtual information store are associated with a networked object

8

identity. The networked object identity identifies the information entries and attributes in the DOLSIB as individual networked objects, and each networked object is assigned an Internet address. The Internet address is assigned based on the IP address of the node at which the networked object resides.

For example, in FIG. 5A, Web server 104 is a node on the Internet, with an IP address. All networked object associated with Web server 104 will therefore be assigned an Internet address based on the Web server 104's IP address. These networked objects thus "branch" from the node, creating a hierarchical tree structure. The Internet address for each networked object in the tree essentially establishes the individual object as an "IP-reachable" or accessible node on the Internet. TMP utilizes this Internet address to uniquely identify and access the object from the DOLSIB. FIG. 6B illustrates an example of this hierarchical addressing tree structure.

Each object in the DOLSIB has a name, a syntax and an encoding. The name is an administratively assigned object ID specifying an object type. The object type together with the object instance serves to uniquely identify a specific instantiation of the object. For example, if object 610 is information about models of cars, then one instance of that object would provide user 100 with information about a specific model of the car while another instance would provide information about a different model of the car. The syntax of an object type defines the abstract data structure corresponding to that object type. Encoding of objects defines how the object is represented by the object type syntax while being transmitted over the network.

C. Management and Administration

As described above, exchange 501 and management agent 601 together constitute a VAN switch. FIG. 7 illustrates conceptually the layered architecture of VAN switch 520. Specifically, boundary service 701 provides the interfaces between VAN switch 520, the Internet and the Web, and multi-media end user devices such as PCs, televisions or telephones. Boundary service 701 also provides the interface to the on-line service provider. A user can connect to a local application, namely one accessible via a local VAN switch, or be routed or "switched" to an application accessible via a remote VAN switch.

Switching service 702 is an OSI application layer switch. Switching service 702 thus represents the core of the VAN switch. It performs a number of tasks including the routing of user connections to remote VAN switches, described in the paragraph above, multiplexing and prioritization of requests, and flow control. Switching service 702 also facilitates open systems' connectivity with both the Internet (a public switched network) and private networks including back office networks, such as banking networks. Interconnected application layer switches form the application network backbone. These switches are one significant aspect of the present invention.

Management service 703 contains tools such as Information Management Services (IMS) and application Network Management Services (NMS). These tools are used by the end users to manage network resources, including VAN switches. Management service 703 also provides applications that perform Operations, Administration, Maintenance & Provisioning (OAM&P) functions. These OAM&P functions include security management, fault management, configuration management, performance management and billing management. Providing OAM&P functions for applications in this manner is another significant aspect of the present invention.

26

5,987,500

9

Finally, application service 704 contains application programs that deliver customer services. Application service 704 includes POSvc applications such as Bank POSvc described above, and illustrated in FIG. 6A. Other examples of VAN services include multi-media messaging, archival/ retrieval management, directory services, data staging, conferencing, financial services, home banking, risk management and a variety of other vertical services. Each VAN service is designed to meet a particular set of requirements related to performance, reliability, maintenance and ability to handle expected traffic volume. Depending on the type of service, the characteristics of the network elements will differ. VAN service 704 provides a number of functions including communications services for both management and end users of the network and control for the user over the user's environment.

FIG. 8 is a flow diagram illustrating one embodiment of the present invention. A user connects to a Web server running an exchange component in step 802. In step 804, the user issues a request for a transactional application, and the web server hands off the request to an exchange in step 806. The exchange activates a graphical user interface to present user with a list of POSvc application options in step 808. In step 810, the user makes a selection from the POSvc application list. In step 812, the switching component in the exchange switches the user to the selected POSvc application, and in step 814, the object routing component executes the user's request. Data is retrieved from the appropriate data repository via TMP in step 816, and finally, the user may optionally continue the transaction in step 818 or end the transaction.

Thus, a configurable value-added network switching and object routing method and apparatus is disclosed. These specific arrangements and methods described herein are merely illustrative of the principles of the present invention. Numerous modifications in form and detail may be made by those of ordinary skill in the art without departing from the scope of the present invention. Although this invention has been shown in relation to a particular preferred embodiment, it should not be considered so limited. Rather, the present invention is limited only by the scope of the appended claims.

We claim:

1. A configurable value-added network switch for enabling real-time transactions on a network, said configurable value-added network switch comprising:

means for switching to a transactional application in response to a user specification from a network application, said transactional application providing a user with a plurality of transactional services managed by at least one value-added network service provider, said value-added network service provider keeping a transaction flow captive, said plurality of transactional services being performed interactively and in real time; means for transmitting a transaction request from said transactional application; and means for processing said transaction request.

2. The configurable value-added network switch as claimed in claim 1 wherein said means for switching to a transactional application further comprises:

means for receiving said user specification; means for enabling a switch to said transactional application; and means for activating said transactional application.

3. The configurable value-added network switch as claimed in claim 2 wherein said means for activating said

10

transactional application further includes means for creating a transaction link between said network application and said transactional application.

4. The configurable value-added network switch as claimed in claim 2 wherein said means for receiving said user specification further comprises:

means for presenting said user with a list of transactional applications, each of said transactional application being associated with a particular value-added network service provider; and

means for submitting said user specification according to a user's selection of said transactional application from said list of transactional applications.

5. The configurable value-added network switch as claimed in claim 1 wherein said means for processing said transaction request further comprises means for coupling said means for transmitting to a host means.

6. The configurable value-added network switch as claimed in claim 5 wherein said host means contains data corresponding to said transaction request.

7. The configurable value-added network switch as claimed in claim 1 wherein said value-added network service providers cooperating to provide said plurality of transactional services to users.

8. The configurable value-added network switch as claimed in claim 1 further comprising means for controlling and prioritizing multiple transaction requests initiated by various users.

9. The configurable value-added network switch as claimed in claim 1 further comprising means for providing security management, fault management, configuration management, performance management and billing management.

10. A method for configuring a value-added network switch for enabling real-time transactions on a network, said method for configuring said value-added network switch comprising the steps of:

switching to a transactional application in response to a user specification from a network application, said transactional application providing a user with a plurality of transactional services managed by at least one value-added network service provider, said value-added network service provider keeping a transaction flow captive, said plurality of transactional services being performed interactively and in real time;

transmitting a transaction request from said transactional application; and processing said transaction request.

11. The method for configuring said value-added network switch as claimed in claim 10 wherein said step of switching to a transactional application further comprises the steps of:

receiving said user specification; enabling a switch to said transactional application; and activating said transactional application.

12. The method for configuring said value-added network switch as claimed in claim 11 wherein said step of activating said transactional application further includes a step of creating a transaction link between said network application and said transactional application.

13. The method for configuring said value-added network switch as claimed in claim 11 further comprising the steps of:

controlling security; performing fault management; providing configuration management; managing performance; and

5,987,500

11

enabling billing management.

14. The method for configuring said value-added network switch as claimed in claim 11 wherein said step of receiving said user specification further comprises steps of:

presenting said user with a list of transactional applications, each of said transactional application being associated with a particular Internet service provider; and

submitting said user specification according to a user's selection of said transactional application from said list of transactional applications.

15. The method for configuring said value-added network switch as claimed in claim 10 wherein said step of processing said transaction request further comprises the step of transmitting said transaction request to a host means.

16. The method for configuring said value-added network switch as claimed in claim 15 wherein said host means contains data corresponding to said transaction request.

17. The method for configuring said value-added network switch as claimed in claim 10 wherein said value-added network service providers cooperate to provide said plurality of transactional services to said user.

18. The method for configuring said value-added network switch as claimed in claim 10 further comprising the step of controlling and prioritizing multiple transaction requests initiated by various users.

19. A method for enabling object routing on a network, said method for enabling object routing comprising the steps of:

associating an object identity with information entries and attributes, wherein the object identity represents a networked object;

storing said information entries and said attributes in a virtual information store; and

assigning a unique network address to said object identity.

20. The method in claim 19 wherein said step of associating said object identity with said information entries and said attributes in said virtual information store further includes the step of associating a name, a syntax and an encoding for said object identity.

21. The method in claim 20 wherein said name associated with said object identity specifies an object type.

22. The method in claim 21 wherein said object type and an object instance uniquely identify an instantiation of said object type.

23. The method in claim 22 wherein said syntax defines a data structure for said object type.

24. The method in claim 19 further comprising the step of utilizing said unique network address to identify and route said object identity on the network.

25. The method in claim 19 further comprising the step of utilizing said unique network address to identify and route said object identity on the Internet.

26. The method in claim 19 further comprising the step of utilizing said unique network address of said object identity

12

to perform Operations, Administration, Maintenance & Provisioning (OAM&P) functions.

27. An object router on a network, said object router comprising:

means for associating an object identity with information entries and attributes, wherein the object identity represents a networked object;

means for storing said information entries and said attributes in a virtual information store; and

means for assigning a unique network address to said object identity.

28. The object router in claim 27 wherein said means for associating said object identity with said information entries and said attributes in said virtual information store further includes means for associating a name, a syntax and an encoding for said object identity.

29. The object router in claim 28 wherein said name of said object identity specifies an object type.

30. The object router in claim 29 wherein said object type and an object instance uniquely identify an instantiation of said object type.

31. The object router in claim 30 wherein said syntax defines a data structure for said object type.

32. The object router in claim 27 further comprising means for utilizing said unique network address to identify and route said object identity on the network.

33. The object router in claim 27 further comprising means for utilizing said unique network address to identify and route said object identity on the Internet.

34. The object router in claim 27 further comprising the step of utilizing said unique network address of said object identity to perform Operations, Administration, Maintenance & Provisioning (OAM&P) functions.

35. A configurable value-added network system for enabling real-time transactions on a network, said configurable value-added network system comprising:

means for switching to a transactional application in response to a user specification from a network application, said transactional application providing a user with a plurality of transactional services managed by at least one value-added network service provider, said value-added network service provider keeping a transaction flow captive, said plurality of transactional services being performed interactively and in real time;

means for activating an agent to create a transaction link between said user application and said transactional application;

means for transmitting a transaction request from said transactional application; and

a host means for processing said transaction request and retrieving data corresponding to said transaction request.

* * * * *

28

EXHIBIT B



US008108492B2

(12) **United States Patent**
Arunachalam

(10) **Patent No.:** **US 8,108,492 B2**

(45) **Date of Patent:** **Jan. 31, 2012**

(54) **WEB APPLICATION NETWORK PORTAL**

(76) **Inventor:** **Lakshmi Arunachalam, Menlo Park, CA (US)**

(*) **Notice:** Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) **Appl. No.:** **12/628,060**

(22) **Filed:** **Nov. 30, 2009**

(65) **Prior Publication Data**

US 2010/0306102 A1 Dec. 2, 2010

Related U.S. Application Data

(60) Division of application No. 11/980,185, filed on Oct. 30, 2007, now Pat. No. 8,037,158, which is a continuation-in-part of application No. 09/792,323, filed on Feb. 23, 2001, now Pat. No. 7,340,506, which is a division of application No. 09/296,207, filed on Apr. 21, 1999, now Pat. No. 6,212,556, which is a continuation-in-part of application No. 08/879,958, filed on Jun. 20, 1997, now Pat. No. 5,987,500, which is a division of application No. 08/700,726, filed on Aug. 5, 1996, now Pat. No. 5,778,178.

(60) Provisional application No. 60/006,634, filed on Nov. 13, 1995.

(51) **Int. Cl.**
G06F 13/00 (2006.01)

(52) **U.S. Cl.** 709/219; 709/225; 709/228

(58) **Field of Classification Search** 709/217, 709/219, 223, 224, 225, 227, 229
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,829,372 A 5/1989 McCalley et al.
4,851,988 A 7/1989 Trotter et al.

4,984,155 A	1/1991	Geler et al.
5,125,091 A	6/1992	Staas, Jr. et al.
5,148,474 A	9/1992	Haralambopoulos et al.
5,159,632 A	10/1992	Crandall
5,231,566 A	7/1993	Blutinger et al.
5,239,662 A	8/1993	Danielson et al.
5,285,383 A	2/1994	Lindsey et al.
5,297,249 A	3/1994	Bernstein et al.
5,329,589 A	7/1994	Fraser et al.
5,329,619 A	7/1994	Page et al.
5,347,632 A	9/1994	Filepp et al.
5,367,635 A	11/1994	Bauer et al.
5,383,113 A	1/1995	Kight et al.
5,404,523 A	4/1995	Dellafera et al.

(Continued)

FOREIGN PATENT DOCUMENTS

WO	WO 97/18515 A1	5/1997
WO	WO 00/63781 A1	10/2000

OTHER PUBLICATIONS

U.S. Appl. No. 12/268,060, filed Nov. 30, 2009, Arunachalam.
U.S. Appl. No. 12/628,066, filed Nov. 30, 2009, Arunachalam.
U.S. Appl. No. 12/628,068, filed Nov. 30, 2009, Arunachalam.
U.S. Appl. No. 12/628,069, filed Nov. 30, 2009, Arunachalam.


(Continued)

Primary Examiner — Viet Vu

(57) **ABSTRACT**

The present invention provides a method and apparatus for providing real-time, two-way transactional capabilities on the Web. Specifically, one embodiment of the present invention discloses a method for enabling object routing, the method comprising the steps of creating a virtual information store containing information entries and attributes associating each of the information entries and the attributes with an object identity, and assigning a unique network address to each of the object identities. A method is also disclosed for enabling service management of the value-added network service, to perform OAM&P functions on the services network.

13 Claims, 13 Drawing Sheets



US 8,108,492 B2

Page 2

U.S. PATENT DOCUMENTS

5,408,619 A	4/1995	Oran	5,892,821 A	4/1999	Turner
5,414,812 A	5/1995	Filip et al.	5,893,076 A	4/1999	Hafner et al.
5,428,792 A	6/1995	Conner et al.	5,895,454 A	4/1999	Harrington
5,432,937 A	7/1995	Tevanian et al.	5,897,621 A	4/1999	Boesch et al.
5,434,974 A	7/1995	Loucks et al.	5,901,228 A	5/1999	Crawford
5,440,744 A	8/1995	Jacobson et al.	5,909,492 A	6/1999	Payne et al.
5,442,771 A	8/1995	Filepp et al.	5,910,987 A	6/1999	Ginter
5,442,791 A	8/1995	Wrabetz et al.	5,913,061 A	6/1999	Gupta et al.
5,444,192 A	8/1995	Shetye et al.	5,931,967 A	8/1999	Shimitzu et al.
5,446,896 A	8/1995	Hegarty et al.	5,946,509 A	8/1999	Morton et al.
5,452,433 A	9/1995	Nihart et al.	5,956,400 A	9/1999	Cham et al.
5,455,903 A	10/1995	Jolissaint et al.	5,956,509 A	9/1999	Kevner
5,475,819 A	12/1995	Miller et al.	5,958,004 A	9/1999	Helland et al.
5,491,800 A	2/1996	Goldsmith et al.	5,960,411 A	9/1999	Hartman et al.
5,517,645 A	5/1996	Stutz et al.	5,987,500 A	11/1999	Arunachalam
5,519,868 A	5/1996	Allen et al.	6,003,085 A	12/1999	Ratner et al.
5,537,464 A	7/1996	Lewis et al.	6,014,651 A	1/2000	Crawford
5,539,909 A	7/1996	Tanaka et al.	6,014,666 A	1/2000	Helland et al.
5,557,780 A	9/1996	Edwards et al.	6,049,785 A	4/2000	Gifford
5,560,005 A	9/1996	Hoover et al.	6,049,819 A	4/2000	Buckle et al.
5,577,251 A	11/1996	Hamilton et al.	6,055,514 A	4/2000	Wren
5,590,197 A	12/1996	Chen et al.	6,055,567 A	4/2000	Ganesan et al.
5,592,378 A	1/1997	Cameron et al.	6,073,237 A	6/2000	Ellison et al.
5,604,905 A	2/1997	Tevanian et al.	6,092,053 A	7/2000	Boesch et al.
5,613,148 A	3/1997	Bezviner et al.	6,094,673 A	7/2000	Dilip et al.
5,664,111 A	9/1997	Nahan et al.	6,101,482 A	8/2000	DeAngelo et al.
5,671,279 A	9/1997	Elgamal et al.	6,101,527 A	8/2000	Lejeune et al.
5,677,708 A	10/1997	Matthews, III et al.	6,119,152 A	9/2000	Carlin et al.
5,694,549 A	12/1997	Carlin et al.	6,125,185 A	9/2000	Boesch
5,703,344 A	12/1997	Bezy et al.	6,125,352 A	9/2000	Franklin et al.
5,706,442 A	1/1998	Anderson et al.	6,128,315 A	10/2000	Takeuchi
5,708,780 A	1/1998	Levergood et al.	6,134,594 A	10/2000	Helland et al.
5,710,887 A	1/1998	Chelliah et al. 705/26.62	6,135,646 A	10/2000	Kahn et al.
5,712,913 A	1/1998	Cham	6,145,090 A	11/2000	Yamaguchi et al.
5,715,314 A	2/1998	Payne et al.	6,185,609 B1	2/2001	Rangarajan et al.
5,715,444 A	2/1998	Danish et al.	6,192,250 B1	2/2001	Buskens et al.
5,724,424 A	3/1998	Gifford	6,205,433 B1	3/2001	Boesch et al.
5,737,533 A	4/1998	de Hond	6,212,556 B1	4/2001	Arunachalam
5,742,762 A	4/1998	Scholl et al.	6,212,634 B1	4/2001	Gerr et al.
5,742,768 A	4/1998	Gennaro et al.	6,249,291 B1	6/2001	Popp et al.
5,745,681 A	4/1998	Levine et al.	6,279,001 B1	8/2001	DeBettencourt et al.
5,754,939 A	5/1998	Herz et al.	6,289,322 B1	9/2001	Kitchen et al.
5,757,917 A	5/1998	Rose et al.	6,295,522 B1	9/2001	Boesch
5,758,072 A	5/1998	Filepp et al.	6,301,601 B1	10/2001	Helland et al.
5,758,327 A	5/1998	Gardner et al.	6,327,577 B1	12/2001	Garrison et al.
5,771,354 A	6/1998	Crawford	6,327,579 B1	12/2001	Crawford
5,774,670 A	6/1998	Montulli	6,334,116 B1	12/2001	Ganesan et al.
5,778,178 A	7/1998	Arunachalam	6,360,262 B1	3/2002	Guenther et al.
5,780,780 A	7/1998	Ahmed	6,363,362 B1	3/2002	Burfield et al.
5,781,631 A	7/1998	Cham	6,411,943 B1	6/2002	Crawford
5,793,964 A	8/1998	Rogers et al. 709/202	6,453,426 B1	9/2002	Gamache et al.
5,794,221 A	8/1998	Egendorf	6,457,066 B1	9/2002	Mein et al.
5,794,234 A	8/1998	Church et al.	6,473,740 B2	10/2002	Cockrill et al.
5,809,483 A	9/1998	Broka et al.	6,473,791 B1	10/2002	Al-Ghosein et al.
5,812,779 A	9/1998	Ciscon et al.	6,486,895 B1	11/2002	Robertson et al.
5,822,569 A	10/1998	McPartlan et al.	6,490,567 B1	12/2002	Gregory
5,826,085 A	10/1998	Bennett et al.	6,530,518 B1	3/2003	Krichilsky
5,826,241 A	10/1998	Stein et al.	6,553,427 B1	4/2003	Chang et al.
5,828,666 A	10/1998	Focsaneanu et al.	6,574,607 B1	6/2003	Carter et al.
5,835,726 A	11/1998	Schwed	6,625,581 B1	9/2003	Perkowski
5,845,061 A	12/1998	Miyamoto et al.	6,678,664 B1	1/2004	Ganesan
5,845,073 A	12/1998	Carlin et al.	6,678,696 B1	1/2004	Helland et al.
5,845,265 A	12/1998	Woolston	6,714,962 B1	3/2004	Helland et al.
5,856,974 A	1/1999	Gervais et al.	6,839,677 B2	1/2005	Mathur et al.
5,859,978 A	1/1999	Sonderegger et al.	6,850,996 B2	2/2005	Wagner
5,864,866 A	1/1999	Henckel et al.	6,856,974 B1	2/2005	Ganesan et al.
5,870,473 A	2/1999	Boesch et al.	6,931,111 B1	8/2005	Coffee
5,870,724 A	2/1999	Lawlor et al.	6,932,268 B1	8/2005	McCoy et al.
5,873,072 A	2/1999	Right et al.	6,948,063 B1	9/2005	Ganesan et al.
5,873,093 A	2/1999	Williamson et al.	7,076,784 B1	7/2006	Russell et al.
5,878,043 A	3/1999	Casey et al.	7,080,051 B1	7/2006	Crawford
5,878,140 A	3/1999	Cham	7,107,244 B2	9/2006	Right et al.
5,878,141 A	3/1999	Daly et al.	7,120,602 B2	10/2006	Kitchen et al.
5,878,403 A	3/1999	DeFrancesco et al.	7,146,338 B2	12/2006	Right et al.
5,884,301 A	3/1999	Takano	7,175,074 B2	2/2007	Mejias et al.
5,889,957 A	3/1999	Ratner et al.	7,177,846 B2	2/2007	Moenickeheim et al.
5,890,137 A	3/1999	Koreeda	7,213,003 B1	5/2007	Right et al.
5,890,161 A	3/1999	Helland et al.	7,240,031 B1	7/2007	Right et al.
			7,251,656 B2	7/2007	Keown et al.

US 8,108,492 B2

Page 3

7,296,004	B1	11/2007	Garrison et al.	
7,302,408	B2	11/2007	Engdahl et al.	
7,302,411	B2	11/2007	Ganesan et al.	
7,330,831	B2	2/2008	Biondi et al.	
7,334,128	B2	2/2008	Ganesan et al.	
7,340,506	B2	3/2008	Arunachalam	
7,366,696	B1	4/2008	Ganesan et al.	
7,366,697	B2	4/2008	Kitchen et al.	
7,383,226	B2	6/2008	Kight et al.	
7,389,514	B2	6/2008	Russell et al.	
7,392,223	B1	6/2008	Ganesan et al.	
7,395,243	B1	7/2008	Zielke et al.	
7,395,319	B2	7/2008	Harris et al.	
7,451,400	B2 *	11/2008	Bales et al.	715/734
7,590,550	B2 *	9/2009	Schoenberg	705/2
7,600,027	B2 *	10/2009	Yan	709/227
2001/0037318	A1	11/2001	Lindskog	
2002/0062218	A1	5/2002	Pianin	
2002/0152200	A1	10/2002	Krichilsky et al.	
2003/0069922	A1	4/2003	Arunachalam	
2008/0091801	A1	4/2008	Arunachalam	
2009/0094347	A1 *	4/2009	Ting et al.	709/219

OTHER PUBLICATIONS

Order, Motion to Bifurcate and for early trial on the Issue of Inequitable Conduct, on Mar. 19, 2009, Dismissal with Prejudice, order dated Dec. 30, 2009, Denied as Moot, Order Granted, signed by JJF, C.A. No. 08-131 (JJF), Allstate Docket #155.

Order, Motion to Bifurcate and for early trial on the Issue of Inequitable Conduct, on Mar. 19, 2009, Dismissal with Prejudice, order dated Dec. 30, 2009, Denied as Moot, C.A. No. 08-132 (JJF) and C.A. No. 08-133 (JJF), Dell Docket #155, signed by JJF, Order, Motion to Bifurcate and for early trial on the Issue of Inequitable Conduct, on Mar. 19, 2009, Dismissal with Prejudice, order dated Dec. 30, 2009, Denied as Moot, C.A. No. 08-132 (JJF) and C.A. No. 08-133 (JJF), Dell Docket #155.

Plaintiff WebXchange Inc.'s Surreply in Opposition to Defendants' Motion to Bifurcate, and for Early Trial on, the Issue of Inequitable Conduct (C.A. No. 08-132 (JJF) and C.A. No. 08-133 (JJF) , is Granted Plaintiff's Surreply in Opposition to Defendant's Motion to Bifurcate and for Early Trial on, The Issue on Inequitable Conduct is deemed filed (Entered Dec. 30, 2009), Dell Docket #157.

Dell Inc.'s Second Amended Answer and Counterclaims to WebXchange Inc.'s Original Complaint for Patent Infringement (Entered: Jan. 20, 2010), Dell Docket #164.

Plaintiff WebXchange Inc.'s Surreply in Opposition to Defendants' Motion to Bifurcate, and for Early Trial on, The Issue of Inequitable Conduct (Entered Dec. 30, 2009), Fedex Docket #212.

Memorandum Opinion C.A. 08-133-JJF, and C.A. 08-132-JJF (Entered Dec. 30, 2009), Fedex Docket #215.

Defendant's Fedex Corporation, Fedex Kinko's Office & Print Services, Inc., and Fedex Corporate Services, Inc.'s Second Amended Answer, Affirmative Defenses, and Counterclaims to Plaintiff WebXchange, Inc.'s Complaint (Entered Jan. 20, 2010), Fedex Docket #217.

U.S. Appl. No. 60/208,057, filed May 31, 2000, Krichilsky.

U.S. Appl. No. 08/168,519, filed Dec. 1993, Gifford.

UIUC, "The Common Gateway Interface", pp. 1-4, <http://hoohoo.ncsa.uiuc.edu/cgi/primer.html>, Retrieved on May 22, 2001, WBX 000.

Arnold, K. et al., "Media-Independent Interfaces in a Media-Dependent World", USENIX Conference on Object-Oriented Technologies, Monterey, CA Jun. 1995, WBX001.

Arshad, K.M. et al., "A CORBA based framework for trusted E-Commerce Transactions", Enterprise Distributed Object Computing Conference, pp. 18-25, EDOC '99 Sep. 27, 1999, WBX002.

Atkinson, R., RFC 1825: "Security Architecture for the Internet Protocol", Naval Research Laboratory, Category: Standards Track, Network Working Group, Aug. 1, 1995, WBX007.

Banks, M., "America Online: A Graphics-based Success", Link-Up, Jan./Feb. 1992, WBX008.

Banks, M., "Compuserve for Windows", M.I.S Press, 1994, WBX009.

Baquero, C. et al., "Integration of Concurrency Control in a Language with Subtyping and Subclassing", USENIX Conference on Object-Oriented Technologies, Jun. 1995, WBX010.

Barron, C. and Weil, B., "Dr. Dobbs Portal: Implementing a Web Shopping Cart", Online Transactions in PERL, Sep. 1, 1996 WBX011.

Bharat, K. et al., "Visual Obliq: A System for Building Distributed, Multi-User Applications by Direct Manipulation", SRC 130a, DEC, Oct. 31, 1995, WBX012.

Bharat, K. et al., "Distributed Applications in a Hypermedia Setting", Proc. Intl Workshop on Hypermedia Design, <http://www.cc.gatech.edu/gvu/people/PhDKrishnaaIWD.html>, Jun. 1, 1995 WBX013.

"CyberCash Cash Register Internet Payment Service". retrieved May 23, 2001 <http://www.cybercash.com/cashregister> pp. 1-2. 1996, WBX034.

"CyberCash—Cash Register—How it Works" retrieved May 23, 2001 <http://www.cybercash.com/cashregister/howitworks.html> pp. 1-3. 1996, WBX035.

"CyberCash—Industry Leading Features" retrieved May 23, 2001 <http://www.cybercash.com/cashregister/features.html> pp. 1-4. 1996, WBX036.

"CyberCash Cash Register—Online Secure Payment Service" CashRegister Demos. retrieved May 23, 2001 <http://www.webdata.cybercash.com/demos/> pp. 1-2. 1996, WBX038.

"CyberCash FraudPatrol.TM. Service" retrieved on May 23, 2001 <http://www.cybercash.com/fraudpatrol/> pp. 1-2. 1996, WBX039.

"CyberCash FraudPatrol—How It Works" retrieved on May 23, 2001 <http://www.cybercash.com/fraudpatrol/howitworks.html> pp. 1-2 '96, WBX040.

"CyberCash Home", <http://www.cybercash.com> [retrieved on May 23, 2001] 1996, WBX041.

"CyberCash ICVerify for Windows" Version 2.5 Upgrade, <http://www.cybercash.com/icverify/upgrade.html> pp. 1-2 [retrieved on May 23, 2001] 1996, WBX043.

Cybercash, "ICVERIFY—Features" retrieved on May 23, 2001 <http://www.cybercash.com/icverify/features.html>, 1996, pp. 1-3, WBX044.

Brando, T., "Comparing DCE and CORBA", Mitre Document MP 95B-93, Mar. 1, 1995, WBX018.

Business Wire, "Open Market releases first complete software solution" 1995, WBX025.

Business Wire, "Sunsoft delivers early access release of Distributed Objects Environment", Jun. 14, 1995, WBX026.

Case, J. et al., "Network Management and the Design of SNMP", Connexions (ISSN 0894-5926), vol. 3, No. 3, Mar. 1989, WBX027.

Chung, S. et al., "A Heterogeneous Distributed Information System", IEEE, pp. 443-447, 1993, WBX029.

Courtney, A., "Phantom: An Interpreted Language for Distributed Programming", Proceedings of USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX030.

Cybercash, "Affiliate Marketing Service", <http://www.cybercash.com/products/affiliatemarketing.html> [retrieved on May 23, 2001] 1996, WBX031.

"CyberCash B2B Payment Services", <http://www.cybercash.com/b2b> pp. 1-2 [retrieved May 23, 2001] 1996, WBX032.

CyberCash B2B Services, 1996, WBX033.

CyberCash Cash Register Internet Payment Service—Online Secure Payment Service. retrieved on May 23, 2001 from <http://www.cybercash.com/cashregister> pp. 1-2, '96, WBX034.

"CyberCash—Cash Register—How it Works" retrieved May 23, 2001 from <http://www.cybercash.com/cashregister/howitworks.html> pp. 1-3. '96, WBX035.

"CyberCash—Industry Leading Features", retrieved May 23, 2001 <http://www.cybercash.com/cashregister/features.html> pp. 1-4, 1996, WBX 036.

"CyberCash Cash Register—Online Secure Payment Service" CashRegister Demos. retrieved May 23, 2001 <http://www.webdata.cybercash.com/demos/> pp. 1-2 1996, WBX038.

"CyberCash FraudPatrol.TM. Service" retrieved on May 23, 2001 <http://www.cybercash.com/fraudpatrol/> pp. 1-2. 1996, WBX039.

"CyberCash FraudPatrol—How It Works" retrieved on May 23, 2001, <http://www.cybercash.com/fraudpatrol/howitworks.html> pp. 1-2 1996, WBX 040.

US 8,108,492 B2

Page 4

- Cybercash, "ICVerify—Features" retrieved on May 23, 2001 from <http://www.cybercash.com/icverify/features.html>, 1996, pp. 1-3, WBX044.
- Cybercash, "Payment Software for Brick and Mortar Merchants" <http://www.cybercash.com/pcauthorize> 1996-2001, WBX046.
- Dr. Gui on Components, COM and ATL, http://msdn.microsoft.com/library/welcome/dsmda/msda_drguion020298.htm, Feb. 2, 1998, pp. 1-61 [retrieved on May 22, 2001], WBX057.
- Cybercash, "Products" 1996, retrieved on May 23, 2001 from <URL: <http://www.CyberCash.com/products/>, 1996, pp. 1-2, WBX048.
- Cybercash, "WebAuthorize—Enterprise and Hosting Payment Processing", retrieved on May 23, 2001 from <URL: <http://www.cybercash.com/webauthorize/>, 1996, pp. 1-2, WBX050.
- Davis et al., "A Protocol and Server for a Distributed Digital Technical Report Library", Apr. 25, 1994, WBX051.
- Davison, A., "Coding with HTML forms HTML goes interactive", (hypertext markup language)(Tutorial), Dr. Dobb's Journal, Jun. 6, 1995, vol. 20, No. 6, 19 pages, WBX052a.
- Davison, A., "Coding with HTML forms: HTML goes interactive", Dr. Dobb's Journal, Jun. 6, 1995, vol. 20, No. 6, pp. 70-79, WBX052b.
- "Distributed Object Technology in the Financial Services Industry: Trading and Risk Management", A White Paper, Sun Microsystems, 1995, WBX053.
- Deng, R.H. et al., "Integrating Security in CORBA-based Architectures", IEEE, Jun. 1995, pp. 50-61, WBX054.
- Detlefs, D. et al., Debugging Storage Management Problems in Garbage Collected Environments, Proc of USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX055.
- Dietering, T., Object-Oriented Implementation of a Multiprotocol Hyper-G client for MS-Windows, Diplomarbeit in Telematik, TU Graz, Jul. 1, 1995, WBX056.
- Birrell A. et al., "Network Objects", SRC Research Report, Feb. 28, 1994, WBX014.
- Edwards, N., Object Wrapping (for WWW)—The Key to Integrated Services, ANSA Phase III, Apr. 25, 1995, WBX058.
- Ehikioya, S.A., "An Agent-Based System for Distributed Transactions: a Model for Internet-Based transactions", Elec and Computer Engg IEEE Canadian Conf, V1, May 9, 1999, p. 289-294, WBX059.
- Microsoft DJ Order, C-08-05149 WHA "Order Granting Defendant's Motion to Dismiss", Federal Court of Northern California, Feb. 17, 2009, WBX060.
- "Portal Solutions, an Open Market eBusiness Solution Brief", White Paper, Open Market, Forrester Research TechRankings, Feb. 2001, WBX061.
- "Wireless Solutions, An Open Market eBusiness Solution Brief", White Paper, Open Market, Forrester Research TechRankings, Feb. 2001, WBX062.
- Fraga, J. et al., "A Programming Model for Real-Time Applications in Open Distributed Systems", IEEE, 1995, pp. 104-111, WBX063.
- Birrell A. et al., "Implementing Remote Procedure Calls", Xerox Palo Alto Research Center, ACM Transactions, Feb. 1, 1994, WBX015.
- Bowen, C. et al., "How to Get the Most out of CompuServe" 5th Ed. 1991, Random House, Inc. 1991, WBX016.
- Braden, R. et al., RFC 1122: "Requirements for Internet Hosts—Communication Layers" Oct. 1, 1989, WBX017.
- Broadvision, "Broadvision One-to-One: On-line Marketing and Selling Application System Developers' Guide", 1995, WBX020.
- Broadvision, "Broadvision One-to-One: On-Line Marketing and Selling Application System: Dynamic Command Center User's Guide", 1995, WBX021.
- Broadvision, "Broadvision One-to-One: On-Line Marketing and Selling Application System: Installation and System Administration Guide" 1995, WBX022.
- Broadvision, "Broadvision One-to-One: On-Line Marketing and Selling Application System: Technical Overview", 1995, WBX023.
- Glossbrenner, A., "MasterGuide to CompuServe", "Chapter 15: Travel Services: Join CompuServe and See the World", Prentice Hall, 1987, WBX065.
- Gross, C., "Taking the Splash Diving into ISAPI", ISAPI Programming, Microsoft Interactive Developer, www.microsoft.com/mind/0197/ISAPI.htm, Jan. 1, 1997, pp. 1-10, retrieved May 22, 2001 WBX066.
- "Open Market Inc, Managing in a Turbulent Environment", Harvard Business School, 9-196-097, Aug. 29, 1996, WBX067.
- Hickey, M., "Shopping at Home: One Modem Line, No Waiting", Home PC, Dec. 1, 1994, p. 307, Dialog, File 647, Acc# 01038162, WBX068A.
- Lang, "Cashing In: The Rush is on to Buy and Sell on the Internet But on Sidelines for Now", Advertising Age, Dec. 19, 1994, p. 11, Dialog, File 16, Acc# 05419137, WBX068B.
- Lichty, T., "America Online Tour Guide", MacIntosh Edition, Version 2, Chapter 1, 3, 8, 10, 1992, WBX068C.
- Tymnet, Wikipedia, the free encyclopedia, <http://en.wikipedia.org/wiki/tymnet>, Retrieved on May 1, 2007, WBX068D.
- Cox, B. et al., "NetBill Security and Transaction Protocol", Carnegie Mellon University, Pittsburgh, PA 15212-3890, undated, WBX068E.
- Lamond, K. et al., "Credit Card Transactions Real World and OnLine", http://www.virtualschool.edu/mon/ElectronProperty/klamond/credit_card.htm, 1996, pp. 1-16, WBX068F.
- "Open Market Catalog Centre", Enterprise Content, www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=Arti_ZZZ, WBX069.
- Business Wire, High Beam Wire, "Open Market releases first complete software solution" Oct. 16, 1995, WBX070.
- McCloghrie, K. et al., RFC 1156, "Management Information Base for Network Management of TCP/IP-based internets", May 1, 1990, WBX071.
- Case, J. et al., RFC 1157 May 1, 1990, WBX072.
- Rose, M., RFC 1283: "SNMP over OSI", Dec. 1, 1991, WBX073.
- Rose, M. et al., RFC 1155: "Structure and Identification of Management Information for TCP/IP-based internets", May 1, 1990, WBX074.
- Case, J. et al., RFC 1442: "Structure of Management Information for version 2 of the Simple Network Management Protocol (SNMPv2)", AllState 00011394 Apr. 1, 1993, WBX075.
- "ORBIX Programmer's Guide", IONA Technologies, Oct. 1, 1997, WBX076A-E.
- "ORBIX Programmer's Guide", Release 1.3.1, IONA Technologies, Feb. 1, 1995, WBX077.
- Ito, J. et al., "Using meta-objects to support optimization in the Apertis Operating System", USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX078.
- Jordan, M. et al., "Software Configuration Management in an Object-Oriented Database", USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX079.
- Kane, P., "Prodigy Made Easy", "Chapter 6, Shopping Made Easy", 2nd ed., 1993, WBX080.
- Lagoze, C. et al., "Dienst: Implementation Reference Manual", May 5, 1995, WBX081.
- Open Market Commerce Products, Enterprise Content www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=A_ZZZ, WBX082.
- Lange, D.B. et al., "Program Explorer: A Program Visualizer for C++", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX083.
- Laufer, K., "A Framework for Higher Order Functions in C++", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX084.
- Li, G. and Bacon, J., "Supporting Distributed Real-Time Objects", IEEE Jul. 1994, pp. 138-143, WBX085.
- Limprecht, R., "Microsoft Transaction Server", IEEE, Compcon '97 Proceedings, 1997, pp. 14-18, WBX086.
- Maffei, S., "Adding Group Communication and Fault-Tolerance to CORBA", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX087.
- Mahindra, A. et al., "Dynamic Insertion of Object Services", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX088.

32

US 8,108,492 B2

Page 5

- McCloghrie, K. et al., RFC 1213, "Management Information Base for Network Management of TCP/IP-based internets: MIB-II", SNMP Working Group, Mar. 1, 1991, WBX089.
- McCloghrie, K. et al., RFC 1447, "Party MIB for version 2 of the SIMPLE Network Management Protocol", SNMP Security Working Group, Apr. 1, 1993, WBX090.
- McKie, S., "EEP Meets Web E-Commerce", DBMS, Jul. 1, 1998, WBX091.
- McMaster D. et al., RFC 1516: "802.3 Repeater devices—Definition of Managed Objects", Feb. 9, 1992, WBX092.
- "Allstate Connects with Countrywide Producer Network in Seven Months Using Microsoft Visual Studio.NET and the .NET Framework", Microsoft.Net Customer Solution, Jan. 2003, WBX 093.
- O'Brien Jones, U.S. Appl. No. 90/010,346 which is the 5,778,178 Re-exam doc, Exhibits Part 1-WBX101, Exhibits Part 2-WBX102, Nov. 21, 2008 Third Party Requests, WBX094.
- "Microsoft Component Services, Server Operating System, A Technology Overview", <http://www.microsoft.com/com/wpaper/compsvcs.asp>, Aug. 15, 1998, [retrieved on May 22, 2001], WBX095.
- Allstate Uses Web Services to Quickly Create Insurance Policy Management Solution, Microsoft .NET Customer Solution Case Study, Jan. 2005, WBX098.
- Mitchell et al., "An Overview of the Spring System", Sun Microsystems, WBX099.
- Muckelbauer, P. and Russo, V., "Lingua Franca: An IDL for Structured Subtyping Distributed Object Systems", USENIX Conference: Object-Oriented Technologies, Monterey, CA, WBX100.
- Reynolds, J. Posting to comp.doc USENET group, <http://nyurl.com/53a95p>, RFC 1212, 1213: Google groups on concise definitions MIB and MIBII, Exhibit G, Mar. 27, 1991, WBX045.
- Relihan, L. et al., "Untangling the World-Wide Web.", 12th Annual International Conference on Systems Documentation, Oct. 1, 1994, pp. 17-24, ACM, WBX102A.
- Rose, M. T., "The Simple Book: An Introduction to Internet Management", 1994, pp. 14-15, 379-387 (2nd ed.) Exhibit F, WBX102C.
- "Open Market Enterprise: Content Server", www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=Artic, pp. 1-4, WBX103.
- "Open Market Enterprise: Content Center", www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=Artic, pp. 1-4, WBX104.
- "Open Market Enterprise: Content-Driven eBusiness", www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=Artic, WBX105.
- "Open Market ShopSite 5.0", Retrieved on May 15, 2001 from: <URLhttp://www.openmarket.com/cgi-bin/gx.cgi/AppLogic+FTContentServer?pagename=FutureTense/Apps/Xcelerate/Render&c=Artic>, WBX 112.
- Orfali, R. et al., "Essential Client/Server Survival Guide"-John Wiley and Sons—Set 1, 1994, WBX114.
- Orfali, R. et al., "Essential Client/Server Survival Guide"-John Wiley and Sons—Set 2, 1994, WBX115.
- Orfali, R.; Harkey, D.; Edwards, J., "Essential Client/Server Survival Guide" John Wiley and Sons, Sets 1-4, Jun. 16, 2005, WBX116.
- Orfali, R. et al., "Essential Client/Server Survival Guide"-John Wiley and Sons—Set 4, 1994, WBX117.
- Pavlou, G. et al., "A Generic Management Information Base Browser", WBX119.
- Peterson, L. et al., "Computer Networks, A Systems Approach", Morgan Kaufmann Publishers, Inc., 1996, pp. 472-507, WBX120.
- Pitkow, J. et al., "Using the Web as a Survey Tool: Results from the Second WWW User Survey", conducted 10/15& Nov. 1994, presented at 3rd Intl WWW Conference Apr. 10-14, 1995, WBX121.
- Netscape Unveils New Versions of Commercial Applications for Enhanced Integration with Corporate Databases, NetScape Press Release, May 13, 1996, WBX122.
- Raatikainen, K., "Database Access in Intelligent Networks", Proceedings of IFIP TC6 Workshop on Intelligent Networks, pp. 163-183, WBX123.
- Radia, S. R. et al., "The Spring Object Model", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX124.
- Rosenberry, et al., "OSF Distributed Computing Environment—Understanding DCE"—O'Reilly & Associates, Jun. 1993, WBX126.
- Rubin, C. "Wired: In the Bag", Jun. 1997, WBX127.
- Schepp et al., "The Complete Guide to CompuServe: Chapter 12: Travel Services: See the World Today the CompuServe Way", 1990, pp. 409-437, McGraw Hill, WBX128.
- Schmidt, D. et al., "Object-Oriented Components for High-Speed Network Programming", Procdgs of USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX 129.
- Siegel, J., "Common Object Services Specification vol. 1, Rev 1, First Edition", OMG Doc Jan. 1, 1994, Mar. 1, 1994, WBX130, WBX130A.
- "Common Desktop Environment: Product Glossary", SunSoft, 1994-1995, WBX131.
- "Common Desktop Environment: Applications Builder User's Guide", SunSoft, 1994-1995, WBX132.
- "OpenStep Development Tools", SunSoft, 1996, WBX133A, WBX133B.
- Porting NextStep 3.2/3.3 Applications to OpenStep on Solaris, Sunsoft, 1996, WBX134.
- "Solstice X.500 Programming Reference", SunSoft, 1996, WBX135, A, B.
- Tatters, W., "Navigating the Internet with Compuserve: Chapter 17: Business on the Net", 1995, pp. 352-374, Sams Publishing, WBX136.
- Technical Staff, "The Conductor Financial Services Framework": Distributed Objects on the Internet, Block Financial Corporation White Paper, BFC Technology Center, Oct. 17, 1995, WBX137.
- Vogler, H. et al., "The Transaction Internet Protocol in Practice: Reliability for WWW Applications", IEEE 1999 Internet Workshop IWS99, (ISSN-0-7803-5925-9), Feb. 18, 1992, WBX146.
- Weich, C., "Generic Containers for a Distributed Object Store", Procdgs of the USENIX Conference (Jun. 1995) on Object-Oriented Technologies, Monterey, CA, May 18, 1995, WBX150.
- "SmallTalk" Wikipedia SmallTalk <http://www.objs.com/x3h7/smalltalk.htm> and <http://en.wikipedia.org/wiki/Smalltalk> WBX151.
- Wollrath, A. et al., "Simple Activation for Distributed Objects", Proceedings of the USENIX Conference on Object-Oriented Technologies, Monterey, CA, Jun. 1995, WBX152.
- USENIX, "Agenda of Proceedings of the USENIX Conference on Object-Oriented Technologies", Monterey, CA, Jun. 1995, WBX153.
- "Common Desktop Environment: Desktop Kornshell User's Guide", Sun Microsystems, 1994-1995, WBX154.
- "Common Desktop Environment: Help System Author's and Programmer's Guide", Sun Microsystems, 1994-1995, (Three parts) WBX155.
- "Common Desktop Environment: Internationalization Programmer's Guide", Sun Microsystems, 1994-1995, WBX156.
- "Common Desktop Environment: Tooltalk Messaging Overview", Sun Microsystems, 1994-1995, WBX157.
- "Common Desktop Environment: Common StyleGuide and Certification Checklist", SunSoft, 1994-1995, WBX158, 158C.
- "Common Desktop Environment: Programmer's Overview", SunSoft, 1994-1995, WBX159.
- Developer's Guide to Internationalization, Sun Microsystems, 1994, WBX160.
- "Dr. Gui's Gentle Guide to COM", <http://www.microsoft.com/Com/news/drui.asp> [retrieved on May 22, 2001], Nov. 1, 1999, WBX161.
- "iPIN Company Info", <http://www.ipin.com/01comp.html> [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX162.
- "iPIN Home", <http://www.ipin.com> [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX163.
- "iPIN Service Options", <http://www.ipin.com/02prod...service.html> [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX164.

33

US 8,108,492 B2

Page 6

- "iPIN Solutions", http://www.ipin.com/02prod_solution.html [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX165.
- "iPIN Partners", <http://www.ipin.com/03part.html> [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX166.
- "iPIN Technology", http://www.ipin.com/02prod_tech.html [retrieved on May 23, 2001], iPIN Interactive Transaction Services, Inc., 2000, WBX167.
- NetScape Products: Open and Secure Internet Software, 1995, WBX168A.
- NetScape Merchant System, Data Sheet 1995, WBX168B.
- NetScape Internet Applications, Customer Showcase 1995, WBX168C.
- NetScape Server API, 1995, WBX 168D.
- NetScape Object-Oriented Paradigm of Server Configuration, 1995, WBX168E.
- RSA: Verisign Redirection Information, Important Announcement 1995, WBX168F.
- RSA: Verisign to Provide Digital IDs for Open Market's Secure WebServer, 1995, WBX168G.
- Verisign Adds the Missing Component to Online Security Solutions 1995, WBX168H.
- Hickman, K.E.B.; Netscape, "The SSL Protocol", 1995, WBX168I.
- NetScape iStore DataSheet, 1995, WBX168J.
- Choudhury, A.K. et al., "Copyright Protection for Electronic Publishing over Computer Networks", 1995 IEEE Network, 9, May/Jun., vol. 3 pp. 12-20 (1995) WBX168L.
- NSAPI Basics, (Chapter 1) <http://developer.netscape.com/docs/manuals/enterprise/nsapi/svrop.htm> [retrieved on May 22, 2001], 1997, WBX174.
- "OpenStep User Interface Guidelines", SunSoft, 1996, WBX175.
- "OpenStep Programming Reference", SunSoft, 1996, (12 parts) WBX176.
- "QuickStart to Using the Open Step Desktop", SunSoft, 1996, WBX177.
- Rose, M. et al., "RFC 1065: Structure and Identification of Management Information for TCP/IP-based internets", Aug. 1, 1988, WBX178.
- Stewart, B., RFC 1318: "Definition of Managed Objects for Parallel-printer-like Hardware Devices", Apr. 1, 1992, WBX179.
- Rivest, R., "RFC 1321: The MD5 Message-Digest Algorithm", 1997, WBX180.
- Solaris Common Desktop Environment: MOTIF Transition Guide, Sun Microsystems, 1997, WBX181.
- "Solaris Common Desktop Environment: Programmer's Guide", Sun Microsystems, 1994-1995, WBX182.
- "The iPIN Approach", <http://www.ipin.com/02prod.html>, 2000, [retrieved on May 23, 2001], Interactive Transaction Services, Inc., WBX183.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part1-1, John Wiley and Sons, 1996, WBX201.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part1-2, John Wiley and Sons, 1996, WBX202.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part1-3, John Wiley and Sons, 1996, WBX203.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part2-1, John Wiley and Sons, 1996, WBX204.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part2-2, John Wiley and Sons, 1996, WBX205.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part2-3, John Wiley and Sons, 1996, WBX206.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part3-1, John Wiley and Sons, 1996, WBX207.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part3-2, John Wiley and Sons, 1996, WBX208.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part3-3, John Wiley and Sons, 1996, WBX209.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part4-1, John Wiley and Sons, 1996, WBX210.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part4-2, John Wiley and Sons, 1996, WBX211.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part4-3, John Wiley and Sons, 1996, WBX212.
- Orfali, R. et al., "The Essential Distributed Objects Survival Guide"-Part4-4, John Wiley and Sons, 1996, WBX213.
- Broadvision, "Broadvision One-to-One: Programmer's Reference, Part 1" 1995, WBX214.
- Broadvision, "Broadvision One-to-One: Programmer's Reference, Part 2" 1995, WBX215.
- OMG, "The Common Object Request Broker: Architecture and Specification", CORBA v2.0_(NYC-#1655390-v1), Jul. 1995-1996, WBX216.
- The Open Group, "Inter-domain Management: Specification Translation", 1997, WBX222.
- The Open Group, "Inter-domain Management_Summary of Similarities and Differences", 1997, WBX223.
- The Open Group, "Inter-domain Management_object models comparison", 1997, WBX224.
- Miller, M., "Managing Internetworks with SNMP", 1993, pp. 138-139, M&T Books., '506 Inter Partes Re-examination Exhibit 12, Dec. 2008, WBX225.
- Umar, A., "Distributed Computing: A Practical Synthesis", "Appendix B: Tutorial on TCP/IP Protocol Suite", (BellCore), 1993, WBX226.
- Umar, A., "Distributed Computing: A Practical Synthesis", "Chapter 5: Client-Server Systems and Application- Interconnectivity", (BellCore), 1993, WBX227.
- SPERO, "Binary Gateway Interface-An API for Dynamically Extensible http Servers", Jul. 1, 1994, Retrieved on Apr. 5, 2009 from <http://www.ibiblio.org/mdma-release/BGI-spec.txt>, WBX228.
- "Point, Click and Shop Never So Easy; The CheckFree Wallet", NewsHound, SImercury News, PRNewswire, Apr. 10, 1995, Retrieved Apr. 5, 2009 from http://besser.tsoa.nyu.edu_ZZZ, WBX229.
- DEC ObjBroker, 1.0.9, Apr. 3, 1996, http://209.85.173.132/search?q=cache:c3iJxZca3aUJ:www.faqs.org/faqs/object-faq/part3/+DEC%27s+ObjectBroker+Service&cd=9&hl=en&ct=clnk&g_ZZZ, WBX230.
- Arunachalam, U.S. Appl. No. 11/980,185_Duty of Candor Rule 56 Disclosure, Feb. 11, 2009, WBX220.
- Arunachalam, U.S. Appl. No. 11/980,185_Duty of Candor Rule 56 Disclosure, Mar. 4, 2009, WBX221.
- NYC-#1579692-v1-WebXchange_-_March_3_DELL_Complaint.DOC, Mar. 3, 2008, WBX217.
- NYC-#1579751-v1-WebXchange_-_March_3_Allstate_Complaint.DOC, Mar. 3, 2008, WBX218.
- NYC-#1579947-v1-WebXchange_-_March_3_FedEx_Complaint.DOC, Mar. 3, 2008, WBX219.
- "Easel Corporation Introduces Comprehensive Program", Mar. 13, 1995, Business Wire, http://209.85.173.132/search?q=cache:McsjZC2srEJ:findarticles.mi_m0EIN/is_1995_Marc_ZZZ, WBX231.
- "Internet Information Commerce: The First Virtual", Jul. 1995, 1st USENIX Wkshp: E-Commerce, NY Retr'd Apr. 9, 2009 http://www.usenix.org/publications/library/proceedings/ec95/f_ZZZ, WBX232.
- "O'Reilly Releases Website", WebView, EIT, May 12, 1995, V7: Issue41, ISSN1004-042X, Computer underground Digest, Retr'd Apr. 5, 2009 http://cu-digest.org/CUD57/cud74_ZZZ, WBX233.
- "RSA And EIT Joint Venture", Terisa Systems, EIT and RSA: Secure HTTP, Jun. 13, 1994, Retrieved on Apr. 5, 2009 <http://1997.webhistory.org/www.lists/www-talk.1994q2/0980.html>, WBX234.
- "CommerceNet The First Large-Scale Market Trial", EIT: CommerceNet, Aug. 3, 1994, Proc. May 1994, Ties That Bind conference, Retr'd Apr. 5, 2009 http://internet.eser_ZZZ, WBX235.
- Rubin, A., "IETF-Stockholm meeting" NetCheck: E-signatures, Aug. 5, 1995, pp. 1-2, CIPHER, Newsletter IEEE Computer Society's TC 8, http://www.ieee-security.org/Cipher/PastIssu_ZZZ, WBX236.
- Open Market, "FastCGI: A High-Performance Web Server Interface", Apr. 1996, Retrieved on Apr. 5, 2009 <http://www.fastcgi.com/devkit/doc/fastcgi-whitepaper/fastcgi.htm>, WBX 237.

34

US 8,108,492 B2

Page 7

- Sun Microsystems, "HotJava", Wikipedia, the free encyclopedia, Jun. 1995, Retrieved on Apr. 5, 2009 from <http://en.wikipedia.org/wiki/HotJava>, WBX238.
- W3C Status Codes, HTRESP_html_w3_org, 1992 WBX239.
- Hewlett Packard, "HP Oadapter/OpenODB", Jul. 1994, Retrieved on Apr. 5, 2009 from <http://web.bilkent.edu.tr/Online/oofaq/oo-faq-S-8.13.0.5.html>, WBX240.
- Internet Shopping Network_ISN Business Newswire (1995) WBX241.
- NCR Co-operative Frameworks 3, (1993) WBX242.
- Distributed Objects Everywhere, NEO, Wikipedia (1996) WBX243.
- NetMarket (1996) WBX244.
- Enterprise Object Networks, Wikipedia (1996) WBX245.
- OMG Document No. 91_12_1 Revision 1_1 (1997) WBX246.
- DigiCash Smartcards (1997) WBX247.
- IBM System Object Model_SOM (1998) WBX248.
- IBM System Object Model_SOM_DSOM (1998) WBX249.
- Open Market StoreBuilder (1995) WBX250.
- WebXpress Web StoreFront (1996) WBX251.
- PNC, Industry.Net do eCommerce (1996) WBX252.
- 10KPowerShip,PowerPartner (1996) WBX253.
- T. Berners Lee Hypertext Mark up Language RFC1866(1995) WBX254.
- E. Nebel RFC1867 (1995) WBX255.
- RFC1942 (1996) WBX256.
- J. Seidman RFC1980 (1996) WBX257.
- HTML—Wikipedia, the free encyclopedia—Notepad (1998) WBX258.
- Berners-Lee, T., RFC 1630, "Universal Resource Identifiers in WWW", Network Working Group, CERN, Jun. 1994 WBX259.
- Object Broker Service Middleware Sourcebook (1995) WBX260.
- WBXexecsummary4809new2bizplan[1] (2009) WBX268.
- Kramer, Douglas Java Whitepaper May 1996, WBX500.
- * cited by examiner

U.S. Patent

Jan. 31, 2012

Sheet 1 of 13

US 8,108,492 B2




FIG. 1A (PRIOR ART)

U.S. Patent

Jan. 31, 2012

Sheet 2 of 13

US 8,108,492 B2




FIG. 1B (PRIOR ART)

U.S. Patent

Jan. 31, 2012

Sheet 3 of 13

US 8,108,492 B2




FIG. 2

U.S. Patent

Jan. 31, 2012

Sheet 4 of 13

US 8,108,492 B2

OSI MODEL
300






FIG. 3

U.S. Patent

Jan. 31, 2012

Sheet 5 of 13

US 8,108,492 B2

**FIG. 4A****FIG. 4B**

U.S. Patent

Jan. 31, 2012

Sheet 6 of 13

US 8,108,492 B2




FIG. 5A




FIG. 5B

41

U.S. Patent

Jan. 31, 2012

Sheet 7 of 13

US 8,108,492 B2




FIG. 5C

U.S. Patent

Jan. 31, 2012

Sheet 8 of 13

US 8,108,492 B2




FIG. 5D

U.S. Patent

Jan. 31, 2012

Sheet 9 of 13

US 8,108,492 B2




FIG. 5E

U.S. Patent

Jan. 31, 2012

Sheet 10 of 13

US 8,108,492 B2




FIG. 6A

U.S. Patent

Jan. 31, 2012

Sheet 11 of 13

US 8,108,492 B2




FIG. 6B

U.S. Patent

Jan. 31, 2012

Sheet 12 of 13

US 8,108,492 B2





FIG. 7

U.S. Patent

Jan. 31, 2012

Sheet 13 of 13

US 8,108,492 B2

**FIG. 8**

US 8,108,492 B2

1

WEB APPLICATION NETWORK PORTAL

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a divisional and claims the priority benefit of U.S. patent application Ser. No. 11/980,185 filed Oct. 30, 2007 now U.S. Pat. No. 8,037,158, which is a continuation-in-part of U.S. patent application Ser. No. 09/792,323, now U.S. Pat. No. 7,340,506, filed Feb. 23, 2001, which is a divisional of U.S. patent application Ser. No. 09/296,207, filed Apr. 21, 1999, now U.S. Pat. No. 6,212,556, which is a continuation-in-part of U.S. patent application Ser. No. 08/879,958, now U.S. Pat. No. 5,987,500, filed Jun. 20, 1997, which is a divisional and claims the priority benefit of U.S. patent application Ser. No. 08/700,726, now U.S. Pat. No. 5,778,178, filed Aug. 5, 1996, which claims the priority benefit of U.S. provisional application 60/006,634 filed Nov. 13, 1995. This application also claims benefit under 35 U.S.C. 119(e) to U.S. Provisional application Ser. No. 60/006,634 filed Nov. 13, 1995. The following applications are related applications: application Ser. Nos. 09/863,704; 12/628,066; 12/628,068; 12/628,069, 12/932,758 and 60/206,422.

BACKGROUND

1. Field of the Invention

The present invention relates to the area of Internet communications. Specifically, the present invention relates to a method and apparatus for configurable value-added network switching and object routing.

2. Background of the Invention

With the Internet and the World Wide Web ("the Web") evolving rapidly as a viable consumer medium for electronic commerce, new on-line services are emerging to fill the needs of on-line users. An Internet user today can browse on the Web via the use of a Web browser. Web browsers are software interfaces that run on Web clients to allow access to Web servers via a simple user interface. A Web user's capabilities today from a Web browser are, however, extremely limited. The user can perform one-way, browse-only interactions. Additionally, the user has limited "deferred" transactional capabilities, namely electronic mail (e-mail) capabilities. E-mail capabilities are referred to as "deferred transactions" because the consumer's request is not processed until the e-mail is received, read, and the person or system reading the e-mail executes the transaction. This transaction is thus not performed in real-time.

FIG. 1A illustrates typical user interactions on the Web today. User 100 sends out a request from Web browser 102 in the form of a universal resource locator (URL) 101 in the following manner: <http://www.car.com>. URL 101 is processed by Web browser 102 that determines the URL corresponds to car dealer Web page 105, on car dealer Web server 104. Web browser 102 then establishes browse link 103 to car dealer Web page 105. User 100 can browse Web page 105 and select "hot links" to jump to other locations in Web page 105, or to move to other Web pages on the Web. This interaction is typically a browse-only interaction. Under limited circumstances, the user may be able to fill out a form on car dealer Web page 105, and e-mail the form to car dealer Web server 104. This interaction is still strictly a one-way browse mode communications link, with the e-mail providing limited, deferred transactional capabilities.

Under limited circumstances, a user may have access to two-way services on the Web via Common Gateway Interface (CGI) applications. CGI is a standard interface for running

2

external programs on a Web server. It allows Web servers to create documents dynamically when the server receives a request from the Web browser. When the Web server receives a request for a document, the Web server dynamically executes the appropriate CGI script and transmits the output of the execution back to the requesting Web browser. This interaction can thus be termed a "two-way" transaction. It is a severely limited transaction, however, because each CGI application is customized for a particular type of application or service.

For example, as illustrated in FIG. 1B, user 100 may access bank 150's Web server and attempt to perform transactions on checking account 152 and to make a payment on loan account 154. In order for user 100 to access checking account 152 and loan account 154 on the Web, CGI application scripts must be created for each account, as illustrated in FIG. 1B. The bank thus has to create individual scripts for each of its services to offer users access to these services. User 100 can then interact in a limited fashion with these individual applications. Creating and managing individual CGI scripts for each service is not a viable solution for merchants with a large number of services.

As the Web expands and electronic commerce becomes more desirable, the need increases for robust, real-time, bi-directional transactional capabilities on the Web. A true real-time, bi-directional transaction would allow a user to connect to a variety of services on the Web, and perform real-time transactions on those services. For example, although user 100 can browse car dealer Web page 105 today, the user cannot purchase the car, negotiate a car loan or perform other types of real-time, two-way transactions that he can perform with a live salesperson at the car dealership. Ideally, user 100 in FIG. 1A would be able to access car dealer Web page 105, select specific transactions that he desires to perform, such as purchase a car, and perform the purchase in real-time, with two-way interaction capabilities. CGI applications provide user 100 with a limited ability for two-way interaction with car dealer Web page 105, but due to the lack of interaction and management between the car dealer and the bank, he will not be able to obtain a loan and complete the purchase of the car via a CGI application. The ability to complete robust real-time, two-way transactions is thus not truly available on the Web today.

SUMMARY OF THE INVENTION

It is therefore an object of the present invention to provide a method and apparatus for providing real-time, two-way transactional capabilities on the Web. Specifically, one embodiment of the present invention discloses a configurable value-added network switch for enabling real-time transactions on the World Wide Web. The configurable value added network switch comprises means for switching to a transactional application in response to a user specification from a World Wide Web application, means for transmitting a transaction request from the transactional application, and means for processing the transaction request.

According to another aspect of the present invention, a method and apparatus for enabling object routing on the World Wide Web is disclosed. The method for enabling object routing comprises the steps of creating a virtual information store containing information entries and attributes, associating each of the information entries and the attributes with an object identity, and assigning a unique network address to each of the object identities.

49

US 8,108,492 B2

3

Other objects, features and advantages of the present invention will be apparent from the accompanying drawings and from the detailed description.

BRIEF DESCRIPTION OF THE DRAWINGS

The features and advantages of the present invention will be apparent from the accompanying drawings and from the detailed description of the present invention as set forth below.

FIG. 1A is an illustration of a current user's browse capabilities on the Web via a Web browser.

FIG. 1B is an illustration of a current user's capabilities to perform limited transactions on the Web via CGI applications.

FIG. 2 illustrates a typical computer system on which the present invention may be utilized.

FIG. 3 illustrates the Open Systems Interconnection (OSI) Model.

FIG. 4A illustrates conceptually the user value chain as it exists today.

FIG. 4B illustrates one embodiment of the present invention.

FIG. 5A illustrates a user accessing a Web server including one embodiment of the present invention.

FIG. 5B illustrates the exchange component according to one embodiment of the present invention.

FIG. 5C illustrates an example of a point-of-service (POSvc) application list.

FIG. 5D illustrates a user selecting a bank POSvc application from the POSvc application list.

FIG. 5E illustrates a three-way transaction according to one embodiment of the present invention.

FIG. 6A illustrates a value-added network (VAN) switch.

FIG. 6B illustrates the hierarchical addressing tree structure of the networked objects in DOLSIBs.

FIG. 7 illustrates conceptually the layered architecture of a VAN switch.

FIG. 8 is a flow diagram illustrating one embodiment of the present invention.

DETAILED DESCRIPTION

The present invention relates to a method and apparatus for configurable value-added network switching and object routing and management. "Web browser" as used in the context of the present specification includes conventional Web browsers such as NCSA Mosaic™ from NCSA and Netscape Mosaic™ from Netscape™. The present invention is independent of the Web browser being utilized and the user can use any Web browser, without modifications to the Web browser. In the following detailed description, numerous specific details are set forth in order to provide a thorough understanding of the present invention. It will be apparent to one of ordinary skill in the art, however, that these specific details need not be used to practice the present invention. In other instances, well-known structures, interfaces and processes have not been shown in detail in order not to unnecessarily obscure the present invention.

FIG. 2 illustrates a typical computer system 200 in which the present invention operates. The preferred embodiment of the present invention is implemented on an IBM™ Personal Computer manufactured by IBM Corporation of Armonk, N.Y. Alternate embodiments may be implemented on a Macintosh™ computer manufactured by Apple™ Computer, Incorporated of Cupertino, Calif. It will be apparent to those

4

of ordinary skill in the art that other alternative computer system architectures may also be employed.

In general, such computer systems as illustrated by FIG. 2 comprise a bus 201 for communicating information, a processor 202 coupled with the bus 201 for processing information, main memory 203 coupled with the bus 201 for storing information and instructions for the processor 202, a read-only memory 204 coupled with the bus 201 for storing static information and instructions for the processor 202, a display device 205 coupled with the bus 201 for displaying information for a computer user, an input device 206 coupled with the bus 201 for communicating information and command selections to the processor 202, and a mass storage device 207, such as a magnetic disk and associated disk drive, coupled with the bus 201 for storing information and instructions. A data storage medium 208 containing digital information is configured to operate with mass storage device 207 to allow processor 202 access to the digital information on data storage medium 208 via bus 201.

Processor 202 may be any of a wide variety of general purpose processors or microprocessors such as the Pentium™ microprocessor manufactured by Intel™ Corporation or the Motorola™ 68040 or Power PC™ brand microprocessor manufactured by Motorola™ Corporation. It will be apparent to those of ordinary skill in the art, however, that other varieties of processors may also be used in a particular computer system. Display device 205 may be a liquid crystal device, cathode ray tube (CRT), or other suitable display device. Mass storage device 207 may be a conventional hard disk drive, floppy disk drive, CD-ROM drive, or other magnetic or optical data storage device for reading and writing information stored on a hard disk, a floppy disk, a CD-ROM, a magnetic tape, or other magnetic or optical data storage medium. Data storage medium 208 may be a hard disk, a floppy disk, a CD-ROM, a magnetic tape, or other magnetic or optical data storage medium.

In general, processor 202 retrieves processing instructions and data from a data storage medium 208 using mass storage device 207 and downloads this information into random access memory 203 for execution. Processor 202, then executes an instruction stream from random access memory 203 or read-only memory 204. Command selections and information input at input device 206 are used to direct the flow of instructions executed by processor 202. Equivalent input device 206 may also be a pointing device such as a conventional mouse or trackball device. The results of this processing execution are then displayed on display device 205.

The preferred embodiment of the present invention is implemented as a software module, which may be executed on a computer system such as computer system 200 in a conventional manner. Using well known techniques, the application software of the preferred embodiment is stored on data storage medium 208 and subsequently loaded into and executed within computer system 200. Once initiated, the software of the preferred embodiment operates in the manner described below.

FIG. 3 illustrates the Open Systems Interconnection (OSI) reference model. OSI Model 300 is an international standard that provides a common basis for the coordination of standards development, for the purpose of systems interconnection. The present invention is implemented to function as a routing switch within the "application layer" of the OSI model. The model defines seven layers, with each layer communicating with its peer layer in another node through the use of a protocol. Physical layer 301 is the lowest layer, with responsibility to transmit unstructured bits across a link. Data

US 8,108,492 B2

5

link layer 302 is the next layer above physical layer 301. Data link layer 302 transmits chunks across the link and deals with problems like checksumming to detect data corruption, orderly coordination of the use of shared media and addressing when multiple systems are reachable. Network bridges operate within data link layer 302.

Network layer 303 enables any pair of systems in the network to communicate with each other. Network layer 303 contains hardware units such as routers that handle routing, packet fragmentation and reassembly of packets. Transport layer 304 establishes a reliable communication stream between a pair of systems, dealing with errors such as lost packets, duplicate packets, packet reordering and fragmentation. Session layer 305 offers services above the simple communication stream provided by transport layer 304. These services include dialog control and chaining. Presentation layer 306 provides a means by which OSI compliant applications can agree on representations for data. Finally, application layer 307 includes services such as file transfer, access and management services (FTAM), electronic mail and virtual terminal (VT) services. Application layer 307 provides a means for application programs to access the OSI environment. As described above, the present invention is implemented to function as a routing switch in application layer 307. Application layer routing creates an open channel for the management, and the selective flow of data from remote databases on a network.

A. Overview

FIG. 4A illustrates conceptually the user value chain as it exists today. The user value chain in FIG. 4A depicts the types of transactions that are performed today, and the channels through which the transactions are performed. A "transaction" for the purposes of the present invention includes any type of commercial or other type of interaction that a user may want to perform. Examples of transactions include a deposit into a bank account, a request for a loan from a bank, a purchase of a car from a car dealership or a purchase of a car with financing from a bank. A large variety of other transactions are also possible.

A typical user transaction today may involve user 100 walking into a bank or driving up to a teller machine, and interacting with a live bank teller, or automated teller machine (ATM) software applications. Alternatively, user 100 can perform the same transaction by using a personal computer (PC), activating application software on his PC to access his bank account, and dialing into the bank via a modem line. If user 100 is a Web user, however, there is no current mechanism for performing a robust, real-time transaction with the bank, as illustrated in FIG. 4A. CGI scripts provide only limited two-way capabilities, as described above. Thus, due to this lack of a robust mechanism by which real-time Web transactions can be performed, the bank is unable to be a true "Web merchant," namely a merchant capable of providing complete transactional services on the Web.

According to one embodiment of the present invention, as illustrated in FIG. 4B, each merchant that desires to be a Web merchant can provide real-time transactional capabilities to users who desire to access the merchants' services via the Web. This embodiment includes a service network running on top of a facilities network, namely the Internet, the Web or e-mail networks. For the purposes of this application, users are described as utilizing PC's to access the Web via Web server "switching" sites. (Switching is described in more detail below). Users may also utilize other personal devices such as network computers or cellular devices to access the merchants' services via appropriate switching sites. These switching sites include non-Web network computer sites and

6

cellular provider sites. Five components interact to provide this service network functionality, namely an exchange, an operator agent, a management agent, a management manager and a graphical user interface. All five components are described in more detail below.

As illustrated in FIG. 5A, user 100 accesses Web server 104. Having accessed Web server 104, user 100 can decide that he desires to perform real-time transactions. When Web server 104 receives user 100's indication that he desires to perform real-time transactions, the request is handed over to an exchange component. Thus, from Web page 105, for example, user 100 can select button 500, entitled "Transactions" and Web server 104 hands user 100's request over to the exchange component. The button and the title can be replaced by any mechanism that can instruct a Web server to hand over the consumer's request to the exchange component.

FIG. 5B illustrates exchange 501. Exchange 501 comprises Web page 505 and point-of-service (POSvc) applications 510. Exchange 501 also conceptually includes a switching component and an object routing component (described in more detail below). POSvc applications 510 are transactional applications, namely applications that are designed to incorporate and take advantage of the capabilities provided by the present invention. Although exchange 501 is depicted as residing on Web server 104, the exchange can also reside on a separate computer system that resides on the Internet and has an Internet address. Exchange 501 may also include operator agent 503 that interacts with a management manager (described in more detail below). Exchange 501 creates and allows for the management (or distributed control) of a service network, operating within the boundaries of an IP-based facilities network. Thus, exchange 501 and a management agent component, described in more detail below, under the headings "VAN Switch and Object Routing," together perform the switching, object routing, application and service management functions according to one embodiment of the present invention.

Exchange 501 processes the consumer's request and displays an exchange Web page 505 that includes a list of POSvc applications 510 accessible by exchange 501. A POSvc application is an application that can execute the type of transaction that the user may be interested in performing. The POSvc list is displayed via the graphical user interface component. One embodiment of the present invention supports HyperText Markup Language as the graphical user interface component. Virtual Reality Markup Language and Java™ are also supported by this embodiment. A variety of other graphical user interface standards can also be utilized to implement the graphical user interface.

An example of a POSvc application list is illustrated in FIG. 5C. User 100 can thus select from POSvc applications Bank 510(1), Car Dealer 510(2) or Pizzeria 510(3). Numerous other POSvc applications can also be included in this selection. If user 100 desires to perform a number of banking transactions, and selects the Bank application, a Bank POSvc application will be activated and presented to user 100, as illustrated in FIG. 5D. For the purposes of illustration, exchange 501 in FIG. 5D is shown as running on a different computer system (Web server 104) from the computer systems of the Web merchants running POSvc applications (computer system 200). Exchange 501 may, however, also be on the same computer system as one or more of the computer systems of the Web merchants.

Once Bank POSvc application 510 has been activated, user 100 will be able to connect to Bank services and utilize the application to perform banking transactions, thus accessing

US 8,108,492 B2

7

data from a host or data repository 575 in the Bank "Back Office." The Bank Back Office comprises legacy databases and other data repositories that are utilized by the Bank to store its data. This connection between user 100 and Bank services is managed by exchange 501. As illustrated in FIG. 5D, once the connection is made between Bank POSvc application 510(1), for example, and Bank services, an operator agent on Web server 104 may be activated to ensure the availability of distributed functions and capabilities.

Each Web merchant may choose the types of services that it would like to offer its clients. In this example, if Bank decided to include in their POSvc application access to checking and savings accounts, user 100 will be able to perform real-time transactions against his checking and savings accounts. Thus, if user 100 moves \$500 from his checking account into his savings account, the transaction will be performed in real-time, in the same manner the transaction would have been performed by a live teller at the bank or an ATM machine. Therefore, unlike his prior access to his account, user 100 now has the capability to do more than browse his bank account. The ability to perform these types of robust, real-time transactions from a Web client is a significant aspect of the present invention.

Bank can also decide to provide other types of services in POSvc application 510(1). For example, Bank may agree with Car dealership to allow Bank customers to purchase a car from that dealer, request a car loan from Bank, and have the entire transaction performed on the Web, as illustrated in FIG. 5E. In this instance, the transactions are not merely two-way, between the user and Bank, but three-way, amongst the consumer, Bank and Car dealership. According to one aspect of the present invention, this three-way transaction can be expanded to n-way transactions, where n represents a predetermined number of merchants or other service providers who have agreed to cooperate to provide services to users. The present invention therefore allows for "any-to-any" communication and transactions on the Web, thus facilitating a large, flexible variety of robust, real-time transactions on the Web.

Finally, Bank may also decide to provide intra-merchant or intra-bank services, together with the inter-merchant services described above. For example, if Bank creates a POSvc application for use by the Bank Payroll department, Bank may provide its own employees with a means for submitting timecards for payroll processing by the Bank's Human Resources (HR) Department. An employee selects the Bank HR POSvc application, and submits his timecard. The employee's timecard is processed by accessing the employee's payroll information, stored in the Bank's Back Office. The transaction is thus processed in real-time, and the employee receives his paycheck immediately.

B. Van Switching and Object Routing

As described above, exchange 501 and management agent 601, illustrated in FIG. 6A, together constitute a value-added network (VAN) switch. These two elements may take on different roles as necessary, including peer-to-peer, client-server or master-slave roles. Management manager 603 is illustrated as residing on a separate computer system on the Internet. Management manager 603 can, however, also reside on the same machine as exchange 501. Management manager 603 interacts with the operator agent 503 residing on exchange 501.

VAN switch 520 provides multi-protocol object routing, depending upon the specific VAN services chosen. This multi-protocol object routing is provided via a proprietary protocol, TransWeb™ Management Protocol (TMP). TMP incorporates the same security features as the traditional Simple Network Management Protocol, SNMP. It also allows

8

for the integration of other traditional security mechanisms, including RSA security mechanisms.

One embodiment of the present invention utilizes TMP and distributed on-line service information bases (DOLSIBs) to perform object routing. Alternatively, TMP can incorporate s-HTTP, Java™, the WinSock API or ORB with DOLSIBs to perform object routing. DOLSIBs are virtual information stores optimized for networking. All information entries and attributes in a DOLSIB virtual information store are associated with a networked object identity. The networked object identity identifies the information entries and attributes in the DOLSIB as individual networked objects, and each networked object is assigned an Internet address. The Internet address is assigned based on the IP address of the node at which the networked object resides.

For example, in FIG. 5A, Web server 104 is a node on the Internet, with an IP address. All networked object associated with Web server 104 will therefore be assigned an Internet address based on the Web server 104's IP address. These networked objects thus "branch" from the node, creating a hierarchical tree structure. The Internet address for each networked object in the tree essentially establishes the individual object as an "IP-reachable" or accessible node on the Internet. TMP utilizes this Internet address to uniquely identify and access the object from the DOLSIB. FIG. 6B illustrates an example of this hierarchical addressing tree structure.

Each object in the DOLSIB has a name, a syntax and an encoding. The name is an administratively assigned object ID specifying an object type. The object type together with the object instance serves to uniquely identify a specific instantiation of the object. For example, if object 610 is information about models of cars, then one instance of that object would provide user 100 with information about a specific model of the car while another instance would provide information about a different model of the car. The syntax of an object type defines the abstract data structure corresponding to that object type. Encoding of objects defines how the object is represented by the object type syntax while being transmitted over the network.

C. Management and Administration

As described above, exchange 501 and management agent 601 together constitute a VAN switch. FIG. 7 illustrates conceptually the layered architecture of VAN switch 520. Specifically, boundary service 701 provides the interfaces between VAN switch 520, the Internet and the Web, and multi-media end user devices such as PCs, televisions or telephones. Boundary service 701 also provides the interface to the on-line service provider. A user can connect to a local application, namely one accessible via a local VAN switch, or be routed or "switched" to an application accessible via a remote VAN switch.

Switching service 702 is an OSI application layer switch. Switching service 702 thus represents the core of the VAN switch. It performs a number of tasks including the routing of user connections to remote VAN switches, described in the paragraph above, multiplexing and prioritization of requests, and flow control. Switching service 702 also facilitates open systems' connectivity with both the Internet (a public switched network) and private networks including back office networks, such as banking networks. Interconnected application layer switches form the application network backbone. These switches are one significant aspect of the present invention.

Management service 703 contains tools such as Information Management Services (IMS) and application Network Management Services (NMS). These tools are used by the end users to manage network resources, including VAN

US 8,108,492 B2

9

switches. Management service 703 also provides applications that perform Operations, Administration, Maintenance & Provisioning (OAM&P) functions. These OAM&P functions include security management, fault management, configuration management, performance management and billing management. Providing OAM&P functions for applications in this manner is another significant aspect of the present invention.

Finally, application service 704 contains application programs that deliver customer services. Application service 704 includes POSvc applications such as Bank POSvc described above, and illustrated in FIG. 6A. Other examples of VAN services include multi-media messaging, archival/retrieval management, directory services, data staging, conferencing, financial services, home banking, risk management and a variety of other vertical services. Each VAN service is designed to meet a particular set of requirements related to performance, reliability, maintenance and ability to handle expected traffic volume. Depending on the type of service, the characteristics of the network elements will differ. VAN service 704 provides a number of functions including communications services for both management and end users of the network and control for the user over the user's environment.

FIG. 8 is a flow diagram illustrating one embodiment of the present invention. A user connects to a Web server running an exchange component in step 802. In step 804, the user issues a request for a transactional application, and the web server hands off the request to an exchange in step 806. The exchange activates a graphical user interface to present user with a list of POSvc application options in step 808. In step 810, the user makes a selection from the POSvc application list. In step 812, the switching component in the exchange switches the user to the selected POSvc application, and in step 814, the object routing component executes the user's request. Data is retrieved from the appropriate data repository via TMP in step 816, and finally, the user may optionally continue the transaction in step 818 or end the transaction.

Thus, a configurable value-added network switching and object routing method and apparatus is disclosed. These specific arrangements and methods described herein are merely illustrative of the principles of the present invention. Numerous modifications in form and detail may be made by those of ordinary skill in the art without departing from the scope of the present invention. Although this invention has been shown in relation to a particular preferred embodiment, it should not be considered so limited. Rather, the present invention is limited only by the scope of the appended claims.

What is claimed is:

1. A system, comprising:

- a Web server, including a processor and a memory, for offering one or more Web applications as respective point-of-service applications in a point-of-service application list on a Web page;
- each Web application of the one or more Web applications for requesting a real-time Web transaction;
- a value-added network (VAN) switch running on top of a facilities network selected from a group consisting of the World Wide Web, the Internet and an e-mail network, the VAN switch for enabling the real-time Web transactions from the one or more Web applications;
- a service network running on top of the facilities network for connecting through the Web server to a back-end transactional application; and
- a computer system executing the Back-end transactional application for processing the transaction request in real-time.

10

2. The system of claim 1, wherein the VAN switch is an application layer switch in the application layer of the OSI model.

3. The system of claim 1, wherein the VAN switch enables the switching to Web merchant services in response to a Web server's receipt of a selection of one of the point-of-service Web applications corresponding to the Web merchant services from the point-of-service application list on the Web page.

4. The system of claim 1, wherein each Web merchant service includes one of the one or more Web applications offered as a VAN service, utilizing the VAN switch.

5. The system of claim 1, wherein each Web application of the one or more Web applications is a value-added network (VAN) service or online service atop the Web, utilizing the VAN switch.

6. The system of claim 1, wherein the service network includes the one or more Web applications and wherein the service network manages the flow of real-time Web transactions from the one or more Web applications and includes the VAN switch.

7. The system of claim 1, wherein the Web server is configured to receive a Web transaction request and wherein the Web transaction request is a request to perform one of the real-time Web transactions from one of the one or more Web applications, utilizing the VAN switch.

8. The system of claim 1, further comprising:

a computer system executing a back-end transactional application for processing the transaction request in real-time, wherein said computer system includes a data repository, wherein the data repository is a data repository to store banking data, and wherein retrieving data includes retrieving banking data to complete a real-time Web banking transaction as one of the real-time Web transactions from a banking Web application as one of the one or more Web applications.

9. The system of claim 1, further comprising the one or more Web applications offered as software-as-a-service atop the Web.

10. A method for performing real-time Web transactions from a Web application, comprising:

receiving a request at a Web server, including a processor and a memory, for a real-time Web transaction from a Web application on a Web page, wherein the Web server is configured to hand over the request to a Value Added Network (VAN) switch;

offering a plurality of Web applications including the Web application on a Web page, upon receipt from a Web server a selection of the Web application from the offered Web applications, the Web application corresponding to a respective back-end transactional application, wherein the back-end transactional application is an application running at the back-office server of one or more Web merchants or at the back-end;

receiving a request for Web merchant services upon receipt by a Web server a selection of the Web application, wherein the request for Web merchant services is a request to connect to the selected back-end transactional application to perform an interactive real-time Web transaction from the Web application, wherein the transactional application is an on-line service provided by one or more Web merchants or the back-end;

switching utilizing the VAN switch to the back-end transactional application in response to receiving the request from the Web server;

53

US 8,108,492 B2

11

providing distributed control of a service network, operating within the boundaries of an IP-based facilities network;

connecting to specified ones of the Web merchant services or to back-end services, wherein the connection to the Web merchant services or back-end transactional services is managed;

accessing data from a host or data repository coupled to the back office server of one or more Web merchants or to the back-end transactional application, wherein the back office server or back-end is coupled to legacy databases and other data repositories that are utilized by the one or more of the Web merchants or the back-end transactional application to store data; and

completing the real-time Web transactions from the Web application.

11. The method of claim 10, wherein the real-time Web transactions are Web transactions from the Web application accessing a value-added network service.

12. A computer-implemented system, operated by a business entity comprising:

a Web application network portal, wherein the portal includes memory and a processor and one or more Web applications offered respectively by one or more Web merchants or other service providers, or by multiple sub-entities of the business entity who have agreed to cooperate to provide on-line Value Added Network (VAN) services atop the Web for access by employees of the business entity;

12

a list of one or more point-of-service employee Web applications on a Web page offered by the business entity that operates the portal, said portal allowing access to the one or more point-of-service applications on the Web page from said list, and wherein the portal offers the one or more point-of-service applications as on-line services on the Web page, and further wherein the portal is operated by the business entity over a service network running on top of a facilities network, the facilities network being selected from a group consisting of: the World Wide Web, the Internet and email networks, said service network including a VAN Switch;

one or more back-end transactional applications running at one or more back-end host computers, corresponding, respectively to the one or more point-of-service applications accessed, to complete a real-time Web transaction from the Web application on the Web page.

13. The portal of claim 12, wherein the one or more Web applications include a plurality of point-of-service applications on the Web page, wherein the business entity and the sub-entities offer Web applications which are selected from a group consisting of payroll Web applications, human resources Web applications, expense report Web applications, time card Web applications, travel Web applications, vacation Web applications, financial Web applications and sales commission Web applications.

* * * * *

**UNITED STATES DISTRICT COURT
CENTRAL DISTRICT OF CALIFORNIA**

NOTICE OF ASSIGNMENT TO UNITED STATES MAGISTRATE JUDGE FOR DISCOVERY

This case has been assigned to District Judge Christina A. Snyder and the assigned discovery Magistrate Judge is Margaret A. Nagle.

The case number on all documents filed with the Court should read as follows:

CV12- 4394 CAS (MANx)

Pursuant to General Order 05-07 of the United States District Court for the Central District of California, the Magistrate Judge has been designated to hear discovery related motions.

All discovery related motions should be noticed on the calendar of the Magistrate Judge

===== :
NOTICE TO COUNSEL

A copy of this notice must be served with the summons and complaint on all defendants (if a removal action is filed, a copy of this notice must be served on all plaintiffs).

Subsequent documents must be filed at the following location:

☒ **Western Division**
312 N. Spring St., Rm. G-8
Los Angeles, CA 90012

☐ **Southern Division**
411 West Fourth St., Rm. 1-053
Santa Ana, CA 92701-4516

☐ **Eastern Division**
3470 Twelfth St., Rm. 134
Riverside, CA 92501

Failure to file at the proper location will result in your documents being returned to you.

Andre E. Jardini, Esq. (State Bar No. 71335)

aej@kpclegal.com

KNAPP, PETERSEN & CLARKE

550 North Brand Boulevard, Suite 1500

Glendale, CA 91203

Telephone: (818) 547-5000

Facsimile: (818) 547-5329

Attorneys for Plaintiff Pi-Net International, Inc.

UNITED STATES DISTRICT COURT
CENTRAL DISTRICT OF CALIFORNIA

PI-NET INTERNATIONAL, INC.

PLAINTIFF(S)

v.

PAYLESS CAR RENTAL SYSTEM, INC.

DEFENDANT(S).

CASE NUMBER

CV12-4394 - CAS (mark)

SUMMONS

TO: DEFENDANT(S):

A lawsuit has been filed against you.

Within 21 days after service of this summons on you (not counting the day you received it), you must serve on the plaintiff an answer to the attached ☒ complaint ☐ _____ amended complaint ☐ counterclaim ☐ cross-claim or a motion under Rule 12 of the Federal Rules of Civil Procedure. The answer or motion must be served on the plaintiff's attorney, Knapp, Petersen & Clarke, whose address is 550 North Brand Boulevard, Suite 1500, Glendale, CA 91203. If you fail to do so, judgment by default will be entered against you for the relief demanded in the complaint. You also must file your answer or motion with the court.

Clerk, U.S. District Court

Dated: MAY 21 2012

By: MARILYN DAVIS

Deputy Clerk

(Seal of the Court)

[Use 60 days if the defendant is the United States or a United States agency, or is an officer or employee of the United States. Allowed 60 days by Rule 12(a)(3)].



**UNITED STATES DISTRICT COURT, CENTRAL DISTRICT OF CALIFORNIA
CIVIL COVER SHEET**

I (a) PLAINTIFFS (Check box if you are representing yourself ☐)
PI-NET INTERNATIONAL, INC.

DEFENDANTS
PAYLESS CAR RENTAL SYSTEM, INC.

(b) Attorneys (Firm Name, Address and Telephone Number. If you are representing yourself, provide same.)

Andre E. Jardini, Esq. (State Bar No. 71335)
KNAPP, PETERSEN & CLARKE
550 North Brand Boulevard, Suite 1500
Glendale, CA 91203
Tel: (818) 547-5000; Fax: (818) 547-5329

Attorneys (If Known)

II. BASIS OF JURISDICTION (Place an X in one box only.)

- ☐ 1 U.S. Government Plaintiff ☒ 3 Federal Question (U.S. Government Not a Party)
☐ 2 U.S. Government Defendant ☐ 4 Diversity (Indicate Citizenship of Parties in Item III)

III. CITIZENSHIP OF PRINCIPAL PARTIES - For Diversity Cases Only
(Place an X in one box for plaintiff and one for defendant.)

	PTF	DEF		PTF	DEF
Citizen of This State	<input type="checkbox"/> 1	<input type="checkbox"/> 1	Incorporated or Principal Place of Business in this State	<input type="checkbox"/> 4	<input type="checkbox"/> 4
Citizen of Another State	<input type="checkbox"/> 2	<input type="checkbox"/> 2	Incorporated and Principal Place of Business in Another State	<input type="checkbox"/> 5	<input type="checkbox"/> 5
Citizen or Subject of a Foreign Country	<input type="checkbox"/> 3	<input type="checkbox"/> 3	Foreign Nation	<input type="checkbox"/> 6	<input type="checkbox"/> 6

IV. ORIGIN (Place an X in one box only.)

- ☒ 1 Original Proceeding ☐ 2 Removed from State Court ☐ 3 Remanded from Appellate Court ☐ 4 Reinstated or Reopened ☐ 5 Transferred from another district (specify): ☐ 6 Multi-District Litigation ☐ 7 Appeal to District Judge from Magistrate Judge

V. REQUESTED IN COMPLAINT: JURY DEMAND: ☒ Yes ☐ No (Check 'Yes' only if demanded in complaint.)

LASS ACTION under F.R.C.P. 23: ☐ Yes ☒ No

☐ **MONEY DEMANDED IN COMPLAINT:** \$

VI. CAUSE OF ACTION (Cite the U. S. Civil Statute under which you are filing and write a brief statement of cause. Do not cite jurisdictional statutes unless diversity.)
Patent Infringement; 33 U.S.C. sections 271 and 281-285.

VII. NATURE OF SUIT (Place an X in one box only.)

OTHER STATUTES	CONTRACT	TORTS PERSONAL INJURY	TORTS PERSONAL PROPERTY	PRISONER PETITIONS	LABOR
<input type="checkbox"/> 400 State Reapportionment	<input type="checkbox"/> 110 Insurance	<input type="checkbox"/> 310 Airplane	<input type="checkbox"/> 370 Other Fraud	<input type="checkbox"/> 510 Motions to Vacate Sentence Habeas Corpus	<input type="checkbox"/> 710 Fair Labor Standards Act
<input type="checkbox"/> 410 Antitrust	<input type="checkbox"/> 120 Marine	<input type="checkbox"/> 315 Airplane Product Liability	<input type="checkbox"/> 371 Truth in Lending	<input type="checkbox"/> 530 General	<input type="checkbox"/> 720 Labor/Mgmt. Relations
<input type="checkbox"/> 430 Banks and Banking	<input type="checkbox"/> 130 Miller Act	<input type="checkbox"/> 320 Assault, Libel & Slander	<input type="checkbox"/> 380 Other Personal Property Damage	<input type="checkbox"/> 535 Death Penalty	<input type="checkbox"/> 730 Labor/Mgmt. Reporting & Disclosure Act
<input type="checkbox"/> 450 Commerce/ICC Rates/etc.	<input type="checkbox"/> 140 Negotiable Instrument	<input type="checkbox"/> 330 Fed. Employers' Liability	<input type="checkbox"/> 385 Property Damage Product Liability	<input type="checkbox"/> 540 Mandamus/Other	<input type="checkbox"/> 740 Railway Labor Act
<input type="checkbox"/> 460 Deportation	<input type="checkbox"/> 150 Recovery of Overpayment & Enforcement of Judgment	<input type="checkbox"/> 340 Marine	BANKRUPTCY	<input type="checkbox"/> 550 Civil Rights	<input type="checkbox"/> 790 Other Labor Litigation
<input type="checkbox"/> 470 Racketeer Influenced and Corrupt Organizations	<input type="checkbox"/> 151 Medicare Act	<input type="checkbox"/> 345 Marine Product Liability	<input type="checkbox"/> 22 Appeal 28 USC 158	<input type="checkbox"/> 555 Prison Condition	<input type="checkbox"/> 791 Empl. Ret. Inc. Security Act
<input type="checkbox"/> 480 Consumer Credit	<input type="checkbox"/> 152 Recovery of Defaulted Student Loan (Excl. Veterans)	<input type="checkbox"/> 350 Motor Vehicle	<input type="checkbox"/> 423 Withdrawal 28 USC 157	FORFEITURE/PENALTY	PROPERTY RIGHTS
<input type="checkbox"/> 490 Cable/Sat TV	<input type="checkbox"/> 153 Recovery of Overpayment of Veteran's Benefits	<input type="checkbox"/> 355 Motor Vehicle Product Liability	CIVIL RIGHTS	<input type="checkbox"/> 610 Agriculture	<input type="checkbox"/> 820 Copyrights
<input type="checkbox"/> 810 Selective Service	<input type="checkbox"/> 160 Stockholders' Suits	<input type="checkbox"/> 360 Other Personal Injury	<input type="checkbox"/> 441 Voting	<input type="checkbox"/> 620 Other Food & Drug	<input checked="" type="checkbox"/> 830 Patent
<input type="checkbox"/> 850 Securities/Commodities/Exchange	<input type="checkbox"/> 190 Other Contract	<input type="checkbox"/> 362 Personal Injury-Med Malpractice	<input type="checkbox"/> 442 Employment	<input type="checkbox"/> 625 Drug Related Seizure of Property 21 USC 881	<input type="checkbox"/> 840 Trademark
<input type="checkbox"/> 875 Customer Challenge 12 USC 3410	<input type="checkbox"/> 195 Contract Product Liability	<input type="checkbox"/> 365 Personal Injury-Product Liability	<input type="checkbox"/> 443 Housing/Accommodations	<input type="checkbox"/> 630 Liquor Laws	SOCIAL SECURITY
<input type="checkbox"/> 890 Other Statutory Actions	<input type="checkbox"/> 196 Franchise	<input type="checkbox"/> 368 Asbestos Personal Injury Product Liability	<input type="checkbox"/> 444 Welfare	<input type="checkbox"/> 640 R.R. & Truck	<input type="checkbox"/> 61 HIA(1395ff)
<input type="checkbox"/> 891 Agricultural Act	REAL PROPERTY	IMMIGRATION	<input type="checkbox"/> 445 American with Disabilities - Employment	<input type="checkbox"/> 650 Airline Regs	<input type="checkbox"/> 862 Black Lung (923)
<input type="checkbox"/> 892 Economic Stabilization Act	<input type="checkbox"/> 210 Land Condemnation	<input type="checkbox"/> 462 Naturalization Application	<input type="checkbox"/> 446 American with Disabilities - Other	<input type="checkbox"/> 660 Occupational Safety/Health	<input type="checkbox"/> 863 DIWC/DIWW 405(g)
<input type="checkbox"/> 893 Environmental Matters	<input type="checkbox"/> 220 Foreclosure	<input type="checkbox"/> 463 Habeas Corpus-Alien Detainee	<input type="checkbox"/> 440 Other Civil Rights	<input type="checkbox"/> 690 Other	<input type="checkbox"/> 864 SSID Title XVI
<input type="checkbox"/> 894 Energy Allocation Act	<input type="checkbox"/> 230 Rent Lease & Ejectment	<input type="checkbox"/> 465 Other Immigration Action			<input type="checkbox"/> 865 RSI (405(g))
<input type="checkbox"/> 895 Freedom of Info. Act	<input type="checkbox"/> 240 Torts to Land				FEDERAL TAX SUITS
<input type="checkbox"/> 900 Appeal of Fee Determination Under Equal Access to Justice	<input type="checkbox"/> 245 Tort Product Liability				<input type="checkbox"/> 870 Taxes (U.S. Plaintiff or Defendant)
<input type="checkbox"/> 950 Constitutionality of State Statutes	<input type="checkbox"/> 290 All Other Real Property				<input type="checkbox"/> 871 IRS-Third Party 26 USC 7609

OR OFFICE USE ONLY: Case Number: **CV12-4394**

AFTER COMPLETING THE FRONT SIDE OF FORM CV-71, COMPLETE THE INFORMATION REQUESTED BELOW.

UNITED STATES DISTRICT COURT, CENTRAL DISTRICT OF CALIFORNIA
CIVIL COVER SHEET

VIII(a). IDENTICAL CASES: Has this action been previously filed in this court and dismissed, remanded or closed? ☒ No ☐ Yes

If yes, list case number(s): _____

VIII(b). RELATED CASES: Have any cases been previously filed in this court that are related to the present case? ☐ No ☒ Yes

CV12-03970 PSG (JEMx); CV12-04036 (GHK) (Ex); CV12-4270 R (AJWx); CV12-04301 (DSF) Wx; CV12-04303

If yes, list case number(s): (GHK) (MANx)

Civil cases are deemed related if a previously filed case and the present case:

- Check all boxes that apply) ☐ A. Arise from the same or closely related transactions, happenings, or events; or
☒ B. Call for determination of the same or substantially related or similar questions of law and fact; or
☐ C. For other reasons would entail substantial duplication of labor if heard by different judges; or
☒ D. Involve the same patent, trademark or copyright, and one of the factors identified above in a, b or c also is present.

X. VENUE: (When completing the following information, use an additional sheet if necessary.)

a) List the County in this District; California County outside of this District; State if other than California; or Foreign Country, in which **EACH** named plaintiff resides.

☐ Check here if the government, its agencies or employees is a named plaintiff. If this box is checked, go to item (b).

County in this District:*	California County outside of this District; State, if other than California; or Foreign Country
Los Angeles County	

b) List the County in this District; California County outside of this District; State if other than California; or Foreign Country, in which **EACH** named defendant resides.

☐ Check here if the government, its agencies or employees is a named defendant. If this box is checked, go to item (c).

County in this District:*	California County outside of this District; State, if other than California; or Foreign Country
Los Angeles County	

c) List the County in this District; California County outside of this District; State if other than California; or Foreign Country, in which **EACH** claim arose.

Note: In land condemnation cases, use the location of the tract of land involved.

County in this District:*	California County outside of this District; State, if other than California; or Foreign Country
Los Angeles County	

Los Angeles, Orange, San Bernardino, Riverside, Ventura, Santa Barbara, or San Luis Obispo Counties

Note: In land condemnation cases, use the location of the tract of land involved

SIGNATURE OF ATTORNEY (OR PRO PER):

ANDRE E. JARDINI

Date May 18, 2012

Notice to Counsel/Parties: The CV-71 (JS-44) Civil Cover Sheet and the information contained herein neither replace nor supplement the filing and service of pleadings or other papers as required by law. This form, approved by the Judicial Conference of the United States in September 1974, is required pursuant to Local Rule 3 -1 is not filed but is used by the Clerk of the Court for the purpose of statistics, venue and initiating the civil docket sheet. (For more detailed instructions, see separate instructions sheet.)