

US009047142B2

(12) United States Patent

Fleming

(10) Patent No.:

US 9,047,142 B2

(45) **Date of Patent:**

*Jun. 2, 2015

(54) INTELLIGENT RENDERING OF INFORMATION IN A LIMITED DISPLAY ENVIRONMENT

(75) Inventor: Michael Fleming, Redwood City, CA

(US)

(73) Assignee: Seven Networks, Inc., San Carlos, CA

(US)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 966 days.

This patent is subject to a terminal dis-

claimer.

(21) Appl. No.: 12/970,452

(22) Filed: Dec. 16, 2010

(65) Prior Publication Data

US 2011/0179377 A1 Jul. 21, 2011

Related U.S. Application Data

- (63) Continuation of application No. 11/227,013, filed on Sep. 14, 2005, now Pat. No. 7,877,703.
- (60) Provisional application No. 60/661,757, filed on Mar. 14, 2005.
- (51) **Int. Cl.**

G06F 3/048 (2013.01) G06F 9/54 (2006.01) G09G 5/14 (2006.01)

(52) **U.S. Cl.**

CPC **G06F 9/541** (2013.01); **G09G 5/14** (2013.01); G09G 2340/145 (2013.01)

(58) Field of Classification Search

(56) References Cited

U.S. PATENT DOCUMENTS

222,458 A 12/1879 Connolly et al. 447,918 A 3/1891 Strowger (Continued)

FOREIGN PATENT DOCUMENTS

EP 0772327 A2 5/1997 EP 1278390 A1 1/2003 (Continued)

OTHER PUBLICATIONS

International Application No. PCT/US2011/044974, International Search Report, 15 pages, Jun. 1, 2012.

(Continued)

Primary Examiner — Weilun Lo


Assistant Examiner — Truc Chuong


(74) Attorney, Agent, or Firm — NKK Patent Law, PLLC

(57) ABSTRACT

Methods for the intelligent rendering of information in a limited display environment are provided. Display environments, especially in mobile devices, are limited with regard to physical space and technical capability. The present invention provides for the scaling of information in the display in light of those limitations. Additional methods for intelligently determining information to be or not to be displayed in the environment are further provided. Determinations of information to be displayed may be a result of a user-determination or automatic determinations made by a user device. Zooming and 'quick look' features are also provided.

11 Claims, 11 Drawing Sheets





(56)	References Cited			5,752,186			Malackowski et al.
11.9	S PATENT	DOCUMENTS		5,752,246 5,754,938			Rogers et al. Herz et al.
0.1	J. 17 XI 1/I V I	DOCOMENTS		5,757,916			MacDoran et al.
4,200,770 A	4/1980	Hellman et al.		5,758,088			Bezaire et al.
4,255,796 A		Gabbe et al.		5,758,150			Bell et al.
4,276,597 A		Dissly et al.		5,758,322 5,758,354			Rongley Huang et al.
4,531,020 A 4,807,182 A		Wechselberger et al. Queen		5,758,355			Buchanan
4,831,582 A		Miller et al.		5,765,171			Gehani et al.
4,875,159 A		Cary et al.		5,778,346			Frid-Nielsen et al.
4,897,781 A		Chang et al.		5,778,361			Nanjo et al.
4,972,457 A		O'Sullivan		5,781,614 5,781,901			Brunson Kuzma
5,008,853 A 5,159,624 A		Bly et al. Makita		5,781,906			Aggarwal et al.
5,220,657 A		Bly et al.		5,787,430			Doeringer et al.
5,263,157 A				5,787,441			Beckhardt
5,283,856 A		Gross et al.		5,790,425 5,790,790		8/1998	Wagle Smith et al.
5,357,431 A		Nakada et al.		5,790,790			Tognazzini
5,384,892 A 5,386,564 A		Strong Shearer et al.		5,793,413			Hylton et al.
5,392,390 A		Crozier		5,794,210			Goldhaber et al.
5,434,994 A		Shaheen et al.		5,799,318			Cardinal et al.
5,436,960 A		Campana, Jr. et al.		5,802,312			Lazaridis et al.
5,438,611 A		Campana, Jr. et al.		5,802,454 5,802,518			Goshay et al. Karaev et al.
5,479,472 A 5,487,100 A	1/1995	Campana, Jr. et al.		5,802,524			Flowers et al.
5,491,703 A		Barnaby et al.		5,806,074			Souder et al.
5,493,692 A		Theimer et al.		5,809,242			Shaw et al.
5,519,606 A	5/1996	Frid-Nielsen et al.		5,809,415			Rossmann
5,555,376 A		Theimer et al.		5,818,437 5,819,172			Grover et al. Campana, Jr. et al.
5,559,800 A		Mousseau et al.		5,819,172			Jackson, Jr.
5,572,571 A 5,572,643 A				5,819,284			Farber et al.
5,574,859 A				5,822,324			Kostresti et al.
5,581,749 A	12/1996	Hossain et al.		5,822,747			Graefe et al.
5,600,834 A				5,826,269		10/1998	Hussey Wharton et al.
, ,		Theimer et al.		5,832,483		11/1998	
5,604,788 A 5,613,012 A	2/1997 3/1997	Hoffman et al.		5,832,489			
5,619,507 A		Tsuda		5,832,500	A	11/1998	Burrows
5,619,648 A		Canale et al.		/ /			Herz et al.
5,623,601 A				, ,			Bradshaw et al.
5,625,670 A		Campana, Jr. et al.		5,838,252 5,838,768			Sumar et al.
5,625,815 A 5,627,658 A		Maier et al. Connors et al.		/ /			Carpenter-Smith et al.
5,630,081 A		Rybicki et al.		5,845,278			Kirsch et al.
5,631,946 A		Campana, Jr. et al.		5,852,775			J
5,632,018 A		Otorii		5,852,820 5,857,201			Burrows Wright, Jr. et al.
5,634,053 A		Noble et al.		5,862,223			Walker et al.
5,647,002 A 5,652,884 A		Brunson Palevich		5,867,665			Butman et al.
5,664,207 A		Crumpler et al.		5,867,817		2/1999	Catallo et al.
5,666,530 A		Clark et al.		5,870,759			Bauer et al.
5,666,553 A		Crozier		5,884,323			Hawkins et al.
5,680,542 A		Mulchandani et al.		5,889,845 5,890,147			Staples et al. Peltonen et al.
5,682,524 A 5,684,990 A		Freund et al. Boothby		5,892,909			Grasso et al.
5,689,654 A		Kikinis et al.		5,898,780	A	4/1999	Liu et al.
5,692,039 A	11/1997	Brankley et al.		5,898,917			Batni et al.
5,696,903 A				5,903,723 5,907,618			Beck et al. Gennaro et al.
5,701,423 A		Crozier		5,907,618			Van Ryzin
5,701,469 A 5,704,029 A		Brandli et al. Wright Ir		5,913,032			Schwartz et al.
5,706,211 A		Beletic et al.		5,924,096	A	7/1999	Draper et al.
5,706,502 A		Foley et al.		5,928,325			Shaughnessy et al.
5,706,507 A		Schloss		5,928,329			Clark et al.
5,710,918 A		Lagarde et al.		5,937,161 5,940,813			Mulligan et al. Hutchings
5,713,019 A 5,715,403 A	1/1998 2/1998	Keaten Stefik		5,943,676			Boothby
5,715,405 A 5,717,925 A		Harper et al.		5,948,066			Whalen et al.
5,721,908 A		Lagarde et al.		5,951,636		9/1999	
5,721,914 A		DeVries		5,960,394		9/1999	Gould et al.
5,727,202 A		Kucala		5,960,406			Rasansky et al.
5,729,549 A		Kostreski et al.		5,961,590			Mendez et al.
5,729,704 A		Stone et al.		5,963,642			Goldstein
5,729,735 A		Meyering Pene et al		5,964,833 5,968,131		10/1999	Kikinis Mendez et al.
5,742,905 A 5,745,360 A		Pepe et al. Leone et al.		5,908,131			
5,1 15,500 A	1/ 1//0	Loone of al.		2,2 / 1,230			

(56)	Referer	6,263,201			Hashimoto et al.		
TI	S DATENIT	DOCUMENTS	6,263,340 6,269,369		7/2001 7/2001	Green Robertson	
U.k	5. FATEIN I	DOCUMENTS	6,272,545			Flanagin et al.	
5.974.327 A	10/1999	Agrawal et al.	6,275,850			Beyda et al.	
·		Foladare et al.	6,275,858			Bates et al.	
5,978,933 A			6,289,212			Stein et al.	
5,987,440 A		O'Neil et al.	6,289,214			Backstrom Broamhall et al	
6,000,000 A		Hawkins et al.	, ,			Broomhall et al. Bodnar et al.	
6,003,070 A			, ,			Kanevsky	715/804
6,006,274 A 6,016,478 A		Hawkins et al. Zhang et al.				Halim et al.	
6,016,520 A		Facq et al.	6,308,201	B1	10/2001	Pivowar et al.	
6,018,762 A		Brunson et al.	, ,			Gossman et al.	
6,023,700 A		Owens et al.	6,320,943				
6,023,708 A		Mendez et al.	, ,			de l'Etraz et al. Wright, Jr. et al.	
6,029,238 A 6,034,621 A		Furukawa Kaufman	·			Alam et al.	
6,035,104 A		Zahariev	, ,			Trenbeath et al.	
6,044,372 A		Rothfus et al.	6,327,586		12/2001		
6,044,381 A	3/2000	Boothby et al.	6,336,117			Massarani	
6,047,051 A		Ginzboorg et al.	6,351,767 6,356,937			Batchelder et al. Montville et al.	
6,047,327 A		Tso et al.	6,363,051			Eslambolchi et al.	
6,052,563 A 6,052,735 A		Macko Ulrich et al	6,363,352			Dailey et al.	
6,057,855 A		Barkans	6,370,566			Discolo et al.	
6,065,055 A		Hughes et al.	6,377,810			Geiger et al.	
6,073,138 A		de l'Etraz et al.	6,380,959			Wang et al.	
6,073,142 A		Geiger et al.	6,389,422			Doi et al.	
6,073,165 A		Narasimhan et al.	6,389,455 6,389,457		5/2002 5/2002	Lazaridis et al.	
6,085,166 A 6,085,192 A		Beckhardt et al. Mendez et al.	6,397,057			Malackowski et al.	
6,088,677 A		Spurgeon	6,397,230			Carmel et al.	
6,101,320 A		Schuetze et al.	6,401,104			LaRue et al.	
6,101,480 A	8/2000	Conmy et al.	6,401,112			Boyer et al.	
6,101,531 A		Eggleston et al.	6,401,113 6,405,197			Lazaridis et al. Gilmour	
6,112,181 A		Shear et al.	6,411,696			Iverson et al.	
6,119,014 A 6,119,171 A		Alperovich et al. Alkhatib	6,415,031			Colligan et al.	
6,125,369 A		Wu et al.	6,418,308			Heinonen et al.	
6,125,388 A		Reisman	6,421,669			Gilmour et al.	
6,128,627 A		Mattis et al.	6,421,781			Fox et al.	
6,130,898 A		Kostreski et al.	6,430,602 6,438,585			Kay et al. Mousseau et al.	
6,131,096 A 6,131,116 A		Ng et al. Riggins et al.	6,438,612			Ylonen et al.	
6,134,432 A		Holmes et al.	6,442,589			Takahashi et al.	
6,138,013 A		Blanchard et al.	6,442,637			Hawkins et al.	
6,138,124 A	10/2000	Beckhardt	6,446,118			Gottlieb	
6,138,128 A		Perkowitz et al.	6,463,463 6,463,464			Godfrey et al. Lazaridis et al.	
6,138,146 A		Moon et al.	, ,			Nagatomo	
6,141,664 A 6,151,606 A		Mendez	6,487,560			LaRue et al.	
6,157,630 A		Adler et al.	6,490,353		12/2002		
6,161,140 A			, ,			van Zoest et al.	
6,167,379 A		Dean et al.	6,499,054 6,505,214			Hesselink et al.	
6,167,435 A		Druckenmiller et al.	6,516,327			Sherman et al. Zondervan et al.	
6,170,014 B1 6,173,312 B1		Darago et al. Atarashi et al.	6,526,433			Chang et al.	
6,173,446 B1		Khan et al.	6,526,506		2/2003	•	
6,175,831 B1		Weinreich et al.	6,529,908			Piett et al.	
6,178,419 B1		Legh-Smith et al.	6,532,446		3/2003	•	
6,181,935 B1		Gossman et al.	6,535,892 6,546,005			LaRue et al. Berkley et al.	
6,195,533 B1 6,198,696 B1		Tkatch et al. Korpi et al.	6,549,939			Ford et al.	
6,198,922 B1		Baynham	6,556,217			Mäkipää et al.	
6,201,469 B1		Balch et al.	6,593,944			Nicolas et al.	
6,202,085 B1	3/2001	Benson et al.	6,601,026			Appelt et al.	
6,205,448 B1		Kruglikov et al.	6,615,253 6,618,710			Bowman-Amuah Zondervan et al.	
6,212,529 B1 6,219,694 B1		Boothby et al. Lazaridis et al.	6,621,892			Banister et al.	
6,219,694 B1 6,221,877 B1		Aronov et al.	6,625,621			Tan et al.	
6,223,187 B1		Boothby et al.	6,636,482			Cloonan et al.	
6,226,686 B1		Rothschild et al.	6,639,693	B1		Ejiri et al.	
6,233,341 B1		Riggins	6,640,097			Corrigan et al.	
6,243,705 B1		Kucala	6,640,244			Bowman-Amuah	
6,246,875 B1		Seazholtz et al.	6,640,249			Bowman-Amuah	
6,247,135 B1 6,249,808 B1		Feague Seshadri	6,643,688			Slaughter et al.	
6,249,808 B1 6,256,666 B1			6,647,384				
0,230,000 DI	112001	~111811111	0,0 17,00T	~~	11,2000	~ VH	

(56)		Referen	ces Cited	6,985,933			Singhal et al.
	U.S.	PATENT	DOCUMENTS	6,985,983 6,986,061	B1	1/2006	Pellegrino et al. Kunzinger
		(2002		6,987,734 6,990,472			Hundemer Rosenhaft et al.
6,650,89			Irlam et al.	6,993,326			Link, II et al.
6,662,0			Buckham et al.	6,993,327			Mathis
6,668,04 6,671,69			Albal McFadden	6,999,753			Beckmann et al.
6,671,7			Creemer et al.	7,020,685			Chen et al.
6,671,70			Kruglikov et al.	7,024,491	B1	4/2006	Hanmann et al.
6,671,7			Cash et al.	7,026,984	B1	4/2006	Thandu et al.
6,694,3			Multer et al.	7,032,242			Grabelsky et al.
6,697,80	07 B2	2/2004	McGeachie	7,035,630			Knowles
6,701,3	78 B1	3/2004	Gilhuly et al.	7,046,993			Haaramo et al.
6,707,8		3/2004		7,047,202			Jaipuria et al.
6,708,2			Mendez et al.	7,062,024 7,069,308			Kreckel et al. Abrams
6,714,96			Kakuta et al.	7,072,678			Allison
6,721,7 6,727,9			Hiscock Chew et al.	7,079,499			Akhtar et al.
6,727,5			Heinonen et al.	7,080,371			Arnaiz et al.
6,728,78			Hawkins et al.	7,082,316	B2	7/2006	Eiden et al.
6,732,10		5/2004		7,085,365			Kauppinen
6,732,1	58 B1	5/2004	Hesselink et al.	7,096,030			Huomo
6,735,59	91 B2	5/2004		7,100,821		9/2006	
6,741,23			Siedlikowski et al.	7,103,432 7,120,692			Drader et al. Hesselink et al.
6,741,8			Martin et al.	7,120,092			Sheth et al.
6,742,0			Bowman-Amuah	7,130,839			Boreham et al.
6,745,03 6,745,33		6/2004	DeJaco et al. Wary	7,136,645			Hanson et al.
6,756,8			Benes et al.	7,139,555	B2	11/2006	Apfel
6,757,3			Cooper et al.	7,139,565	B2		Fiatal et al.
6,757,69			Multer et al.	7,140,549			_
6,760,9	16 B2	7/2004	Holtz et al.	7,146,645			Hellsten et al.
6,771,29			Pulli et al.	7,149,780 7,149,789			Quine et al. Slivka et al.
6,775,3			Ransom	7,149,789			Jones et al.
6,779,0 6,782,4			Mousseau et al. Yoshida	, ,		1/2007	
6,782,49		8/2004		7,165,727			de Jong
6,785,9			Gaughan et al.	7,172,118	B2	2/2007	Urken
6,799,19			Boothby	7,181,228			Boesch
6,804,7	07 B1	10/2004	Ronning	7,184,790			Dorenbosch et al.
6,816,8		11/2004	·	7,185,362 7,194,273			Hawkes et al. Vaudreuil
6,820,0			Hind et al.	7,194,273			Henager et al.
6,820,20			Desai et al.	7,203,733		4/2007	•
6,829,45 6,834,15			Eiden et al. Brandenberg et al.	7,206,806		4/2007	
6,847,9			Wachtel	7,209,757	B2	4/2007	Naghian et al.
6,850,7			Watanabe et al.	7,219,222			Durbin et al.
6,859,2	12 B2	2/2005	Kumar et al.	7,224,957			Spector
6,867,7			Halmshaw et al.	7,231,206			Cudak et al.
6,868,4			Slaughter et al.	7,233,795 7,234,111		6/2007 6/2007	Chu et al.
6,871,2			Rajan et al.	7,239,877			Corneille et al.
6,871,23 6,873,63		3/2005	Fishman et al.	7,240,095		7/2007	
6,874,0			Inoue et al.	7,242,680			Gallant
6,879,9			Deguchi et al.	7,245,926	B2	7/2007	Liao et al.
6,886,0			Easterbrook et al.	7,257,391			Burgess et al.
6,892,0	70 B2	5/2005	Warrier et al.	7,257,639			Li et al.
6,892,19			Hughes	7,259,666			Hermsmeyer et al. Riera Jorba et al.
6,895,39			Kremer et al.	7,260,552 7,260,590			Williams
6,895,5			Loveland	7,260,651			Parrella, Sr. et al.
6,898,4 6,922,5			Griffith et al. O'Neill et al.	7,272,830			de Jong
6,922,7			Minborg et al.	7,277,408			_
6,925,4			Champagne et al.	7,289,792	B1	10/2007	Turunen
6,931,5			Kunzinger	7,289,964			Bowman-Amuah
6,938,0		8/2005	Anderson et al.	7,289,971			O'Neil et al.
6,944,4			Portman et al.	7,293,107 7,295,853			Hanson et al.
6,944,66			Devine et al.	7,305,252			Britt et al.
6,947,7° 6,957,39			Rydbeck Hawkins et al.	7,305,700			Boynton et al.
6,965,9			Aloni et al.	7,310,350			Shao et al.
6,966,0			Earl et al.	7,310,729			Gordon et al.
6,968,1			Raivisto et al.	7,349,871			Labrou et al.
6,970,8		11/2005		7,359,720			Hartmaier et al.
6,972,6	82 B2	12/2005	Lareau et al.	7,373,386			Gardner et al.
6,973,29		12/2005	-	7,374,099			de Jong
·			Araujo et al.	7,376,701			Bhargava et al.
6,981,0	4/ B2	12/2005	Hanson et al.	7,382,879	ВI	6/2008	willer

(56)		Referen	ces Cited	2001/0013069		8/2001	_
	II S	DATENT	DOCUMENTS	2001/0023414 2001/0032254			Kumar et al. Hawkins
	0.5.	FAILINI	DOCUMENTS	2001/0034225			Gupte et al.
,	7,388,950 B2	6/2008	Elsey et al.	2001/0034244			Calder et al.
	7,389,412 B2		Sharma et al.	2001/0037453	A 1	11/2001	Mitty et al.
	7,392,483 B2		Wong et al.	2001/0039191			Maierhofer
,	7,395,329 B1		Holt et al.	2001/0041566			Xanthos et al.
	7,398,271 B1		Borkovsky et al.	2001/0042009			Montague
	/		Brown et al.	2001/0042099 2001/0043148		11/2001 11/2001	•
	7,441,271 B2		Fiatal et al.	2001/0043148		12/2001	
	7,461,071 B2 7,465,231 B2		Fitzpatrick et al. Lewin et al.	2001/0053687		12/2001	-
	, ,	12/2008		2002/0002478	A 1	1/2002	Swart et al.
	, ,	1/2009		2002/0002591		1/2002	
	7,499,537 B2		Elsey et al.	2002/0007303			Brookler et al.
	7,502,615 B2		Wilhoite et al.	2002/0013727 2002/0019225		1/2002 2/2002	Miyashita
	7,519,042 B2 7,532,571 B1		Gorday et al. Price et al.	2002/0019223			Board et al.
	7,532,571 B1 7,539,665 B2		Mendez	2002/0035556			Shah et al.
	7,548,947 B2		Karsriel et al.	2002/0035617	A 1	3/2002	Lynch et al.
	7,548,969 B2		Tripp et al.	2002/0038253			Seaman et al.
,	7,551,900 B2		Kang et al.	2002/0042875		4/2002	
	7,567,575 B2		Chen et al.	2002/0049828 2002/0053078			Pekarek-Kostka Holtz et al.
	7,574,208 B2			2002/00553578			Elsey et al.
	7,575,171 B2 7,584,294 B2	8/2009	Lev Plamondon	2002/0059301		5/2002	
	7,584,294 B2 7,587,482 B2		Henderson et al.	2002/0059457			Ballard et al.
	7,587,608 B2		Haller et al.	2002/0068559	A1	6/2002	Sharma et al.
	7,593,714 B2		Schultz et al.	2002/0073207			Widger et al.
	/	9/2009	Alexander et al.	2002/0077077			Rezvani et al.
	/ /		Zervas et al.	2002/0077084 2002/0078384			Zellner et al. Hippelainen
	·		Mangal et al.	2002/00/8584			Mostafa
	7,643,818 B2 7,644,166 B2		Backholm et al. Appelman et al.	2002/0087679			Pulley et al.
	7,672,291 B2	3/2010	1 1	2002/0089542	A1		Imamura
	7,672,439 B2		Appelman et al.	2002/0091921			Kunzinger
	/		Fiatal et al.	2002/0095319			Swart et al.
	7,689,664 B2		Karlberg	2002/0095328 2002/0095391			Swart et al. Swart et al.
	7,693,944 B2		Appelman et al.	2002/0095391			Devine et al.
	7,694,008 B2 7,706,781 B2		Chang et al. Backholm et al.	2002/0098855			Hartmaier et al.
	7,752,633 B1		Fleming	2002/0099613			Swart et al.
	7,757,956 B2		Koenck et al.	2002/0099809		7/2002	
	7,769,395 B2		Fiatal et al.	2002/0101975			Tiburtius et al.
	7,769,400 B2		Backholm et al.	2002/0107944 2002/0107985			Bai et al. Hwang et al.
	7,769,805 B1 7,778,792 B2		Barnes et al.	2002/010/989			Ennus et al.
	7,783,757 B2		Huang et al. Plamondon	2002/0116501			Ho et al.
	7,796,742 B1		Sutaria et al.	2002/0120388	A 1		Bullock
	, ,		Loomis et al.	2002/0120766			Okajima et al.
	7,809,818 B2		Plamondon	2002/0120779			Teeple et al.
	·		Snodgrass et al.	2002/0126701 2002/0133504			Requena Vlahos et al.
	7,827,597 B2 7,853,563 B2		Boynton et al. Alvarado et al.	2002/0133304			Benantar et al.
	7,833,303 B2 7,877,703 B1			2002/0146129		10/2002	
	,		Rao et al.	2002/0152379			Gefwert et al.
,	7,899,996 B1	3/2011	Levin-Michael	2002/0155848			Suryanarayana
	7,917,505 B2		van Gent et al.	2002/0156839 2002/0158908			Peterson et al. Vaajala et al.
	, ,		Shroff et al.	2002/0138908			Pitts, III et al.
	7,933,929 B1 7,937,091 B2		Mcclendon et al. Roman et al.	2002/0161925			Munger et al.
	7,970,860 B2		Kline et al.	2002/0161928	A 1	10/2002	
	7,996,487 B2	8/2011		2002/0164977			Link, II et al.
8	8,005,891 B2	8/2011	Knowles et al.				Hatanaka et al.
	8,010,082 B2			2002/0174189 2002/0186848			<u> </u>
	/ /		Mikurak				Breckner et al.
	/ /		Sutaria et al. Alvarado et al.	2002/0193094			Lawless et al.
	8,078,158 B2			2002/0194209	A1	12/2002	Bolosky et al.
	8,107,921 B2			2002/0198027			Rydbeck
	/ /		Backholm et al.	2003/0005151			Ullman et al.
	8,127,342 B2		Boynton et al.	2003/0022662		1/2003	
	8,166,164 B1		Luna et al.	2003/0023692 2003/0023975		1/2003	Moroo Schrader et al.
	8,190,701 B2 8,204,953 B2		Luna et al. Luna et al.	2003/0023973			Zimmerman
	8,204,933 B2 8,209,709 B2			2003/0028430			Barsness et al.
	/0009025 A1		Ahonen	2003/0046433			Luzzatti et al.
	/0010046 A1		Muyres et al.	2003/0046587			Bheemarasetti et al

(56)	References Cited			2004/0147248			Will
	U.S. I	PATENT	DOCUMENTS	2004/0147262 2004/0148375	A1	7/2004	Lescuyer et al. Levett et al.
				2004/0158611			Daniell et al.
2003/0050041		3/2003		2004/0170257			Lee et al.
2003/0054810			Chen et al.	2004/0170257 2004/0172481			Gross et al.
2003/0056096			Albert et al.	2004/0172481			Engstrom Grabelsky et al.
2003/0060188			Gidron et al.	2004/01/0128			Akins, III
2003/0063120			Wong et al.	2004/0179513			Smith et al.
2003/0065738 2003/0065739		4/2003	Yang et al.	2004/0181550			Warsta et al.
2003/0005739			Vitikainen et al.	2004/0184475		9/2004	
2003/0070061			Wong et al.	2004/0186902	A1	9/2004	Stewart
2003/0072451			Pimentel et al.	2004/0189610		9/2004	Friend
2003/0078880			Alley et al.	2004/0199497			Timmons
2003/0084165	A 1	5/2003	Kjellberg et al.	2004/0199582			Kucharewski et al.
2003/0088629			Berkowitz et al.	2004/0205248			Horvitz et al.
2003/0093691			Simon et al.	2004/0205248 2004/0205330			Little et al. Godfrey et al.
2003/0097381			Detweiler et al.	2004/0209602			Joyce et al.
2003/0100321 2003/0100326			Rao et al. Grube et al.	2004/0210639			Ben-Yoseph et al.
2003/0100320			Kautto-Kiovula et al.	2004/0219940			Kong et al.
2003/011/432			Duncombe et al.	2004/0230619			Blanco et al.
2003/0125033		7/2003		2004/0233930	A1	11/2004	Colby, Jr.
2003/0126216			Avila et al.	2004/0236792		11/2004	
2003/0130984	A1	7/2003	Quinlan et al.	2004/0252816		12/2004	
2003/0145038	A 1	7/2003	Bin Tariq et al.	2004/0255126		12/2004	
2003/0146934			Bailey et al.	2004/0258231			Elsey et al.
2003/0153338			Herz et al.	2004/0259535 2004/0259537		12/2004	Elsey et al.
2003/0154212			Schirmer et al.	2004/0260948			Miyata et al.
2003/0156146 2003/0157947			Suomela et al. Fiatal et al.	2004/0264396			Ginzburg et al.
2003/013/94/			Lavelle et al.	2004/0266364			Nguyen et al.
2003/0103202			McQuillan et al.	2004/0268148			Karjala et al.
2003/0182431			Sturniolo et al.	2005/0002501			Elsey et al.
2003/0187984	A 1	10/2003	Banavar et al.	2005/0002508			Elsey et al.
2003/0204605	A 1	10/2003	Hudson et al.	2005/0002509			Elsey et al.
2003/0208529			Pendyala et al.	2005/0002510			Elsey et al. Ma et al.
2003/0208559			Velline et al.	2005/0010694 2005/0015432		1/2005	
2003/0210666			Trossen et al.	2005/0015452			Abrams
2003/0211845 2003/0217098			Lohtia et al. Bobde et al.	2005/0022182		1/2005	
2003/0217030			Bobde et al.	2005/0027591	A9	2/2005	Gailey et al.
2003/0223554		12/2003		2005/0027716		2/2005	- _
2003/0227745	A 1	12/2003		2005/0027869			Johnson
2003/0235308			Boynton et al.	2005/0033812			McCarthy et al.
2003/0236981			Marmigere et al.	2005/0033926 2005/0037741		2/2005	Dumont Gilbert
2004/0002324			Juntunen et al.	2005/0037741			Roever et al.
2004/0006630 2004/0015504			Friend et al. Ahad et al.	2005/0038724			Roever et al.
2004/0013304			Hind et al.	2005/0038863	A1	2/2005	Onyon et al.
2004/0024892			Creswell et al.	2005/0041793	A1	2/2005	Fulton et al.
2004/0027326			Hays et al.	2005/0044144			Malik et al.
2004/0027375	A 1	2/2004	Ellis et al.	2005/0055578			Wright et al.
2004/0027378			Hays et al.	2005/0063544			Uusitalo et al.
2004/0043770			Amit et al.	2005/0071489 2005/0071674			Parupudi et al. Chou et al.
2004/0049579			Ims et al.	2005/0071074			Corneille et al.
2004/0049599 2004/0051715			Friend et al. Brokenshire et al.	2005/0076136			Cho et al.
2004/0051713			Friend et al.	2005/0076241			Appelman
2004/0064445			Pfleging et al.	2005/0086540	A1		Gunter et al.
2004/0064488		4/2004		2005/0094625	A1	5/2005	Bouat
2004/0068579			Marmigere et al.	2005/0097225			Glatt et al.
2004/0068698	A 1	4/2004	Wu et al.	2005/0097570			Bomers
2004/0073476			Donahue et al.	2005/0101307			Brugge et al.
2004/0073651			Beaulieu et al.	2005/0102257 2005/0102328			Onyon et al. Ring et al.
2004/0075675			Raivisto et al.	2005/0102323			Jiang et al.
2004/0075695 2004/0078814		4/2004	Chew et al.	2005/0102531		5/2005	
2004/00/8814			Hagiwara	2005/0117606		6/2005	•
2004/0080313			Skytt et al.	2005/0120082			Hesselink et al.
2004/0098625			Lagadec et al.	2005/0120084			Hu et al.
2004/0103147			Flesher et al.	2005/0120181	A1	6/2005	Arunagirinathan et al.
2004/0107319	A1	6/2004	D'Orto et al.	2005/0122333	A1		Sumanaweera et al.
2004/0120323	A1	6/2004	Viikari et al.	2005/0124332			Clark et al.
2004/0123304			Black et al.	2005/0138111			Aton et al.
2004/0128375			Rockwell	2005/0144219		6/2005	
2004/0133626			Herrero et al.	2005/0147130			Hurwitz et al.
2004/0141011	Al	7/2004	Smethers et al.	2005/0154698	Al	7/2003	Ikezawa et al.

(56)	Referen	ces Cited	2006/0165226			Ernst et al.
T ·	IS PATENT	DOCUMENTS	2006/0168043 2006/0168164			Eisenberger et al. Lemson
	J.B. IAILINI	DOCOMENTS	2006/0179410		8/2006	
2005/0154796 A	A 1 7/2005	Forsyth	2006/0188864		8/2006	
2005/0154836 A		Steely et al.	2006/0190428			Jung et al.
2005/0155027 A			2006/0190569 2006/0190984			Neil et al. Heard et al.
2005/0164721 A		Yeh et al.	2006/0190984			Hamilton et al.
2005/0165909 <i>A</i> 2005/0170776 <i>A</i>		Cromer et al. Siorpaes	2006/0195570			Zellner et al.
2005/0170770 1 2005/0183143 A		Anderholm et al.	2006/0209842	A1	9/2006	Creamer et al.
2005/0188038 A			2006/0212531			Kikkawa et al.
2005/0193036 A		Phillips et al.	2006/0224629 2006/0230394			Alexander et al.
2005/0193096 A		Yu et al.	2006/0230394			Forth et al. Backholm et al.
2005/0203966 A 2005/0210104 A		Labrou et al. Torvinen	2006/0240805			Backholm et al.
2005/0210104 A $2005/0210125$ A		_	2006/0242137	A1		Shah et al.
2005/0222891 A		Chan et al.	2006/0242210			Ring et al.
2005/0228812 A		Hansmann et al.	2006/0242320			Nettle et al.
2005/0232295 A		•	2006/0242607 2006/0252435		10/2006	Henderson et al.
2005/0234860 A 2005/0235214 A		Roever et al. Shimizu et al.	2006/0252455			Pacholec et al.
2005/0235214 F 2005/0246139 A		Rivenbark et al.	2006/0253605			Sundarrajan et al.
2005/0248526 A		Twerdahl et al.	2006/0259923		11/2006	
2005/0251555 A		,	2006/0265595			Scottodiluzio
2005/0254443 A		Campbell et al.	2006/0271884 2006/0277265		11/2006	Backholm et al.
2005/0262220 A		Ecklund et al.	2006/0277203			Morse et al.
2005/0273804 <i>A</i> 2005/0278307 <i>A</i>		Preisman Battagin et al.	2006/0294071			Weare et al.
2005/0278641 A		Mansour et al.	2006/0294223	A1		Glasgow et al.
2005/0278647 A		Leavitt et al.	2007/0005738			Alexion-Tiernan et al.
2005/0288006 A		-	2007/0011367			Scott et al. Backholm et al.
2006/0012672		Schrader et al.	2007/0019610 2007/0022118		1/2007	
2006/0020525 A 2006/0020580 A		Borelli et al. Dettinger et al.	2007/0022116		2/2007	•
2006/0020380 F 2006/0020804 A		Schleifer et al.	2007/0027832	A1		Fiatal et al.
2006/0020947 A		Hallamaa et al.	2007/0027886			Gent et al.
2006/0021023 A		Stewart et al.	2007/0027917			Ariel et al.
2006/0022048 A		Johnson	2007/0027920 2007/0027921			Alvarado et al. Alvarado et al.
2006/0026580 A 2006/0029062 A		Cabillic et al. Rao et al.	2007/0027921			Alvarado et al.
2006/0029062 F 2006/0029063 A		Rao et al.	2007/0033531		2/2007	
2006/0029064 A		Rao et al.	2007/0038567			Allaire et al.
2006/0031114 A	A 1 2/2006	Zommers	2007/0038931			Allaire et al.
2006/0031300 A		Kock et al.	2007/0044041 2007/0049258			Beynon et al. Thibeault
2006/0031365 A		Kay et al.	2007/0049238			Sharma
2006/0031428 A 2006/0031785 A		Wikman Raciborski	2007/0061393		3/2007	
2006/0031763 A 2006/0037071 A		Rao et al.	2007/0067147	A1	3/2007	Huang
2006/0046686 A		Hawkins et al.	2007/0067381			Grant et al.
2006/0047844 A		_	2007/0067424			Raciborski et al.
2006/0048061 A		Forlenza et al.	2007/0070931 2007/0078857			Lewis et al. Punaganti et al.
2006/0052091 A 2006/0052137 A		Onyon et al. Randall et al.	2007/0078957			East et al.
2006/0032137 F		Spector	2007/0088852			Levkovitz
2006/0063544 A		Zhao et al.	2007/0105627			Campbell
2006/0069686 A		Beyda et al.	2007/0116223			Burke et al.
2006/0069687 A		Cui et al.	2007/0118620 2007/0130108			Cartmell et al. Simpson et al.
2006/0069715 A 2006/0069742 A		Vayssiere	2007/0130103			Linyard et al.
2006/0009742 F 2006/0069746 A		Davis et al.	2007/0140193			Dosa et al.
2006/0073810 A		Pyhalammi et al.	2007/0147317			Smith et al.
2006/0074951 A	4/2006	Beier et al.	2007/0150881			Khawand et al.
2006/0075028 A		Zager et al.	2007/0156824 2007/0156842			Thompson Vermeulen et al.
2006/0084410 A		Sutaria et al.	2007/0130842			Civetta et al.
2006/0085503 A 2006/0093026 A		Stoye et al. Montojo et al.	2007/0167178			Al-Harbi
2006/0093020 <i>I</i> 2006/0093135 <i>A</i>		Fiatal et al.	2007/0174433	A1	7/2007	Mendez et al.
2006/0099969 A		Staton et al.	2007/0175998		8/2007	
2006/0112177 A		Barkley et al.	2007/0198698			Boyd et al.
2006/0123042 A		Xie et al.	2007/0220080			Humphrey Brown et al
2006/0132495 <i>A</i> 2006/0141962 <i>A</i>		Anderson Forbes et al.	2007/0233855 2007/0237318			Brown et al. McGary
2006/0141902 F 2006/0143464 F		Ananthanarayanan et al			10/2007	Arn et al.
2006/0149591 A		Hanf et al.	2007/0249365		10/2007	Jendbro
2006/0149843 A		Rhoads et al.	2007/0250591			Milic-Frayling et al.
2006/0149970 A	A 1 7/2006		2007/0264993	A 1	11/2007	Hughes
2006/0155822 A		Yang et al.	2007/0267492			Maclaine Pont
2006/0161621 A	A 1 7/2006	Rosenberg	2007/0276925	Al	11/2007	LaJoie et al.

(56)		Referen	ces Cited	2009/0094317	A 1	4/2009	Venkitaraman
	TI C	DATENIT		2009/0110179 2009/0119266			Elsey et al.
	0.8.	PATENT	DOCUMENTS	2009/0119200			Fitzpatrick et al. Fitzpatrick et al.
2007/0276926	5 A 1	11/2007	LaJoie et al.	2009/0144632			Mendez
2007/0278926			Shenfield	2009/0147008			Do et al.
2007/0290787			Fiatal et al.	2009/0149203			Backholm et al.
2007/0293207			Guedalia et al.	2009/0156178 2009/0157792		6/2009	Elsey et al.
2007/0293238 2007/0293958			Fiatal et al. Stehle et al.	2009/015/792		6/2009	
2007/0293936			Finkelstein et al.	2009/0164560		6/2009	
2007/0294763			Udezue et al.	2009/0172565			Jackson et al.
2007/0296701			Pope et al.	2009/0181641 2009/0182500		7/2009 7/2009	
2008/0001717 2008/0008095		1/2008		2009/0182300		7/2009	
2008/000809.		1/2008 1/2008	Graham et al.	2009/0191903		7/2009	
2008/0016236			Beverly et al.	2009/0193130		7/2009	
2008/0032718			Suresh	2009/0193338 2009/0215504		7/2009 8/2009	
2008/0034031			Weisbrot et al.	2009/0213304			Roussel et al.
2008/0037787 2008/0059308			Boynton et al. Gerken	2009/0228545			Mendez et al.
2008/0059398			Tsutsui	2009/0241180		9/2009	
2008/0061142			Howcroft et al.	2009/0248670		10/2009	
2008/0068519			Adler et al.	2009/0248696 2009/0248794			Rowles et al. Helms et al.
2008/0077506 2008/0077571			Rampell et al. Harris et al.	2009/0248878			Tran et al.
2008/007/37/			Kuchibhotla et al.	2009/0252136		10/2009	Mahany et al.
2008/0085724			Cormier et al.	2009/0254589			Nair et al.
2008/0086379			Dion et al.	2009/0264138 2009/0282125			Kang et al. Jeide et al.
2008/0103877			Gerken	2009/0282123			Bhatt et al.
2008/0104666 2008/0114881			Dillaway Lee et al.	2009/0287750			Banavar et al.
2008/0125225			Lazaridis	2009/0299817			Fok et al.
2008/0130663			Fridman et al.	2009/0307133			Holloway et al.
2008/0133326			Goncalves et al.	2009/0318171 2009/0323678		12/2009	Backholm et al. Wang
2008/0133641 2008/0133708			Gent et al. Alvarado et al.	2009/0325565			Backholm
2008/0133700			Ariel et al.	2009/0327390			Tran et al.
2008/0140665	5 A1		Ariel et al.	2010/0042691			Maguire
2008/0151817			Fitchett et al.	2010/0057924 2010/0077035			Rauber et al. Li et al.
2008/0154870 2008/0155613			Evermann et al. Benya et al.	2010/0077083			Tran et al.
2008/0155015			Guedalia et al.	2010/0083255	A1	4/2010	Bane et al.
2008/0167019			Guedalia et al.	2010/0087167			Tsurutome et al.
2008/0168145		7/2008		2010/0088722 2010/0093273		4/2010 4/2010	
2008/0183800 2008/0192820			Herzog et al. Brooks et al.	2010/0093273			Sultenfuss et al.
2008/0192820			McGary et al.	2010/0118190			Salfati et al.
2008/0201362			Multer et al.	2010/0131593			Kihara et al.
2008/0201751			Ahmed et al.	2010/0131617 2010/0146107		5/2010 6/2010	Osborne et al.
2008/0207182 2008/0209491		8/2008 8/2008	Maharajh et al.	2010/0140107			Tripathi et al.
2008/0209493			Ramer et al.	2010/0174735			-
2008/0216094			Anderson et al.	2010/0174939		7/2010	
2008/0220797			Meiby et al.	2010/0207870 2010/0211651		8/2010	Cho Guedalia et al.
2008/0232290 2008/0233983			Elzur et al.	2010/0211031			Kawauchi
2008/0233983			Park et al. Ramakrishna	2010/0238915			Cayla et al.
2008/0273498			Jalil et al.	2010/0250986			Black et al.
2008/0281798			Chatterjee et al.	2010/0268757		10/2010	
2008/0288659			Hasha et al.	2010/0279662 2010/0313018			Kuusinen et al. Jorgensen
2008/0298386 2008/0299956		12/2008 12/2008	Bailey et al.	2010/0319054			Mehta et al.
2008/0301231			•	2011/0040718			Tendjoukian et al.
2008/0301300		12/2008		2011/0065424			Estevez et al.
2008/0313282			Warila et al.	2011/0113109 2011/0119134			LeVasseur et al. Zivkovic et al.
2009/0010202			Pratt, Jr. et al. Sirotkin	2011/0138402			Fleming
2009/0010233			Saft et al.	2011/0165889	A1	7/2011	Fiatal et al.
2009/0016526	5 A1	1/2009	Fiatal et al.	2011/0179138			Van Geest et al.
2009/0019485			Ellis et al.	2011/0179377			Fleming
2009/0019532 2009/0031006			Jacobsen et al. Johnson	2011/0184827 2011/0190014		7/2011 8/2011	
2009/0051000			Durazzo et al.	2011/0190014		8/2011	
2009/0054034			Backholm et al.	2011/0201304			Sutaria et al.
2009/0055353			Meema	2011/0207436			van Gent et al.
2009/0063647			Backholm et al.	2011/0208810			Li et al.
2009/0075683			Backholm et al.	2011/0213800 2011/0213898			Saros et al. Fiatal et al.
2009/0077263	, A1	3/2009	Koganti et al.	2011/0213030	$\Delta 1$	J/ZUII	r ratar Ct al.

(56)	References Cited	WO WO 2007/149526 A2 12/2007
	U.S. PATENT DOCUMENTS	WO WO 2007/149540 A2 12/2007 WO WO 2008061042 A2 5/2008
201	1/0238772 A1 9/2011 Fiatal	WO WO 2011/126889 A2 10/2011 WO WO 2012/018430 A1 2/2012
201	1/0246950 A1 10/2011 Luna et al.	WO WO 2012/018431 A1 2/2012
	1/0252088 A1 10/2011 Fiatal	WO WO 2012/018477 A2 2/2012 WO WO 2012/018479 A2 2/2012
	1/0264622 A1 10/2011 Vargas et al. 1/0264731 A1 10/2011 Knowles et al.	WO WO 2012/018556 A2 2/2012
	1/0294463 A1 12/2011 Fiatal	WO WO 2012/024030 A2 2/2012
	1/0294464 A1 12/2011 Fiatal	WO WO 2012/060995 A2 5/2012 WO WO 2012/060996 A2 5/2012
	1/0296050 A1 12/2011 Cherukuri 1/0302154 A1 12/2011 Snyder	WO WO 2012/000990 A2 5/2012 WO WO 2012/060997 A2 5/2012
	1/0302154 A1 12/2011 Snyder 2/0022980 A1 1/2012 Angelone	WO WO 2012/061430 A2 5/2012
	2/0023190 A1 1/2012 Backholm et al.	WO WO 2012/061433 A2 5/2012
	2/0023226 A1 1/2012 Petersen et al.	WO WO 2012/061437 A1 5/2012 WO WO 2012/071283 A1 5/2012
	2/0023236 A1 1/2012 Backholm et al.	WO WO 2012/071283 711 5/2012 WO WO 2012/071384 A2 5/2012
	2/0072910 A1 3/2012 Martin et al. 2/0077482 A1 3/2012 Backholm	OTHED DIEDLIC ATIONS
	2/007/402 A1 3/2012 Backholli 2/0078996 A1 3/2012 Shah	OTHER PUBLICATIONS
2012	2/0096092 A1 4/2012 Davidge et al.	International Application No. PCT/US2011/056474, International
	2/0108225 A1 5/2012 Luna et al.	Search Report, 9 pages, May 4, 2012.
	2/0131095 A1 5/2012 Luna et al.	International Application No. PCT/US2011/056476, International
	2/0131184 A1 5/2012 Luna et al. 2/0135726 A1 5/2012 Luna et al.	Search Report, 12 pages, May 24, 2012.
	2/0133720 A1 3/2012 Edita et al. 2/0149352 A1 6/2012 Backholm et al.	International Application No. PCT/US2011/056478, International
2012	2/0151044 A1 6/2012 Luna et al.	Search Report, 11 pages, May 31, 2012.
	2/0157170 A1 6/2012 Backholm et al.	International Application No. PCT/US2012/021459, International
	2/0158908 A1 6/2012 Luna et al.	Search Report, 10 pages, Jun. 1, 2012.
2012	2/0173616 A1 7/2012 Luna et al.	Seven Networks, Inc., "Seven Optimizing The Mobile Ecosystem," www.seven.com/products.traffic_optimization.php, 1 page, May
	FOREIGN PATENT DOCUMENTS	29, 2012.
EP	1422899 A1 5/2004	Wikipedia, Definition for "General Packet Radio Service," 7 pages,
EP	1466261 A1 10/2004	downloaded on May 31, 2012. Allchin, James Edward, "An Architecture For Reliable Decentralized
EP	1466435 A1 10/2004	Systems," Ph.D. Thesis, Georgia Institute of Technology, 185 pages,
EP EP	1482702 A1 12/2004 1815634 A1 8/2007	Sep. 1983.
EP	1815652 A1 8/2007	Android Developers, "Date," 10 pages, Oct. 27, 2011.
EP	1817883 A1 8/2007	Augun, Audrey, "Integrating Lotus Notes With Enterprise Data,"
FI	117152 B 6/2006	Lotus Notes Advisory, pp. 22-25, JulAug. 1996.
FI FI	118288 B 9/2007 119581 B 12/2008	Balaban, Bob, "This Is Not Your Father's Basic: LotusScript in Notes
JP	4154233 A 5/1992	Release 4," The View, vol. 1, Issue 5, 32 pages, NovDec. 1995.
JP	10-336372 A 12/1998	Bedell, Doug, "Meeting Your New Best Friends Six Degrees Widens Vour Contacts in Exchange For Sampling Web Sites" The Dellas
JP JP	2001-218185 A 8/2001 2001-350718 A 12/2001	Your Contacts in Exchange For Sampling Web Sites," The Dallas Morning News, 4 pages, Oct. 27, 1998.
JР	2001-356973 A 12/2001	Bergman, Lawrence D. et al., "Programming-By-Demonstration For
JP	2005-515664 T 5/2005	Behavior-Based User Interface Customization," IBM Research
JP JP	2009-207177 A 9/2009 4386732 B2 10/2009	Report, RC23116, 5 pages, Feb. 20, 2004.
KR	2001-0018568 A 3/2001	B'Far, Reza et al., "Designing Effective User Interfaces for Wireless
KR	2006-0068186 A 6/2006	Devices," Publication Unknown, 14 pages, Published prior to Feb.
KR	2007-0071858 A1 7/2007	23, 2006.
KR KR	2007-0102091 A1 10/2007 2007-0117874 A 12/2007	Blaney, Jeff, "You Can Take It With You—An Introduction to Mobile Computing With Notes R4," The View, vol. 2, Issue 1, 14 pages,
KR	2009-0077515 A 7/2009	JanFeb. 1996.
KR	2010-0064605 A 6/2010	Braden, R., "Requirements For Internet Hosts—Application And
WO WO	WO 97/41661 A2 11/1997 WO 98/24257 A1 6/1998	Support," RFC 1123, 80 pages, Oct. 1989.
WO	WO 98/24237 AT 6/1998 WO 98/58322 A2 12/1998	Brown, Kevin et al., "Mastering Lotus Notes®," Sybex Inc., 996
WO	WO 01/30130 A2 5/2001	pages, 1995.
WO	WO 03/007570 A1 1/2003	"Chapter: About NotesPump," Publication Unknown, 480 pages, Published prior to Jan. 8, 2003.
WO WO	WO 03/058483 A1 7/2003 WO 03/058879 A1 7/2003	"Chapter 13-1—Anatomy of a Note ID," Publication Unknown, 8
WO	WO 03/058875 AT 7/2003 WO 03/065701 A1 8/2003	pages, Published prior to Jan. 8, 2003.
WO	WO 03/098890 A1 11/2003	Cole, Barb et al., "Lotus Airs Notes-To-Database Integration Tool,"
WO WO	WO 2004/017591 A2 2/2004 WO 2004/045171 A1 5/2004	Network World, 2 pages, Oct. 2, 1995.
WO	WO 2004/043171 A1 3/2004 WO 2005/015925 A2 2/2005	"CR 3483 to Release 8 TS 25.331, Rev. 2," 3GPP TSG-RAN2 Meet-
WO	WO 2005/020108 A1 3/2005	ing #64, Prague, Czech Republic, 11 pages, Nov. 10-14, 2008. "CR 4100 to Release 8 TS 25.331, Rev. 1," 3GPP TSG-RAN WG2
WO	WO 2006/045005 A2 4/2006	Meeting #69, San Francisco, U.S., 6 pages, Feb. 22-26, 2010.
WO WO	WO 2006/045102 A2 4/2006 WO 2006/053952 A1 5/2006	Dahl, Andrew, "Lotus Notes® 4 Administrator's Survival Guide,"
WO	WO 2006/053952 AT 5/2006 WO 2006/053954 AT 5/2006	Sams Publishing, 64 pages, 1996.
WO	WO 2006/058967 A1 6/2006	Decker, Stefan et al., "The Social Semantic Desktop," Digital Enter-
WO	WO 2007/015725 A2 2/2007	prise Research Institute, DERI Technical Report May 2, 2004, 7

2/2007

2/2007

WO

WO

WO 2007/015725 A2

WO 2007/015726 A1

prise Research Institute, DERI Technical Report May 2, 2004, 7

pages, May 2004.

(56) References Cited

OTHER PUBLICATIONS

Elz, R. et al., "Clarifications To The DNS Specification," RFC 2181, 12 pages, Jul. 1997.

European Patent Application No. EP 03705704.9, Supplementary European Search Report, 4 pages, Jun. 9, 2010.

European Patent Application No. EP 03707338.4, Supplementary European Search Report, 2 pages, Apr. 18, 2011.

European Patent Application No. EP 05815115.0, Supplementary European Search Report, 7 pages, Nov. 17, 2011.

Falkner, Mike, "How To Plan, Develop, And Implement Lotus Notes® In Your Organization," John Wiley & Sons, Inc., 539 pages, 1996.

Freeland, Pat et al., "Lotus Notes 3-3.1 For Dummies™," IDG Books Worldwide, 389 pages, 1994.

Frenkel, Garry, "Pumping For Info: Notes And Database Integration," Network Computing, 10 pages, May 1, 1996.

Gameline, Advertisement, 1 page, 1982.

Gewirtz, David, "Lotus Notes 3 Revealed!," Prima Publishing, 261 pages, 1994.

Grous, Paul J., "Creating And Managing A Web Site With Lotus Internotes Web Publisher," The View, vol. 1, Issue 4, 20 pages, Sep.-Oct. 1995.

GSM Association, "Network Efficiency Task Force Fast Dormancy Best Practices," V1.0, 21 pages, May 26, 2010.

Haas, Zygmunt J. et al., "Mobile-TCP: An Asymmetric Transport Protocol Design For Mobile Systems," IEEE, pp. 1054-1058, 1997. Haas, Zygmunt J. et al., "The Design and Performance Of Mobile TCP For Wireless Networks," Journal of High Speed Networks, vol. 10, pp. 187-207, 2001.

Hajdu, Kalman et al., "Lotus Notes Release 4 In A Multiplatform Environment," IBM Corporation, 173 pages, Feb. 1996.

Hardy, Ed, "Microsoft Proposes Two New Thumb-Driven User Interfaces," Brighthand Consulting, Inc., 2 pages, 2003.

IBM Corporation, "The Architecture Of Lotus Notes," White Paper No. 114654, 26 pages, May 31, 1995.

IBM Corporation, "The History Of Notes And Domino," Lotus Developer Domain, 11 pages, Sep. 29, 2003.

ImTOO, "ImTOO iPod Movie Converter," 3 pages, Nov. 9, 2005.

IntelliLink Corporation, "IntelliLink® for Windows User's Guide," Version 3.0, 167 pages, 1994.

International Application No. PCT/US2003/000618, International Search Report, 1 page, Apr. 4, 2003.

International Application No. PCT/US2003/000624, International Search Report, 2 pages, May 13, 2003.

International Application No. PCT/US2005/037702, International Preliminary Examination Report, 6 pages, Nov. 20, 2007.

International Application No. PCT/US2005/037702, International Search Report, 1 page, Nov. 5, 2007.

International Application No. PCT/US2005/037702, Written Opinion, 6 pages, Nov. 5, 2007.

International Application No. PCT/US2005/038135, International Search Report, 2 pages, Aug. 8, 2008.

International Application No. PCT/US2005/038135, Written Opinion, 8 pages, Aug. 8, 2008.

International Application No. PCT/US2005/038135, International Preliminary Report on Patentability, 9 pages, Oct. 31, 2011.

International Application No. PCT/FI2005/050424, International Search Report, 4 pages, Mar. 2, 2006.

International Application No. PCT/FI2005/050426, International Search Report 3 pages Mar. 1, 2006

Search Report, 3 pages, Mar. 1, 2006. International Application No. PCT/FI2005/050441, International

Search Report, 3 pages, Mar. 1, 2006. International Application No. PCT/US2006/023426, International Search Report, 1 page, Feb. 21, 2007.

International Application No. PCT/US2006/023427, International Search Report, 1 page, Oct. 12, 2006.

International Application No. PCT/US2007/014462, International Search Report, 1 page, Jul. 2, 2008.

International Application No. PCT/US2007/014497, International Search Report, 1 page, Aug. 25, 2008.

International Application No. PCT/US2011/030534, International Search Report, 10 pages, Dec. 29, 2011.

International Application No. PCT/US2011/037932, International Search Report, 9 pages, Jan. 2, 2012.

International Application No. PCT/US2011/037943, International Search Report, 11 pages, Jan. 2, 2012.

International Application No. PCT/US2011/043322, International Search Report, 9 pages, Feb. 9, 2012.

International Application No. PCT/US2011/043328, International Search Report, 12 pages, Feb. 27, 2012.

International Application No. PCT/US2011/043409, International Search Report, 11 pages, Feb. 9, 2012.

International Application No. PCT/US2011/058840, International Search Report, 10 pages, Apr. 26, 2012.

International Application No. PCT/US2011/058843, International Search Report, 11 pages, May 16, 2012.

International Application No. PCT/US2011/058848, International

Search Report, 10 pages, Apr. 10, 2012. International Application No. PCT/US2011/061512, International Search Report, 10 pages, May 10, 2012.

International Application No. PCT/US2012/022121, International Search Report, 11 pages, May 14, 2012.

Japanese Patent Application No. 2003-558726, Office Action, 2 pages, Jun. 10, 2008.

Karlson, Amy K. et al., "AppLens And LaunchTile: Two Designs for One-Handed Thumb Use on Small Devices," Proceedings of CHI 2005, 10 pages, Apr. 2-7, 2005.

Kent, S. et al., "Security Architecture For The Internet Protocol," RFC 2401, The Internet Society, 62 pages, Nov. 1998.

Kleinberg, Jon, "The Small-World Phenomenon: An Algorithmic Perspective," Cornell Computer Science Technical Report 99-1776, 14 pages, Oct. 1999.

Koeppel, Dan, "GUIs Just Want To Have Fun," Wired Magazine, Issue 8.10, 12 pages, Oct. 2000.

Kornblith, Polly Russell, "Lotus Notes Answers: Certified Tech Support," Covers Release 3, McGraw-Hill, Inc., 326 pages, 1994.

Kreisle, Bill, "Teach Yourself . . . Lotus Notes 4," MIS Press, 464 pages, 1996.

Lamb, John P. et al., "Lotus Notes Network Design," McGraw-Hill, 278 pages, 1996.

Londergan, Stephen et al., "Lotus Notes® Release 4 For Dummies®," IDG Books Worldwide, 229 pages, 1996.

Lotus Development Corporation, "Firewall Security Overview And How Firewalls Relate To Lotus Notes," Lotus Notes Knowledge Base, 9 pages, May 22, 1996.

Lotus Development Corporation, "How To Set Up 'Firewall' Protection For A Notes Domain," Lotus Notes Knowledge Base, 2 pages, Nov. 6, 1995.

Lotus Development Corporation, "Lotus Announces Lotus NotesPump 1.0," Lotus Notes Knowledge Base, 6 pages, Oct. 31, 1995.

Lotus Development Corporation, "Lotus Inside Notes—The Architecture Of Notes And The Domino Server," 207 pages, 2000.

Lotus Development Corporation, "Lotus NotesPump 1.0 Q & A," Lotus Notes Knowledge Base, 3 pages, Oct. 31, 1995.

Lotus Development Corporation, "Lotus NotesPump: Database Integration For Lotus Notes," Lotus Notes Knowledge Base, 5 pages, Oct. 31, 1995.

Lotus Development Corporation, "Lotus Notes Administration," Release 3.3, 20 pages, 1995.

Lotus Development Corporation, "Lotus Notes Administrators Guide," Release 4, 499 pages, 1995.

Lotus Development Corporation, "Lotus Notes Administrators Guide—Server For NetWare, OS-2, And Unix," Release 3.1, 509 pages, 1994.

Lotus Development Corporation, "Lotus Notes Administrator's Guide—Server for Windows," Release 3.1, 345 pages, 1994.

Lotus Development Corporation, "Lotus Notes Application Developer's Guide," Release 4, 475 pages, 1995.

Lotus Development Corporation, "Lotus Notes Customer Service Application Guide," Release 3.1, 46 pages, 1994.

Lotus Development Corporation, "Lotus Notes Customer Support Guide," 33 pages, Published prior to Jan. 8, 2003.

(56) References Cited

OTHER PUBLICATIONS

Lotus Development Corporation, "Lotus Notes Customer Support Guide—North American Guide," Release 4.1, 51 pages, Published prior to Jan. 8, 2003.

Lotus Development Corporation, "Lotus Notes Database Manager's Guide," Release 4, 115 pages, 1995.

Lotus Development Corporation, "Lotus Notes Deployment Guide," Release 4, 104 pages, 1995.

Lotus Development Corporation, "Lotus Notes For Windows, OS-2, And Macintosh," Release 3.3, 89 pages, 1995.

Lotus Development Corporation, "Lotus Notes Getting Started With Application Development," Release 3.1, 151 pages, 1994.

Lotus Development Corporation, "Lotus Notes Install Guide For Servers," Release 4, 68 pages, 1996.

Lotus Development Corporation, "Lotus Notes Install Guide for Workstations," Release 4, 28 pages, 1995.

Lotus Development Corporation, "Lotus Notes Install Guide For Workstations," Release 4.1, 67 pages, 1996.

Lotus Development Corporation, "Lotus Notes Install Guide For Workstations," Release 4.5, 81 pages, 1996.

Lotus Development Corporation, "Lotus Notes Internet Cookbook

For Notes Release 3," 21 pages, Jan. 16, 1996.

Lotus Development Corporation, "Lotus Notes Internet Cookbook

For Notes Release 4," 35 pages, Feb. 14, 1996. Lotus Development Corporation, "Lotus Notes Internotes Web Navigator Administrator's Guide," Release 4, 60 pages, 1995.

Lotus Development Corporation, "Lotus Notes Internotes Web Navigator User's Guide," Release 4, 56 pages, 1995.

Lotus Development Corporation, "Lotus Notes Internotes Web Publisher Guide," Release 4, 122 pages, 1996.

Lotus Development Corporation, "Lotus Notes LotusScript Classes For Notes," Release 4, 6 pages, Published prior to Jan. 8, 2003.

Lotus Development Corporation, "Lotus Notes Migration Guide," Release 4, 110 pages, 1996.

Lotus Development Corporation, "Lotus Notes Network Configuration Guide," Release 4.5, 121 pages, 1996.

Lotus Development Corporation, "Lotus Notes Network Driver Documentation," Release 3.1, 100 pages, 1994.

Lotus Development Corporation, "Lotus Notes Programmer's Guide—Part 1," Release 4, 614 pages, 1995.

Lotus Development Corporation, "Lotus Notes Programmer's Guide—Part 2," Release 4, 462 pages, 1995.

Lotus Development Corporation, "Lotus Notes Quick Reference For Application Developers," Release 3, 6 pages, Published prior to Jan. 8, 2003.

Lotus Development Corporation, "Lotus Notes Quick Reference For Macintosh," Release 3, 6 pages, Published prior to Jan. 8, 2003.

Lotus Development Corporation, "Lotus Notes Quick Reference For SmartIcons," Release 3.1, 4 pages, Published prior to Jan. 8, 2003.

Lotus Development Corporation, "Lotus Notes Quick Reference For Windows And Presentation Manager," Release 3, 6 pages, Published prior to Jan. 8, 2003.

Lotus Development Corporation, "Lotus Notes Release Notes," Release 4, 139 pages, 1995.

Lotus Development Corporation, "Lotus Notes Release Notes," Release 4.1, 197 pages, 1996.

Lotus Development Corporation, "Lotus Notes Server For Windows," Release 3.3, 7 pages, 1994.

Lotus Development Corporation, "Lotus Notes Server Up And Running!," Release 4, 13 pages, 1996.

Lotus Development Corporation, "Lotus Notes Site And Systems Planning Guide," Release 3.1, 169 pages, 1994.

Lotus Development Corporation, "Lotus Notes Start Here—Workstation Install For Windows, OS-2 And Macintosh," Release 3.3, 47 pages, 1995.

Lotus Development Corporation, "Lotus Notes Step By Step—A Beginner's Guide To Lotus Notes," Release 4, 179 pages, 1995.

Lotus Development Corporation, "Lotus Notes Step By Step—A

Beginner's Guide To Lotus Notes," Release 4.1, 167 pages, 1996.

Lotus Development Corporation, "Lotus Software Agreement," 8 pages, Published prior to Jan. 8, 2003.

Lotus Development Corporation, "What Is The Notes Replicator?," Lotus Notes Knowledge Base, 8 pages, Jul. 5, 1995.

"Lotus Notes Advisor," Advisor Publications Inc., 55 pages, Jun. 1995.

"Lotus Notes Advisor," Advisor Publications Inc., 55 pages, Aug. 1995.

"Lotus Notes Advisor," Advisor Publications Inc. 55 pages, Oct. 1995.

"Lotus Notes Advisor," Advisor Publications Inc. 55 pages, Dec. 1995.

"Lotus Notes Advisor," Advisor Publications Inc. 63 pages, Jan.-Feb. 1996.

"Lotus Notes Advisor," Advisor Publications Inc. 55 pages, Apr. 1996.

"Lotus Notes Advisor," Advisor Publications Inc. 55 pages, Jun. 1996.

"Lotus Notes Advisor," Advisor Publications Inc. 55 pages, Aug. 1996.

"Lotus Notes Advisor," Advisor Publications Inc. 55 pages, Oct. 1996.

"Lotus Notes Advisor," Advisor Publications Inc. 63 pages, Dec. 1996.

"Lotus Notes—Notes Administration Help," Screen Shots, 17 pages, Published prior to Jan. 8, 2003.

MacGregor, Rob et al., "The Domino Defense: Security In Lotus Notes And The Internet," IBM Corporation, 183 pages, Dec. 1997.

Maltz, David A. et al., "MSOCKS: An Architecture For Transport Layer Mobility," IEEE, pp. 1037-1045, 1998.

Marmel, Elaine, "Easy Lotus® Notes Release 4.0," Que Corporation, 237 pages, 1996.

Mason, Luke, "Windows XP: New GUI Design Shows Skin Is In," TechRepublic, 4 pages, Apr. 4, 2001.

McMullen, Melanie, "Network Remote Access And Mobile Computing," Miller Freeman Inc., 226 pages, 1994.

Microsoft, Definition of "Access," Microsoft Computer Dictionary, Fifth Edition, 2 pages, May 1, 2002.

Microsoft, Definition of "Synchronization," Microsoft Computer Dictionary, Fifth Edition, 2 pages, May 1, 2002.

Milgram, Stanley, "The Small-World Problem," Psychology Today, vol. 2, pp. 60-67, 1967.

Miller, Victor S., "Use of Elliptic Curves In Cryptography," Advances In Cryptology—CRYPTO '85 Proceedings, vol. 218, pp. 417-426, 1985.

Mockapetris, P., "Domain Names—Concepts And Facilities," RFC 1034, 43 pages, Nov. 1987.

Mockapetris, P., "Domain Names—Implementation And Specification," RFC 1035, 43 pages, Nov. 1987.

Myers, Brad A. et al., "Extending The Windows Desktop Interface With Connected Handheld Computers," WSS'00 Proceedings of the 4th Conference on USENIX Windows Systems Symposium, vol. 4, 10 pages, 2000.

Myers, Brad A. et al., "User Interfaces That Span Hand-Held And Fixed Devices," CHI'2001 Workshop on Distributed and Disappearing User Interfaces in Ubiquitous Computer, 4 pages, 2001.

National Institute of Standards and Technology, "Advanced Encryption Standard (AES)," Federal Information Processing Standards Publication 197, 52 pages, Nov. 26, 2001.

National Institute of Standards and Technology, "Secure Hash Standard," Federal Information Processing Standards Publication 180-2, 83 pages, Aug. 1, 2002.

Netscape Communications Corporation, "Netscape Mail Server Administrator's Guide," Version 2.0, 172 pages, 1996.

Netscape Communications Corporation, "Netscape Mail Server Installation Guide," Version 2.0 for Unix, 62 pages, 1996.

Netscape Communications Corporation, "Netscape Mail Server User's Guide," Version 2.0, 35 pages, 1996.

Netscape Communications Corporation, "Netscape News Server Administrator's Guide for Windows NT," Version 2.0, 119 pages, 1996.

(56) References Cited

OTHER PUBLICATIONS

Niederée, Claudia et al., "A Multi-Dimensional, Unified User Model For Cross-System Personalization," Proceedings of the AVI 2004 Workshop on Environments for Personalized Information Access, 11 pages, 2004.

Nokia, "Developer Platforms," 3 pages, 2005.

"NotesPump 1.0 Release Notes," Publication Unknown, 8 pages, Published prior to Jan. 8, 2003.

Opyt, Barbara et al., "Use The Internet As Your Lotus Notes WAN," Lotus Notes Advisor, pp. 17-20, Nov.-Dec. 1996.

Ortiz, C. Enrique, "An Introduction To The Symbian OSTM Platform For Palm OS® Developers," Metrowerks Corp., 21 pages, 2002.

"Overview—What Is Lotus NotesPump?," Publication Unknown, 88 pages, Published prior to Jan. 8, 2003.

Perez, Sarah, "Onavo's Data-Compressing Mobile App Raises \$10 Million Series B From Horizons, Motorola Ventures," 2 pages, Jan. 24, 2012.

Phillips, Joshua et al., "Modeling The Intelligence Analysis Process For Intelligent User Agent Development," Research and Practice in Human Resource Management, vol. 9, No. 1, pp. 59-73, 2001.

Pyle, Hugh, "The Architecture of Lotus Notes," Lotus Notes Advisor, Premiere Issue, pp. 18-27, 1995.

Pyle, Lisa, "A Jump Start To The Top Ten R3-To-R4 Migration Considerations," The View, vol. 1, Issue 5, 22 pages, Nov.-Dec. 1995. Qualcomm Incorporated, "Managing Background Data Traffic In Mobile Devices," 16 pages, Jan. 2012.

Qualcomm, "System Parameter Recommendations To Optimize PS Data User Experience And UE Battery Life," 80-W1112-1, Revision B, 9 pages, Mar. 2007.

Ringel, Meredith et al., "iStuff: A Scalable Architecture For Lightweight, Wireless Devices For Ubicomp User Interfaces," Proceedings of UbiComp 2002, 2 pages, 2002.

Shafran, Andrew Bryce, "Easy Lotus Notes® For Windows™," Que Corporation, 199 pages, 1994.

Signorini, Eugene, "SEVEN's Service-Based Wireless Solutions Enable Enterprises To Untether E-Mail," Wireless/Mobile Enterprise & Commerce, 16 pages, Oct. 2004.

Swedeen, Bret et al., "Under The Microscope—Domino Replication," LDD Today, 8 pages, Oct. 1, 1998.

Tamura, Randall A., "Lotus® Notes™ 4 Unleashed," Sams Publishing, 928 pages, 1996.


U.S. Appl. No. 60/663,463, File History, 113 pages, Mar. 18, 2005. Vivacqua, Adriana et al., "Profiling and Matchmaking Strategies In Support Of Opportunistic Collaboration," CoopIS/DOA/ODBASE 2003, LNCS 2888, pp. 162-177, 2003.

Wainwright, Andrew, "Secrets To Running Lotus Notes: The Decisions No One Tells You How To Make," IBM Corporation, 193 pages, Oct. 1996.

Wilcox, Adam A., "PC Learning Labs Teaches Lotus Notes 3.0," Ziff-Davis Press, 381 pages, 1993.


Wong, Harry, "Casahl's Replic-Action: Delivering True Notes-DBMS Integration," The View, vol. 2, Issue 1, pp. 33-50, Jan.-Feb. 1996.

* cited by examiner



Synchronization
Module
130
Abstraction
Layer
120
Layer
120
The Platform

FIGURE 1A






FIGURE 2B
PRIOR ART






FIGURE 3









FIGURE 4B PRIOR ART







FIGURE 5A







FIGURE 5B






FIGURE 5C





FIGURE 5D






FIGURE 7A






FIGURE 7B





INTELLIGENT RENDERING OF INFORMATION IN A LIMITED DISPLAY ENVIRONMENT

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a Continuation of U.S. patent application Ser. No. 11/227,013, filed Sep. 14, 2005, titled "INTEL-LIGENT RENDERING FOR INFORMATION FOR A LIM- 10 ITED DISPLAY ENVIRONMENT, now U.S. Pat. No. 7,877, 703 issued Jan. 25, 2012, which claims the priority benefit of U.S. provisional patent application No. 60/661,757, filed Mar. 14, 2005 and entitled "Agnostic User Interface for Use in Mobile Devices." The disclosure of this application is incorporated herein by reference. This application is also related to U.S. patent application Ser. No. 11/123,540 file May 5, 2005 and entitled "Universal Text Entry" and U.S. patent application Ser. No. 11/227,323 filed Sep. 14, 2005 (Express Mail Label EV400687109US) and entitled "Cross Platform Event 20 Engine." The disclosure of both of these applications is incorporated herein by reference. This application is further related to U.S. patent application Ser. No. 11/227,272 filed Sep. 14, 2005 (Express Mail Label EV400687112US) and entitled "Platform Neutral User Interface for Mobile Devices," the 25 disclosure of which is incorporated herein by reference. All the aforementioned applications are commonly owned and assigned.

BACKGROUND OF THE INVENTION

1. Field of the Invention

The present invention relates generally to the field of user interfaces. More specifically, the present invention relates to the intelligent rendering of information in a limited display 35 environment by user interfaces, those interfaces operating across various platforms in various mobile devices.

2. Description of the Related Art

Mobile data access devices make it simple and affordable to access corporate and personal data while out of the office. Software allowing for such access is becoming a standard feature on a variety of mobile devices and platforms: BREW, Pocket PCs, Smartphones, Symbian-based phones, PDAs and Internet browsers.

There are approximately 35 million workers that make up 45 the 'mobile workforce,' that is, individuals who carry out all or substantial portions of their job away from a physical office setting. With the increasing number of on-the-go workers, electronic mail continues to be, arguably, the most important business application. As a result, this workforce—as well as 50 the casual individual user—has an inherent need for mobile access to their electronic mail and other data.

Despite an ever-increasing need for access to electronic mail and data, costs of ownership for mobile data access remain a barrier. The issue is no longer whether mobile data 55 access is a necessity but whether it can be deployed and managed in an effective manner.

While cost is an obvious concern in equipping the workforce with the means for accessing data on-the-go, the implementation, development, integration and management of 60
mobile data access solutions are of paramount interest.

Despite mobile devices becoming a staple in personal and
commercial enterprise, rapidly evolving changes such as
number portability, mergers in the telecommunications and
software industry and the lack of any one particular technical
standard in the mobile device technological space, make providing support for a wide-array of mobile devices an impor-

2

tant, albeit difficult, issue with regard to accessing data from a mobile device. The lack of internal expertise, the immaturity of standards, the complexity of integration, device limitations and application development have all been explicitly recognized as barriers to adopting mobile devices for providing access to data while, for example, out of the office or away from a personal desktop computer.

Increased user-flexibility—user familiarity amongst a variety of different devices and/or platforms—may be provided by device-neutral software as is described in the present application. For example, a single application (e.g., a notepad or an e-mail application) could be run on various mobile devices. The user-flexibility proffered by device-neutral software helps to improve IT-familiarity and expertise in that IT personnel need only becomes familiar with one software application (or suite of applications) instead of a particularized application for each individual platform environment and/or mobile device. Such device and platform neutrality increases end-user adoption of mobile device technologies in their fullest sense thereby better ensuring a return on investment.

But as adoption and pervasiveness of mobile devices and operating platforms increase, so does technological fragmentation within the marketplace. That is, with the increasing availability of differing mobile devices and operating platforms, there is an increase in disjunct technologies and methodologies that evidence an increasing need for standardization. Until there exists an overarching technological standard adopted by or at least a significant portion of the marketplace, developing device- and/or platform-neutral applications, as are taught in the present application, for mobile devices makes application development and testing less of a colossal task for software engineers while ensuring higher quality and better overall design.

Device-neutral user interfaces, like those described in the present application, will play a critical role in mobile device development. Such interfaces must not only provide access to mission critical data but also deal with the realities of variations in screen size, pixel density, aspect ratio and screen use availability amongst devices; limited memory on a mobile device; limited processing power; general quirkiness between platforms; and, perhaps most noticeable to the enduser, the general lack of space for interacting with the mobile device (e.g., keyboard space for text-entry and display space for viewing data). A keyboard, mouse or even a stylus are normally not available for such interaction in a traditional wireless or mobile device. Not only is input difficult, so is viewing a display rendering information. This is especially true when the mobile device happens to also be a cellular telephone.

Engineers, have previously been forced to deal with the fact that present-day prior art interfaces are not be suitable for more than one primary set of devices. For example, PDAs utilize a stylus and touch-screen whereas cellular phones may utilize a keypad and/or five-way navigation. If an engineer is satisfied with limiting an interface to a particular type of environment (e.g., platform or device), the engineer must still deal with the nuances of particular device manufacturers (e.g., a Palm PDA versus a Nokia cell phone) and, in some instances, particular device models (e.g., PALM VIIx and Nokia 7110).

Even if an engineer is satisfied with limiting an interface to a particular device, the engineer must still deal with the nuances of particular device manufacturers (e.g., a Palm PDA versus a Nokia cell phone) and, in some instances, particular device models (e.g., PALM VIIx and Nokia 7110).

An engineer is still, in many instances, limited by the fact that he or she must pre-generate static interfaces or multiple permutations of the interface as they pertain to a particular device or platform family. This results in delays for delivery of applications and increased costs in research and development, which inevitably result in increased costs for the enduser.

There is, therefore, a need in the art for a user interface that is neutral with regard to operating platform and device wherein one client interface will work on multiple platforms and devices.

There is a further need in the art for a user interface that will intelligently adjust to hardware and software limitations of a particular device or platform so that information displayed on the user interface will maintain a consistent appearance amongst devices notwithstanding the specific limitations of a particular device or platform.

There is a further need in the art for a user interface that will intelligently adjust to hardware or soft-ware limitations of a 20 particular device or platform so that unnecessary or non-critical information may be removed from display on the user interface to allow for the display of necessary or critical information.

It should be noted, in the course of this disclosure, that 25 while a device (e.g., hardware) and platform (e.g., software) are recognized as distinct—albeit related—entities, any reference to a device or a platform should be considered inclusive of both. Similarly, any reference to the neutrality of an interface, in general, should be interpreted as neutrality as to 30 both a device and a platform.

Further, it should be noted that any disclosed device or platform-neutral user interface is not dependent on the presentation or transmission of communications data (e.g., electronic mail, calendar, SMS) or utilization of user data (e.g., ³⁵ data stored on a desktop).

SUMMARY OF THE INVENTION

The present invention advantageously provides a virtual 40 platform neutral to physical device or software/hardware operating platform. The virtual platform comprises an abstraction layer that allows for portability across a variety of mobile devices and operating platforms, especially with regard to user interfaces. The virtual platform and abstraction 45 layer and any related software allow for a user interface on a first device to appear and operate substantially similar to a user interface on a second device regardless of differences or limitations that may exist between the operating systems or physical nuances of the two devices. By providing a device- 50 neutral user interface application, a user can move effortlessly between devices should, for example, the need for replacement or repair of a particular device arise or if the user possess multiple mobile devices (e.g., one device for personal use and a second device for work use).

Additionally, the neutrality of the interface application makes it possible for software developers and engineers to utilize one test suite for a variety of devices or platforms when introducing new features thereby reducing lag-time in delivering applications to market as well as research and development costs. For example, instead of developing five different interfaces for five different devices, one interface may be utilized across five different devices. These reductions in the time and cost of development and delivery inevitably translate into savings for the end-user and/or increases in profit and competitiveness for the application and/or device developer/manufacturer.

4

The present invention also provides for preventing distorted images in a user interface caused by pixel variances amongst devices. Relative, dynamic and 'as needed' adjustments in the layout of a user interface are also disclosed as is global scaling of information in a user interface.

The present invention provides for generating a 'quick look' of information in a user interface in addition to intelligent prioritization of menu commands and display icons as well as the management of information utilizing five-way navigation.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1A illustrates an exemplary embodiment of a device platform comprising various operational layers and modules for interaction with a particular device client and as described in the present invention.

FIG. 1B illustrates a device platform comprising various operational layers and modules for interaction with a particular device client as may be found in the prior art.

FIG. 2A illustrates an exemplary embodiment of an abstraction layer and a balance of platform-specific code and platform-neutral code as may be found in a device- and/or platform-neutral interface such as that described in the present invention.

FIG. 2B illustrates a typical balance of platform-specific code and platform-neutral code as may generally be found in the prior art.

FIG. 3, illustrates an exemplary embodiment of an abstraction layer comprising various informational modules as described in the present invention.

FIG. 4A illustrates the differences in screen display ratio for two different mobile devices as found in the prior art.

FIG. 4B illustrates the problems often associated with graphic elements rendered in mobile devices with different screen display ratios as found in the prior art.

FIG. **5**A illustrates an exemplary relative adjustment in a device-neutral user interface.

FIG. **5**B illustrates an exemplary dynamic adjustment in a device-neutral user interface as it pertains to a global scaling feature.

FIG. 5C illustrates an exemplary dynamic adjustment in a device-neutral user interface as it pertains to a zooming feature.

FIG. **5**D illustrates an exemplary dynamic adjustment as it pertains to a 'quick-look' or 'short attention span' feature in a device-neutral user interface.

FIG. **6**A illustrates a menu with 'available' and 'not-available' options as is known in the prior art.

FIG. 6B illustrates a menu exhibiting intelligent prioritization of menu commands as governed by their present availability according to an exemplary embodiment of the present invention.

FIG. 6C illustrates a menu exhibiting intelligent prioritization of menu commands as governed by presently available and user preferred commands according to an exemplary embodiment of the present invention.

FIG. 7A illustrates icons on a user interface with no particular limitations as to their rendering and as is known in the prior art.

FIG. 7B illustrates icons on a user interface with display limitations wherein the icons are intelligently selected in an exemplary embodiment of the present invention.

FIG. 8A illustrates the display of information on a mobile device as may be found in the prior art.

FIG. 8B illustrates the exemplary management of information displayed in FIG. 8A using five-way navigation in an embodiment of the present invention.

DETAILED DESCRIPTION OF AN EXEMPLARY EMBODIMENT

FIG. 1A illustrates an exemplary embodiment of a device including various operational layers and modules for interaction with the device. The present embodiment comprises a platform 110, abstraction layers.

Some embodiments of the present invention may comprise additional operational layers such as open or proprietary application program interfaces (APIs) that allow software engineers, programmers and even users of a particular platform and/or device to author or install applications that are compatible with the particular platform's operating environment. An intelligent rendering engine may be embodied in such an application. Some embodiments of the present invention may lack certain operational layers or modules, such as synchronization module 130. Such modules would be absent should a particular device or platform not require, for example, synchronization operations.

The platform **110** is the underlying hardware and/or software for a particular operating environment. The platform **110** also defines a particular operating environment in which software, hardware and other applications are developed. An example of platform **110** is the Nokia Series 40 Developer Platform. The Nokia Series 40 Developer Platform can utilize platform technologies such as JavaTM J2ME. Another example of platform **110** is the Nokia Series 60 and Series 80 Developer Platforms. The Nokia Series 60 and 80 platforms can utilize C++ in addition to JavaTM J2ME technologies. The Palm OS® Platform, as another example of platform **110**, supports native programming in C and C++ languages as well as Java programming via third-party Java Virtual Machines. The present invention further envisions the future development of operating environments on a variety of platforms.

Abstraction layer(s) 120 provide basic functionalities and means for accomplishing various operating goals that allow for, in part, the interoperation of the platform 110 with the client application 150 as well as other operational layers such as user interface 140. The abstraction layer(s) 120 provide 45 classes, interfaces, abstract methods and other facilities and resources intended to support various functions and software operations regardless of any particular platform 110 or implementation on any particular device. Abstraction layer(s) 120 may be open or proprietary and are often composed of various 50 information modules (e.g., FIG. 3).

Optional synchronization module 130 comprises the various operational instructions, functionalities and code necessary to allow a particular device or a program residing on such a device to communicate with an external data source, such as a desktop personal computer or enterprise server.

Communications allowing for a synchronization operation can be achieved in a variety of ways including a cable-to-handset synchronization mechanism whereby the device is physically coupled to a desktop personal computer to allow 60 for the exchange and synchronization of data (e.g., electronic mail). Communications can also be achieved wirelessly whereby an enterprise server (e.g., a Microsoft Exchange Server) configured with appropriate software (e.g., SEVEN Server Edition from SEVEN Networks, Inc. of Redwood 65 City, Calif.) coupled with access to a wireless gateway allows for access to electronic mail and other data by the device

6

without any physical connection. Communications can also be achieved without intermediate server software or gateways (e.g., wirelessly).

Synchronization should be appreciated in the most general sense (e.g., as a communication event). For example, synchronization may comprise not only maintaining the consistency of data between two points (e.g., real time calendar data on a handheld device and a desktop computer) but also the duplication of data (e.g., received emails at a desktop forwarded to a handheld). Synchronization may also be utilized for the purpose of updating information (e.g., receiving updated software packages, patches and so forth)

While the optional synchronization module **130** may be necessary for synchronizing the client device and other external data source (e.g., a server), the presence of such a module is not meant to be interpreted as a prerequisite for the operation of a device-neutral user interface.

The user interface 140 comprises and/or is coupled to various modules and software components and source code to allow for the rendering and operation of a user interface on a variety of devices. The user interface 140 comprises or is otherwise coupled to libraries comprising elements and abstractions such as icons, cursors, scroll bars, sounds, animations, etc. and the necessary software and code to enable their use. In an embodiment of the present invention, the user interface 140 is neutral with regard to a particular device or operation environment. That is, a single interface can operate across a plurality of devices (e.g., Nokia, Kyocera and Treo) and/or environments (e.g., Nokia and PalmOS®) without the need to be reprogrammed for each of these particular devices and/or environment. That is, one user interface 140 fits a broad universe of devices and/or environments.

The client application **150** resides on any device coupled to a network (e.g., wirelessly) that allows for access to a server device or other computing entity, such as a second client device. Through the coupling of the device to, for example, a server, the user of the device may receive and transmit data such as electronic mail or access data stored at the server. It should further be appreciated that the present invention may also operate in a device that is not coupled or connected to any particular network or second device.

Small handheld devices are increasingly mobile. This mobility is often a direct result of integrating the handheld device with, for example, a cellular telephone although it is not necessary for the device and related client application 150 to be integrated with a cellular phone or any other particular device.

Mobile devices are often associated with a particular platform 110. For example, the aforementioned Nokia Series 40 Developer Platform is associated with the Nokia 6101 and 6102 model client devices as well as the Nokia 6020, 6235, 6235i and 6822 model client devices. The Nokia Series 60 Developer Platform, on the other hand, is associated with client devices such as the Nokia 6680, 6681, and 6682 model devices. Similarly, the Palm OS® Platform is associated with client devices such as XploreTM G18, Kyocera 7135, and the TreoTM 650.

FIG. 1B illustrates various operational layers for user interaction and general operation within a particular device as may be found in the prior art. Such a prior art device may comprise the actual platform and various operational layers such as synchronization modules, APIs and so forth.

Prior art devices differ from a device utilized in the context of an embodiment of the present invention in that the client application, user interface and other applications are more integrated, interdependent and operationally incorporated (160) as compared to the present invention (170), which

allows for increased flexibility and operability. The 'tightly wound' nature of the prior art is often the result of a general lack of portability of a user interface or any other software between various devices. That is, a particular application, including an interface, is written exclusively for a particular platform and exclusively for a particular device solely in conjunction with that platform. In order for a similar interface with similar functional offerings to operate on another device or platform, that interface must be re-authored in its entirety.

The exemplary device platform illustrated in FIG. 1A, on the other hand, evidences the ability to transport various functionalities from one platform or device to the next, especially with regard to the design of the abstraction layer 120 as is further discussed in the context of FIGS. 2A and 2B, below.

It should be noted that while FIG. 1A illustrates various operational layers as separate elements, this is not to suggest a necessary physical differentiation or a general lack of integration in an embodiment. Similarly, the integration of the client, user interface and abstraction layer (160) in FIG. 1B is not meant to suggest a literal, physical integration. These 20 illustrations are provided merely to aid in the perception of the 'tightly wound' and vertically integrated aspects of the prior art versus an embodiment of the present invention, allowing for intelligent rendering of information in a limited display environment.

FIG. 2B illustrates a balance of platform specific code 210 and platform-neutral code 220 as may be found in the prior art.

For example, and as previously described in the context of FIG. 1B, prior art devices and their related platform and 30 software are generally unitary in nature and are not meant to allow for portability of features, such as a user interface. As such, the prior art code 200 is monolithic in nature and comprised predominantly of platform-specific and application-specific code 210 (e.g., code written for, and only for, a Nokia 35 6680 device and configured with software written for the Series 60 Developer Platform environment).

This particularized code, while allowing for the integration and operation of a particular device on a particular platform, inhibits the portability of any particular features from one 40 device to another (e.g., a user interface) as may otherwise be provided for with more generalized or device/platform-neutral code 220. Such device/platform-neutral code 220 may comprise code written in accordance with particular industry standards or specifications but that allows for the portability 45 or interoperability of a specific and particular feature amongst devices. This neutral code 220 is minimally—if at all—present in prior art devices.

FIG. 2A illustrates an exemplary embodiment of an abstraction layer 250 and a blend of platform-specific code 50 260 and platform-neutral code 270 as may be found in a device-neutral user interface offering functionality for intelligent rendering of information in a limited display environment.

An abstraction layer 250, as may be found in an embodiment of the present invention and as illustrated in FIG. 2A,
exhibits a much 'thinner' layer of platform- or device-specific
code 260. In some embodiments of the present invention,
platform specific code may be entirely non-existent. Abstraction layer 250, with its thin layer of platform- or devicespecific code 260 may be, generally, the type of abstraction
layer 120 as described in FIG. 1A.

As the abstraction layer 250 comprises more platform- or device-neutral code 270, the portability or interoperability of particular features—including a user interface offering intel- 65 ligent rendering of information in a limited display environment—is increased in that a feature (e.g., an application or

8

function) will operate on various platforms or devices due to its coding being dependent more on the generalized code 270 than with platform- or device-specific code 260 that limits or inhibits portability or interoperability.

FIG. 3 illustrates an exemplary embodiment of an abstraction layer 310 comprising various informational modules 320-350 as may be implemented in the abstraction layer 250 illustrated in FIG. 2A.

Informational modules 320-350 comprise routines and instructions as they pertain to various operational features of, for example, a particular platform 110 and/or client application 150 linked in the abstraction layer 310. These modules link the particular device to the particular platform.

For example, resource module 320 may comprise specific data or routines utilized in the operation of platform 110, client application 150 and/or device; for example: sleep mode, power on and off in addition to bitmaps, layouts and other libraries of information that are stored on the device or the means for accessing the same.

Graphics module **330** may comprise the information, instructions or knowledge with regard to utilizing specific files such as JPEGs, bitmaps or other graphic data that could be utilized by user interface **140** in its rendering of a user interface on a device. The graphics module **330** may retrieve these files from resource module **320**.

Event module **340** may comprise a library of information, instructions or knowledge with regard to identifying actions or occurrences as may be detected by a particular program such as user actions (e.g., pressing a key) in addition to system occurrences (e.g., an internal calendar alarm) and how to translate them across various environments (e.g., as if they were executed in a native environment).

Sound module 350 may comprise the information, instructions or knowledge of how to play or emit various sounds (e.g., WAV files) to be generated in response to, for example, the occurrence of certain system events (e.g., system warnings concerning low battery power). Sound module 350 may retrieve that particular file from the resource module 320.

Abstraction layer 310, as it corresponds to abstraction layer 120 (FIG. 1A) and abstraction layer 250 (FIG. 2A) may comprise additional or fewer modules as is required by the particular platform 110 and/or device and/or client application 150. It should also be noted that while FIG. 3 illustrates various modules as separate elements, this is not to suggest the requirement of a physical differentiation or a general lack of integration in an embodiment of the present invention.

FIG. 4A illustrates the differences in screen display ratio for two prior art mobile devices, specifically a TREOTM 650 410 and a Nokia 6680 420. In the case of the TREOTM 650 mobile device 410, the screen display offers 320×320 pixel-width with 16-bit color; the display offers approximately 65,000 colors. In the case of the Nokia 6680 mobile device 420, the screen display offers 176×208 pixel-width with active matrix; the display offers approximately 262,144 colors

FIG. 4B illustrates the problems often associated with graphic elements rendered in mobile devices with different display ratios as found in the prior art. For example, a graphic 430 (more specifically, in this case, a text string) may be approximately 300 pixels in width and renders without issue on device 410 with a 320 pixel-width. That same graphic (text string), in the context of device 420 with a 176 pixel-width, however, may be distorted 440 in that it is 'cut off' or 'wrapped around' due to the limited screen width. This distortion often results between different devices and/or platform despite the devices and/or platforms otherwise rendering the same graphic. This distortion can be especially

problematic in the context of user interfaces offered by thirdparty software providers either for functionality and/or branding purposes in that certain functionality or brand identification is lost as a result of the distortion.

The device-neutral user interface and intelligent rendering functionality described in the present application aids in preventing distorted images (440) resulting from inevitable pixel variances and other differences between devices and/or platforms. The device-neutral user interface may not only specify a particular layout but also provide for adjustment of the interface environment depending on the particular nuances of any particular platform or device, for example, pixel-width as evidenced in FIGS. 4A and 4B. These adjustments can be generally static relative the permanent limitations of a particular device (e.g., pixel-width) or 'as needed' or 'dynamic' per the particular demands of a particular application and/or the layout of given information at a given time.

An example of relative adjustment in a device-neutral user interface is illustrated in FIG. **5**A. A user interface environment 505 is similar in size to that exemplified in mobile 20 device 410 in FIGS. 4A and 4B (320×320). Graphic 510 is rendered in user interface environment 505 in a size that is relative to the pixel limitations of the screen. Graphic **520** is similarly rendered in a user interface environment 515, which corresponds in display size to mobile device 420 in FIGS. 4A 25 and 4B (208×176). But instead of graphic 520 appearing distorted as it did in FIG. 4B (440), the device-neutral interface has provided a substantially similar screen layout but made automatic adjustments for the graphic 520 to appear relative to the physical screen display constraints of the 30 mobile device and its particular interface environment 515. This adjustment may be the result of considering various scaling ratios (e.g., 2:1, 4:1) whereby certain pixels or rendering elements are dropped or otherwise scaled in sized to allow for the relative adjustment of a graphical element or 35 other rendered information.

FIG. 5B illustrates an exemplary dynamic adjustment in a user interface as it pertains to a global scaling feature. In some instances, a particular device will be unable to allow for relative adjustment of a user interface as is disclosed in FIG. 40 5A. This inability to offer relative adjustments might be a result of screen size limitations or the pure inability to render certain complex or high-definition graphics. In these instances, the device-neutral user interface can make intelligent decisions with regard to what information should be 45 relatively adjusted, which information cannot be relatively adjusted (for varying reasons, for example, the critical importance of certain information) and certain information which should be dropped from the display altogether.

As shown in user interface environment **525**, a display screen is shown with certain user interface information **535** such as a tool bar and various short-cut keys such as phone, home, contacts, trash, notes and electronic mail. In a mobile device comprising a user interface environment **530** with limited screen size, relative adjustments to all this information might make the short-cut key and tool bar entirely illegible due to excessive decreases in size and/or overcrowding on the display. In these instances, the device-neutral user interface of the present invention will make intelligent decisions with regard to what information must remain present and the limits on certain relative adjustments of information.

For example, in environment **530** (and as a result of a device-neutral user interface with intelligent rendering capabilities), user interface information **540** has been intelligently adjusted to address the limitations of the screen size. Specifically, certain short-cut keys (electronic mail, home, contacts and phone) have been entirely removed from the display.

10

While these functionalities remain present in the device, their associated short-cut key has been removed from the display environment 530 and now requires access through a treemenu or some other means as might be dependent on the particular menu structure of the user interface and/or device. Additionally, while other short-cut keys have been reduced in size, other keys remain more prominent. This intelligent rendering may be a result of default settings that identify certain features as being more mission critical than others or as a result of specific user settings. These indicators may comprise metadata reflecting relative importance of certain graphic, information as a whole, in the context of particular applications, in the context of particular tasks and/or operations or as specifically designated by the user.

An example of exemplary dynamic adjustment in a user interface as it pertains to a zooming feature is illustrated in FIG. 5C. For example, a user interface environment **545** is shown listing several electronic mails of the user. In an effort to provide the user with as much information as possible, electronic mail information is presented in a small font size making it difficult for a user to sometimes comprehend the information presented in the interface environment 545. Utilizing an exemplary dynamic adjustment zooming feature, as a user scrolls up and down the list of electronic mails, a highlighted or selected electronic mail 550 is magnified or 'zoomed' whereby the font size is increased and all other electronic mails present in the environment 545 are either further reduced in size whereby all information remains on the screen but in reduced size or certain electronic mail listings are 'dropped' from the screen (e.g., instead of ten commonly sized electronic mail listings, zooming-in on any particular electronic mail message will result in one magnified message and seven messages at the original size with the other two messages 'dropped' from the screen).

Dynamic adjustment as a result of zooming may combine certain relative adjustment techniques as described in FIG. 5A in addition to certain intelligent rendering techniques as described in FIG. 5B. Certain embodiments may also allow for a user to specifically highlight particular graphics and/or elements of information in a user interface environment to cause the magnification of that particular graphics and/or element of information (e.g., by highlighting certain elements of information via five-way navigation or through point-and-tap as offered by a stylus and touch sensitive screen).

FIG. 5D illustrates exemplary dynamic adjustments in a user interface as those adjustments pertain to a 'quick-look' or 'short attention span' feature. For example, providing a user with all possible available information and in a small font-size may be appropriate when a user of device is able to offer their undivided attention to the device and focus attentively on that information as is shown in device 555. In interface environment 555, the user is presented with time and date information 560, various feature or short-cut keys 565 (e.g., phone, trash, electronic mail, home, contacts, notepad) and a tool bar 570.

In some instances, however, a user may be unable to direct their undivided attention to their device as they might be walking or driving a vehicle. In these instances, the user is forced to divide their attention; for example, ensuring the user does not accidentally walk into another person or veer off the road. The user, to the extent it is necessary for them to access their device with divided attention, often only need to take a 'quick-look' at information (e.g., directions to a destination, the date and time, or who is calling the user). In interface environment 575 illustrates a user interface whereby a 'quick look feature' is enabled and only essential information is displayed.

A 'quick look' feature or interface may be activated in a device by manually changing the display settings of the device through a menu, pressing a specific hard permanent-function key, pressing a soft hot-key assigned to enable 'quick look functionality' or through any other functionality that 5 may allow activation of that particular function (e.g., a timer).

In display environment 575 with a quick-look interface enabled, the user is still presented with time and date information 580 but that information is enlarged in size and takes up twice as much space as the time and date information 560 in non-quick-look enabled environment 555. Additionally, the short cut keys 585 have been reduced in number to only those of utmost importance. In this case, those keys are phone, home and contacts and they are displayed at nearly three-times their normal size. Further, the tool bar 590 has been 15 totally dropped from the screen as it is unlikely a user will be performing maintenance or adjusting settings on their device 575 while only able to offer a short amount of attention.

In a short-attention span or quick-look mode, the adjustment and selection of features to be displayed and, likewise, 20 those features removed from the display can be set by default (e.g., factory settings) or they can be modified by the user as they reflect the user's needs. Furthermore, using a device-neutral user interface, the displayed information will adjust in size as is set forth by the default settings or the user in 25 conjunction with certain limitation posed by the actual device (e.g., screen size). Certain methodologies as reflected in FIGS. 5A and 5B (relative adjustment and intelligent rendering) may be utilized in enabling quick-look functionality including the use of metadata to identify information desired 30 in a quick-look as it might pertain to a particular application or a particular task.

FIG. 6A illustrates a menu 600 with available and not-available options as is known in the prior art. Menu 600 illustrates a number of available menu items 610 such as 35 "New" and "Open." Menu 600 also displays a number of not available menu items 620 such as "Close," "Save" and "Properties."

Available menu items **610** are those menu items or commands that are presently available for execution, for example, 40 opening a new file or opening an existing file. Not available menu items **620** are those menu items or commands that are not presently available for execution due to any number of factors. For example, an actual file or document may not be open. In such a case, a non-existent file cannot be closed or 45 saved. Similarly, properties as to a non-existent file cannot be displayed. Should a file actually be opened, it is possible that certain not available menu items **620** may become available menu items **610** as that now open file or document can now be closed, saved or have its properties reviewed.

In the prior art, not available menu items **620** are usually displayed as 'grayed out.' That is, while available menu items **610** are displayed in a generally prominent text and can be selected either through, for example, highlighting with a mouse or keypad, a macro or other combination of key combinations (e.g., Ctrl+N in Microsoft® Word results in a new document opening), those items that are not available (i.e., not available menu items **620**) are generally displayed in a less prominent text (e.g., a light gray color that still allows for readability but indicates Its unavailability as menu command).

In applications with a large hierarchy of menu commands or menu commands with various levels (e.g., File-Open-Folder-File Name), selecting or executing an available menu command 610 often takes up a large amount of screen space 65 due to a multi-level menu tree or various other menu screens, tabs and so forth. In a device with limited display space (e.g.,

12

a mobile device), such a complex menu-tree can obfuscate the entire display or, in some instances, may not be subject to display in any form due to the number of levels and/or menus and processing or other display limitations of any particular device.

Even in applications with generally straightforward menu displays, a large number of menu commands can cause the menu to overlap beyond the physical limitations of the screen thereby requiring the necessity of utilizing a scroll or elevator bar. While scroll or elevator bars can artificially provide additional space by scrolling available menu commands 610 up and down the screen, operating such a scroll bar in a limited display area is disadvantageous in that operating minute display tools, such as a scroll bar, with generally small operational controls on a mobile device is more difficult than on a desktop or even a laptop personal computer.

Further, the scroll bar will cause certain available menu commands 610 to disappear from the screen as available menu commands 610 are scrolled up and down by the user. To do so might cause a particular command of importance or interest to a user to disappear as they view other available menu commands 610. Part of this difficulty is a result of the integration of all menu commands on the menu, that is, both available menu commands 610 and not available menu commands 620. For example, a particular menu might comprise ten various commands. Despite the fact that only two of those commands might be available menu commands 610 as a result of the current state of the device or an application, the remaining eight not available menu commands 620 will still be displayed thereby utilizing large amounts of screen display space.

FIG. 6B illustrates a menu 630 exhibiting intelligent prioritization of menu commands as governed by their present availability according to an embodiment of the present invention. In FIG. 6B, the state of the device or application is the same as that of the prior art menu as illustrated in FIG. 6A. In FIG. 6B, however, only available menu commands 640 are displayed. This results in savings of space, memory and processing power as, for example, only two menu commands—New and Open—are displayed (available menu commands 640). In such an embodiment of a menu 630, it would not be necessary to utilize a scroll bar to access various menu commands as the menu 630 is reduced in size due to the non-display of not available menu commands 620.

Should the state of the device or application change, however, those commands that are presently not displayed but otherwise relevant to the change in device state would then be added to the list of available menu commands **640** and displayed on the menu **630**.

Certain rendering methodologies (e.g., relative adjustment, dynamic adjustment, zooming and quick-look as described in FIGS. 5A-D, respectively) may further be utilized wherein additional display space in a user interface environment is preserved through further reducing the amount of space occupied by menu 630.

FIG. 6C illustrates a menu 650 exhibiting intelligent prioritization of menu commands as governed by user preference according to an embodiment of the present invention. In FIG. 6C, the state of the device is such that a menu would normally, for example, display ten menu commands if it were a type of a menu as found in the prior art of FIG. 6A. In FIG. 6C, however, only preferred available menu commands 660 are displayed; preferred available menu commands 660 in this particular embodiment are not just those commands capable of execution but those commands capable of execution

tion and whose display presence is preferred by the user of the mobile device relative, for example, a particular application or operational context.

For example, in menu 650 the display of ten available menu commands 660 would still occupy a large amount of space on 5 most mobile devices despite the fact that, for example, five additional commands are not displayed as a result of them being not available. In this particular embodiment, the mobile device will recognize that of the ten available menu commands, the user of the mobile device only utilizes three of 10 those menu commands on any regular basis. The mobile device will then display only those three menu commands as preferred available menu commands 660. Those commands that are not preferred but are otherwise available will not be displayed 670.

This results in a better end user, experience through savings of space, memory and processing power in addition to smoother and more navigable interfaces as only those available menu commands actually needed by the user are displayed. In such an embodiment of a menu, it would not be 20 necessary to utilize a scroll bar to access various menu commands as the menu 650 is reduced in size due to the non-display of not available menu commands as well as available menu commands that are not preferred by the user.

As in the case of FIG. **6**B, various rendering methodologies (e.g., relative adjustment, dynamic adjustment, zooming and quick-look as described in FIGS. **5**A-D, respectively) may further be utilized wherein additional display space in a user interface environment is preserved through further reducing the amount of space occupied by menu **650**.

Preferred available menu commands **660** can be those commands as recognized by the device as being preferred (e.g., in 50 previous uses of a particular menu, only two commands out of ten were utilized) or can be identified manually by the user. Preferred available menu commands **660** can 35 also be set by default by the manufacturer of a device or platform. For example, it may be recognized in the industry that while particular menu commands might be useful, they are only utilized by a small percentage of the public owning the device (e.g., computer programmers). As such, only those 40 commands used by the general public are displayed when available.

Should the state of the device or application change, however, those commands that are presently not displayed but preferred would then be added to the list of preferred available 45 menu commands 660 and displayed on the menu 650 with regard to the state change invoking the availability of certain commands.

The same intelligence utilized in a menu can also be utilized with regard to display icons. FIG. 7A illustrates a display environment 700 wherein limitations as to screen size, pixels or other factors do not affect the display of a series of icons 710-740 as is generally the case in prior art devices and interfaces. That is, display of the icons 710-740 will occur regardless of screen size. The display of these icons 710-740, 55 however, may be accompanied by distortion, wrap around, cut offs or other unintended and adverse manipulation of the rendered icons 710-740. These icons 710-740 may be for such functions as telephone, notepad, home and contacts.

FIG. 7B illustrates a display environment 750 wherein 60 certain limitations, screen-width for example, make it impossible for the display of four icons of a given size, or at least the display of those four icons whereby they may be identified or otherwise retain their graphic communications value. In this example, the device interface 750 may display only those 65 icons that are preferred by the user 760-770 such as notepad and telephone. Like the menu displayed in FIG. 6C, these

14

preferred icons 760-770 may be the result of default preferences, user-input preferences or intelligent decision making by logic in a device. This logic may be similar to the logic used in a layout engine as described in U.S. provisional patent application No. 60/661,757. Certain rendering techniques as referenced in FIGS. 5A-5D may also be utilized.

FIG. 8A illustrates the management of information in a prior art display environment 800 using, for example, fiveway navigation. Shown on the display 800 are a series of electronic mail messages 810 as may be displayed in a mail-box feature on, for example, a mobile device.

In order to manage electronic mail messages, for example, it is necessary to move a highlight bar to a particular message, open the message (e.g., a center press on the navigation con-15 trol), enter a delete command either manually, through a drop-down menu or through icon selection, and finally confirm deletion of a message before the message is finally removed from a mobile device's mailbox. The use of a thumbscroll wheel, 'direction buttons' or a stylus may also be used. In systems where a mobile device is synchronized with a desktop mailbox (e.g., Microsoft® Outlook), an additional confirmation is often required as to whether the user wishes to delete the message only on the mobile device, only on the desktop or on both the handheld and the desktop. The process is then repeated for each message to be deleted. For a user that receives a large number of electronic mail messages on their mobile device, this can be extremely tedious and time consuming in addition to wasting battery and processing resources.

FIG. 8B illustrates the use of a five-way navigation control **820** to manage information such as electronic mail using various graphic rendering and control techniques as have been described throughout the disclosure of the present invention. Using the five-way navigation control 820, a user may move an icon, cursor or other indicator on a display up, down, left and right in addition to a confirmation or 'down click' feature wherein the user presses down on the center of the navigation tool in an action sometimes equivalent to the pressing of the carriage return key on a keyboard. Five-way navigation allows a user to operate various functionalities of a mobile device with one hand and without the use of, for example, a stylus. When combined with intelligent rendering through relative scaling and/or intelligent prioritization, the review, selection and ultimate disposal of certain messages is made easier.

In FIG. 8B, as in FIG. 8A, a list of five electronic mails is presented. Should the user wish to delete two of those electronic mails (e.g., 830 and 840), using traditional management methods would require the user to highlight the first message (830), open the message, enter a delete command either manually, through a drop-down menu or through icon selection and then confirm deletion of the message. Using an exemplary five-way navigation technique in conjunction with the various graphic rendering techniques disclosed herein, the user can navigate down the message to be deleted (830) by pressing down on the navigation tool 820 and then pressing the navigation tool 820 to the right and then down clicking whereby the message is then highlighted and selected for further action, in this instance, deletion.

The user can then press the navigation tool **820** down two more times to arrive at a second message to be deleted (**840**). The user can then highlight the message for deletion as in the instance of message **820**. The user can then, at an appropriate time, select a 'delete all' command wherein all highlighted messages are then deleted. Using five-way navigation is not limited to deletion of messages. A user could also select files to review (e.g., where the user has access to desktop files) or

could also manage files or messages to be placed in particular mobile device folders for organization using similar navigation and highlighting techniques. Similarly, a user could select various contacts in a directory to electronically 'beam' (e.g., through a Bluetooth® or infrared transmission) to 5 another user.

The above-described embodiments are exemplary. One skilled in the art will recognize and appreciate various applications of the disclosed invention beyond those presently described here. This disclosure is not meant to be limiting 10 beyond those limitations as expressly provided in the claims.

What is claimed is:

1. A method for presenting information in a limited user interface display environment, comprising:

selecting a set of textual and graphical components for possible rendering in the limited user interface display environment, wherein the set of textual and graphical components are part of a user interface that allows a user to control a progression of an application or device through a predetermined set of states; and

without user interaction, determining whether one of the set of components will be rendered incorrectly as a result of a limitation of the limited user interface display environment based upon the present state of the application or device;

in response to determining that the one component will be rendered incorrectly as a result of a limitation of the limited user interface display environment, determining whether the size of the one component can be adjusted;

in response to determining that the size of the one component can be adjusted, adjusting the size of the one component prior to rendering it in the limited user interface display environment;

in response to determining that the size of the one component cannot be adjusted, not rendering the one component in the limited user interface display environment;

identifying a change in the state of the application or device to a new state;

in response to identifying a first component that is presently not displayed but relevant to the new state, adding 40 the identified first component to the user interface;

determining whether an other of the set of components will be rendered incorrectly as a result of a limitation of the limited user interface display environment based upon the new state;

in response to determining that the other component will be rendered incorrectly as a result of a limitation of the limited user interface display environment, determining whether the size of the other component can be adjusted;

in response to determining that the size of the other component can be adjusted, adjusting the size of the other component prior to rendering it in the limited user interface display environment;

in response to determining that the size of the other component cannot be adjusted, not rendering the other component in the limited user interface display environment.

- 2. The method of claim 1, wherein one of the set of components comprises time information.
- 3. The method of claim 1, wherein one of the set of components comprises date information.
- 4. The method of claim 1, wherein one of the set of components comprises shortcut keys.
- 5. The method of claim 1, wherein one of the set of components comprises a tool bar.
- 6. The method of claim 1, wherein adjusting the size of a 65 component prior to rendering it comprises reducing the size of the component.

16

7. A method for presenting menu information in a limited user interface display environment, comprising:

creating a hierarchy of menu commands in an application, wherein the menu commands are part of a user interface that allows a user to control a progression of an application or device through a predetermined set of states;

determining the availability of menu commands in the hierarchy of menu commands based upon the present state of the application or device;

determining preferred menu commands from the available menu commands; rendering the preferred menu commands in the limited user interface display environment and not rendering menu commands that are not preferred;

identifying a change in the state of the application or device to a new state;

in response to identifying a first menu command that is presently not displayed but relevant to the new state, adding the identified first menu command to the hierarchy of menu commands;

determining the availability of menu commands in the hierarchy of menu commands based upon the new state; determining preferred menu commands from the available

rendering the preferred menu commands in the limited user interface display environment; and

menu commands;

not rendering non-preferred menu commands in the limited user interface display environment.

8. The method of claim 7, wherein the preferred menu commands are recognized by a device hosting the limited user interface display environment.

9. The method of claim 7, wherein the preferred menu commands are manually identified a user of a device hosting the limited user interface display environment.

10. A method for adjusting the layout of information in a limited user interface display environment, comprising:

selecting information for possible rendering in the limited user interface display environment, wherein the information is part of a user interface that allows a user to control a progression of an application or device through a predetermined set of states;

without user interaction, determining which portions of the information will be relevant to the present state of the application or device;

rendering the relevant portions of the information in the limited user interface display environment, the information rendered at a first size;

identifying a change in the state of the application or device to a new state;

in response to identifying a first portion of the information for possible rendering in the limited user interface display environment that is presently not displayed but relevant to the new state, rendering the identified first portion in the limited user interface display environment; and

in response to detecting selection of a portion of the displayed information, increasing the size of the selected portion from the first size to a second size, the second size being larger than the first size and decreasing the size of the non-selected portions of the displayed information from the first size to a third size, the third size being smaller than the first size.

11. The method of claim 10, further comprising removing the non-selected portions of the displayed information from the limited user interface display environment.

* * * * *