US010395654B2

(12) **United States Patent**
Golipour et al.

(10) **Patent No.: US 10,395,654 B2**
(45) **Date of Patent: Aug. 27, 2019**

(54) **TEXT NORMALIZATION BASED ON A DATA-DRIVEN LEARNING NETWORK**

(71) Applicant: **Apple Inc.**, Cupertino, CA (US)

(72) Inventors: **Ladan Golipour**, Cupertino, CA (US); **Matthias Neeracher**, Zürich (CH); **Ramya Rasipuram**, Sunnyvale, CA (US)

(73) Assignee: **Apple Inc.**, Cupertino, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 29 days.

(21) Appl. No.: **15/673,574**

(22) Filed: **Aug. 10, 2017**

(65) **Prior Publication Data**

US 2018/0330729 A1 Nov. 15, 2018

Related U.S. Application Data

(60) Provisional application No. 62/504,736, filed on May 11, 2017.

(51) **Int. Cl.**
G10L 15/00 (2013.01)
G10L 15/22 (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC ***G10L 15/22*** (2013.01); ***G10L 15/16*** (2013.01); ***G10L 15/1815*** (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC G06F 17/28; G10L 15/00
(Continued)

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,315,809 B2 1/2008 Xun
7,315,818 B2 1/2008 Stevens et al.
(Continued)

FOREIGN PATENT DOCUMENTS

AU 2015203483 A1 7/2015
CA 2694314 A1 8/2010
(Continued)

OTHER PUBLICATIONS

"Alexa, Turn Up the Heat!", Smartthings Samsung [online], Available online at https://web.archive.org/web/20160329142041/https://blog.smartthings.com/news/smartthingsupdates/alexa-turn-up-the-heat/, Mar. 3, 2016, 3 pages.
(Continued)

Primary Examiner — Daniel Abebe
(74) *Attorney, Agent, or Firm* — Dentons US LLP

(57) **ABSTRACT**

Systems and processes for operating an intelligent automated assistant to perform text-to-speech conversion are provided. An example method includes, at an electronic device having one or more processors, receiving a text corpus comprising unstructured natural language text. The method further includes generating a sequence of normalized text based on the received text corpus; and generating a pronunciation sequence representing the sequence of the normalized text. The method further includes causing an audio output to be provided to the user based on the pronunciation sequence. At least one of the sequence of normalized text and the pronunciation sequence is generated based on a data-driven learning network.

20 Claims, 25 Drawing Sheets



(51) **Int. Cl.**

G10L 15/18	(2013.01)
G10L 15/16	(2006.01)
G10L 15/26	(2006.01)
G10L 15/30	(2013.01)
G10L 13/08	(2013.01)

(52) **U.S. Cl.**
CPC ***G10L 15/26*** (2013.01); *G10L 15/30* (2013.01); *G10L 2013/083* (2013.01)

(58) **Field of Classification Search**
USPC 704/9
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,318,020 B1 1/2008 Kim
7,319,957 B2 1/2008 Robinson et al.
7,321,783 B2 1/2008 Kim, II
7,322,023 B2 1/2008 Shulman et al.
7,324,833 B2 1/2008 White et al.
7,324,947 B2 1/2008 Jordan et al.
7,328,155 B2 2/2008 Endo et al.
7,328,250 B2 2/2008 Wang et al.
7,333,998 B2 2/2008 Heckerman et al.
7,337,108 B2 2/2008 Florencio et al.
7,345,670 B2 3/2008 Armstrong
7,345,671 B2 3/2008 Robbin et al.
7,349,953 B2 3/2008 Lisitsa et al.
7,353,139 B1 4/2008 Burrell et al.
7,356,748 B2 4/2008 Taleb
7,359,493 B1 4/2008 Wang et al.
7,359,671 B2 4/2008 Richenstein et al.
7,359,851 B2 4/2008 Tong et al.
7,360,158 B1 4/2008 Beeman
7,362,738 B2 4/2008 Taube et al.
7,363,227 B2 4/2008 Mapes-Riordan et al.
7,363,586 B1 4/2008 Briggs et al.
7,365,260 B2 4/2008 Kawashima
7,366,461 B1 4/2008 Brown
7,369,984 B2 5/2008 Fairweather
7,369,993 B1 5/2008 Atal
7,373,291 B2 5/2008 Garst
7,373,612 B2 5/2008 Risch et al.
7,376,556 B2 5/2008 Bennett
7,376,632 B1 5/2008 Sadek et al.
7,376,645 B2 5/2008 Bernard
7,378,963 B1 5/2008 Begault et al.
7,379,874 B2 5/2008 Schmid et al.
7,380,203 B2 5/2008 Keely et al.
7,383,170 B2 6/2008 Mills et al.
7,386,110 B2 6/2008 Petrunka et al.
7,386,438 B1 6/2008 Franz et al.
7,386,449 B2 6/2008 Sun et al.
7,386,799 B1 6/2008 Clanton et al.
7,389,224 B1 6/2008 Elworthy
7,389,225 B1 6/2008 Jensen et al.
7,392,185 B2 6/2008 Bennett
7,394,947 B2 7/2008 Li et al.
7,398,209 B2 7/2008 Kennewick et al.
7,401,300 B2 7/2008 Nurmi
7,403,938 B2 7/2008 Harrison et al.
7,403,941 B2 7/2008 Bedworth et al.
7,404,143 B2 7/2008 Freelander et al.
7,409,337 B1 8/2008 Potter et al.
7,409,347 B1 8/2008 Bellegarda
7,412,389 B2 8/2008 Yang
7,412,470 B2 8/2008 Masuno et al.
7,415,100 B2 8/2008 Cooper et al.
7,415,469 B2 8/2008 Singh et al.
7,418,382 B1 8/2008 Maes
7,418,389 B2 8/2008 Chu et al.
7,418,392 B1 8/2008 Mozer et al.
7,426,467 B2 9/2008 Nashida et al.
7,426,468 B2 9/2008 Coifman et al.
7,427,024 B1 9/2008 Gazdzinski et al.
7,428,541 B2 9/2008 Houle
7,430,508 B2 9/2008 Williamson et al.
7,433,869 B2 10/2008 Gollapudi, Sr.
7,433,921 B2 10/2008 Ludwig et al.
7,436,947 B2 10/2008 Wadler et al.
7,441,184 B2 10/2008 Frerebeau et al.
7,443,316 B2 10/2008 Lim
7,444,589 B2 10/2008 Zellner
7,447,360 B2 11/2008 Li et al.
7,447,624 B2 11/2008 Fuhrmann et al.
7,447,635 B1 11/2008 Konopka et al.
7,447,637 B1 11/2008 Grant et al.
7,451,081 B1 11/2008 Gajic et al.
7,454,351 B2 11/2008 Jeschke et al.
7,460,652 B2 12/2008 Chang
7,461,043 B2 12/2008 Hess
7,467,087 B1 12/2008 Gillick et al.
7,467,164 B2 12/2008 Marsh
7,472,061 B1 12/2008 Alewine et al.
7,472,065 B2 12/2008 Aaron et al.
7,475,010 B2 1/2009 Chao
7,475,015 B2 1/2009 Epstein et al.
7,475,063 B2 1/2009 Datta et al.
7,477,238 B2 1/2009 Fux et al.
7,477,240 B2 1/2009 Yanagisawa
7,478,037 B2 1/2009 Strong
7,478,091 B2 1/2009 Mojsilovic et al.
7,478,129 B1 1/2009 Chemtob
7,479,948 B2 1/2009 Kim et al.
7,479,949 B2 1/2009 Jobs et al.
7,483,832 B2 1/2009 Tischer
7,483,894 B2 1/2009 Cao
7,487,089 B2 2/2009 Mozer
7,487,093 B2 2/2009 Mutsuno et al.
7,490,034 B2 2/2009 Finnigan et al.
7,490,039 B1 2/2009 Shaffer et al.
7,493,251 B2 2/2009 Gao et al.
7,493,560 B1 2/2009 Kipnes et al.
7,496,498 B2 2/2009 Chu et al.
7,496,512 B2 2/2009 Zhao et al.
7,499,923 B2 3/2009 Kawatani
7,502,738 B2 3/2009 Kennewick et al.
7,505,795 B1 3/2009 Lim et al.
7,508,324 B2 3/2009 Suraqui
7,508,373 B2 3/2009 Lin et al.
7,516,123 B2 4/2009 Betz et al.
7,519,327 B2 4/2009 White
7,519,398 B2 4/2009 Hirose
7,522,927 B2 4/2009 Fitch et al.
7,523,036 B2 4/2009 Akabane et al.
7,523,108 B2 4/2009 Cao
7,526,466 B2 4/2009 Au
7,526,738 B2 4/2009 Ording et al.
7,528,713 B2 5/2009 Singh et al.
7,529,671 B2 5/2009 Rockenbeck et al.
7,529,676 B2 5/2009 Koyama
7,535,997 B1 5/2009 McQuaide, Jr. et al.
7,536,029 B2 5/2009 Choi et al.
7,536,565 B2 5/2009 Girish et al.
7,538,685 B1 5/2009 Cooper et al.
7,539,619 B1 5/2009 Seligman et al.
7,539,656 B2 5/2009 Fratkina et al.
7,541,940 B2 6/2009 Upton
7,542,967 B2 6/2009 Hurst-Hiller et al.
7,542,971 B2 6/2009 Thione et al.
7,543,232 B2 6/2009 Easton, Jr. et al.
7,546,382 B2 6/2009 Healey et al.
7,546,529 B2 6/2009 Reynar et al.
7,548,895 B2 6/2009 Pulsipher
7,552,045 B2 6/2009 Barliga et al.
7,552,055 B2 6/2009 Lecoeuche
7,555,431 B2 6/2009 Bennett
7,555,496 B1 6/2009 Lantrip et al.
7,558,381 B1 7/2009 Ali et al.
7,558,730 B2 7/2009 Davis et al.
7,559,026 B2 7/2009 Girish et al.
7,561,069 B2 7/2009 Horstemeyer
7,562,007 B2 7/2009 Hwang

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,562,032 B2 7/2009 Abbosh et al.
7,565,104 B1 7/2009 Brown et al.
7,565,380 B1 7/2009 Venkatachary
7,568,151 B2 7/2009 Bergeron et al.
7,571,092 B1 8/2009 Nieh
7,571,106 B2 8/2009 Cao et al.
7,577,522 B2 8/2009 Rosenberg
7,580,551 B1 8/2009 Srihari et al.
7,580,576 B2 8/2009 Wang et al.
7,580,839 B2 8/2009 Tamura et al.
7,584,092 B2 9/2009 Brockett et al.
7,584,093 B2 9/2009 Potter et al.
7,584,278 B2 9/2009 Rajarajan et al.
7,584,429 B2 9/2009 Fabritius
7,593,868 B2 9/2009 Margiloff et al.
7,596,269 B2 9/2009 King et al.
7,596,499 B2 9/2009 Anguera et al.
7,596,606 B2 9/2009 Codignotto
7,596,765 B2 9/2009 Almas
7,599,918 B2 10/2009 Shen et al.
7,603,349 B1 10/2009 Kraft et al.
7,603,381 B2 10/2009 Burke et al.
7,606,444 B1 10/2009 Erol et al.
7,606,712 B1 10/2009 Smith et al.
7,607,083 B2 10/2009 Gong et al.
7,609,179 B2 10/2009 Diaz-Gutierrez et al.
7,610,258 B2 10/2009 Yuknewicz et al.
7,613,264 B2 11/2009 Wells et al.
7,614,008 B2 11/2009 Ording
7,617,094 B2 11/2009 Aoki et al.
7,620,407 B1 11/2009 Donald et al.
7,620,549 B2 11/2009 Di Cristo et al.
7,620,894 B1 11/2009 Kahn
7,623,119 B2 11/2009 Autio et al.
7,624,007 B2 11/2009 Bennett
7,627,481 B1 12/2009 Kuo et al.
7,630,900 B1 12/2009 Strom
7,630,901 B2 12/2009 Omi
7,633,076 B2 12/2009 Huppi et al.
7,634,409 B2 12/2009 Kennewick et al.
7,634,413 B1 12/2009 Kuo et al.
7,634,718 B2 12/2009 Nakajima
7,634,732 B1 12/2009 Blagsvedt et al.
7,636,657 B2 12/2009 Ju et al.
7,640,158 B2 12/2009 Detlef et al.
7,640,160 B2 12/2009 Di Cristo et al.
7,643,990 B1 1/2010 Bellegarda
7,647,225 B2 1/2010 Bennett et al.
7,649,454 B2 1/2010 Singh et al.
7,649,877 B2 1/2010 Vieri et al.
7,653,883 B2 1/2010 Hotelling et al.
7,656,393 B2 2/2010 King et al.
7,657,424 B2 2/2010 Bennett
7,657,828 B2 2/2010 Lucas et al.
7,657,844 B2 2/2010 Gibson et al.
7,657,849 B2 2/2010 Chaudhri et al.
7,660,715 B1 2/2010 Thambiratnam
7,663,607 B2 2/2010 Hotelling et al.
7,664,558 B2 2/2010 Lindahl et al.
7,664,638 B2 2/2010 Cooper et al.
7,668,710 B2 2/2010 Doyle
7,669,134 B1 2/2010 Christie et al.
7,672,841 B2 3/2010 Bennett
7,672,952 B2 3/2010 Isaacson et al.
7,673,238 B2 3/2010 Girish et al.
7,673,251 B1 3/2010 Wibisono
7,673,340 B1 3/2010 Cohen et al.
7,676,026 B1 3/2010 Baxter, Jr.
7,676,365 B2 3/2010 Hwang et al.
7,676,463 B2 3/2010 Thompson et al.
7,679,534 B2 3/2010 Kay et al.
7,680,649 B2 3/2010 Park
7,681,126 B2 3/2010 Roose
7,683,886 B2 3/2010 Willey
7,683,893 B2 3/2010 Kim
7,684,985 B2 3/2010 Dominach et al.
7,684,990 B2 3/2010 Caskey et al.
7,684,991 B2 3/2010 Stohr et al.
7,689,245 B2 3/2010 Cox et al.
7,689,408 B2 3/2010 Chen et al.
7,689,409 B2 3/2010 Heinecke
7,689,412 B2 3/2010 Wu et al.
7,689,421 B2 3/2010 Li et al.
7,693,715 B2 4/2010 Hwang et al.
7,693,717 B2 4/2010 Kahn et al.
7,693,719 B2 4/2010 Chu et al.
7,693,720 B2 4/2010 Kennewick et al.
7,698,131 B2 4/2010 Bennett
7,702,500 B2 4/2010 Blaedow
7,702,508 B2 4/2010 Bennett
7,703,091 B1 4/2010 Martin et al.
7,706,510 B2 4/2010 Ng
7,707,026 B2 4/2010 Liu
7,707,027 B2 4/2010 Balchandran et al.
7,707,032 B2 4/2010 Wang et al.
7,707,221 B1 4/2010 Dunning et al.
7,707,226 B1 4/2010 Tonse
7,707,267 B2 4/2010 Lisitsa et al.
7,710,262 B2 5/2010 Ruha
7,711,129 B2 5/2010 Lindahl et al.
7,711,550 B1 5/2010 Feinberg et al.
7,711,565 B1 5/2010 Gazdzinski
7,711,672 B2 5/2010 Au
7,712,053 B2 5/2010 Bradford et al.
7,716,056 B2 5/2010 Weng et al.
7,716,216 B1 5/2010 Harik et al.
7,720,674 B2 5/2010 Kaiser et al.
7,720,683 B1 5/2010 Vermeulen et al.
7,721,226 B2 5/2010 Barabe et al.
7,721,301 B2 5/2010 Wong et al.
7,724,242 B2 5/2010 Hillis et al.
7,724,696 B1 5/2010 Parekh
7,725,307 B2 5/2010 Bennett
7,725,318 B2 5/2010 Gavalda et al.
7,725,320 B2 5/2010 Bennett
7,725,321 B2 5/2010 Bennett
7,725,838 B2 5/2010 Williams
7,729,904 B2 6/2010 Bennett
7,729,916 B2 6/2010 Coffman et al.
7,734,461 B2 6/2010 Kwak et al.
7,735,012 B2 6/2010 Naik
7,739,588 B2 6/2010 Reynar et al.
7,742,953 B2 6/2010 King et al.
7,743,188 B2 6/2010 Haitani et al.
7,747,616 B2 6/2010 Yamada et al.
7,752,152 B2 7/2010 Paek et al.
7,756,707 B2 7/2010 Garner et al.
7,756,708 B2 7/2010 Cohen et al.
7,756,868 B2 7/2010 Lee
7,756,871 B2 7/2010 Yacoub et al.
7,757,173 B2 7/2010 Beaman
7,757,182 B2 7/2010 Elliott et al.
7,761,296 B1 7/2010 Bakis et al.
7,763,842 B2 7/2010 Hsu et al.
7,774,202 B2 8/2010 Spengler et al.
7,774,204 B2 8/2010 Mozer et al.
7,774,388 B1 8/2010 Runchey
7,777,717 B2 8/2010 Fux et al.
7,778,432 B2 8/2010 Larsen
7,778,595 B2 8/2010 White et al.
7,778,632 B2 8/2010 Kurlander et al.
7,778,830 B2 8/2010 Davis et al.
7,779,353 B2 8/2010 Grigoriu et al.
7,779,356 B2 8/2010 Griesmer
7,779,357 B2 8/2010 Naik
7,783,283 B2 8/2010 Kuusinen et al.
7,783,486 B2 8/2010 Rosser et al.
7,788,590 B2 8/2010 Taboada et al.
7,788,663 B2 8/2010 Illowsky et al.
7,796,980 B1 9/2010 McKinney et al.
7,797,265 B2 9/2010 Brinker et al.
7,797,269 B2 9/2010 Rieman et al.
7,797,331 B2 9/2010 Theimer et al.
7,797,629 B2 9/2010 Fux et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,801,721 B2 9/2010 Rosart et al.
7,801,728 B2 9/2010 Ben-David et al.
7,801,729 B2 9/2010 Mozer
7,805,299 B2 9/2010 Coifman
7,809,550 B1 10/2010 Barrows
7,809,565 B2 10/2010 Coifman
7,809,569 B2 10/2010 Attwater et al.
7,809,570 B2 10/2010 Kennewick et al.
7,809,610 B2 10/2010 Cao
7,809,744 B2 10/2010 Nevidomski et al.
7,818,165 B2 10/2010 Carlgren et al.
7,818,176 B2 10/2010 Freeman et al.
7,818,215 B2 10/2010 King et al.
7,818,291 B2 10/2010 Ferguson et al.
7,818,672 B2 10/2010 Mccormack et al.
7,822,608 B2 10/2010 Cross, Jr. et al.
7,823,123 B2 10/2010 Sabbouh
7,826,945 B2 11/2010 Zhang et al.
7,827,047 B2 11/2010 Anderson et al.
7,831,246 B1 11/2010 Smith et al.
7,831,423 B2 11/2010 Schubert
7,831,426 B2 11/2010 Bennett
7,831,432 B2 11/2010 Bodin et al.
7,835,504 B1 11/2010 Donald et al.
7,836,437 B2 11/2010 Kacmarcik et al.
7,840,348 B2 11/2010 Kim et al.
7,840,400 B2 11/2010 Levi et al.
7,840,447 B2 11/2010 Kleinrock et al.
7,840,581 B2 11/2010 Ross et al.
7,840,912 B2 11/2010 Elias et al.
7,844,394 B2 11/2010 Kim
7,848,924 B2 12/2010 Nurminen et al.
7,848,926 B2 12/2010 Goto et al.
7,853,444 B2 12/2010 Wang et al.
7,853,445 B2 12/2010 Bachenko et al.
7,853,574 B2 12/2010 Kraenzel et al.
7,853,577 B2 12/2010 Sundaresan et al.
7,853,664 B1 12/2010 Wang et al.
7,853,900 B2 12/2010 Nguyen et al.
7,865,817 B2 1/2011 Ryan et al.
7,869,998 B1 1/2011 Di Fabbrizio et al.
7,869,999 B2 1/2011 Amato et al.
7,870,118 B2 1/2011 Jiang et al.
7,870,133 B2 1/2011 Krishnamoorthy et al.
7,873,149 B2 1/2011 Schultz et al.
7,873,519 B2 1/2011 Bennett
7,873,654 B2 1/2011 Bernard
7,877,705 B2 1/2011 Chambers et al.
7,880,730 B2 2/2011 Robinson et al.
7,881,283 B2 2/2011 Cormier et al.
7,881,936 B2 2/2011 Longe et al.
7,885,390 B2 2/2011 Chaudhuri et al.
7,885,844 B1 2/2011 Cohen et al.
7,886,233 B2 2/2011 Rainisto et al.
7,889,101 B2 2/2011 Yokota
7,889,184 B2 2/2011 Blumenberg et al.
7,889,185 B2 2/2011 Blumenberg et al.
7,890,330 B2 2/2011 Ozkaragoz et al.
7,890,652 B2 2/2011 Bull et al.
7,895,039 B2 2/2011 Braho et al.
7,895,531 B2 2/2011 Radtke et al.
7,899,666 B2 3/2011 Varone
7,904,297 B2 3/2011 Mirkovic et al.
7,908,287 B1 3/2011 Katragadda
7,912,289 B2 3/2011 Kansal et al.
7,912,699 B1 3/2011 Saraclar et al.
7,912,702 B2 3/2011 Bennett
7,912,720 B1 3/2011 Hakkani-Tur et al.
7,912,828 B2 3/2011 Bonnet et al.
7,913,185 B1 3/2011 Benson et al.
7,916,979 B2 3/2011 Simmons
7,917,367 B2 3/2011 Di Cristo et al.
7,917,497 B2 3/2011 Harrison et al.
7,920,678 B2 4/2011 Cooper et al.
7,920,682 B2 4/2011 Byrne et al.
7,920,857 B2 4/2011 Lau et al.
7,925,525 B2 4/2011 Chin
7,925,610 B2 4/2011 Elbaz et al.
7,929,805 B2 4/2011 Wang et al.
7,930,168 B2 4/2011 Weng et al.
7,930,183 B2 4/2011 Odell et al.
7,930,197 B2 4/2011 Ozzie et al.
7,936,339 B2 5/2011 Marggraff et al.
7,936,861 B2 5/2011 Martin et al.
7,936,863 B2 5/2011 John et al.
7,937,075 B2 5/2011 Zellner
7,941,009 B2 5/2011 Li et al.
7,945,294 B2 5/2011 Zhang et al.
7,945,470 B1 5/2011 Cohen et al.
7,949,529 B2 5/2011 Weider et al.
7,949,534 B2 5/2011 Davis et al.
7,949,752 B2 5/2011 Lange et al.
7,953,679 B2 5/2011 Chidlovskii et al.
7,957,975 B2 6/2011 Burns et al.
7,958,136 B1 6/2011 Curtis et al.
7,962,179 B2 6/2011 Huang
7,974,835 B2 7/2011 Balchandran et al.
7,974,844 B2 7/2011 Sumita
7,974,972 B2 7/2011 Cao
7,975,216 B2 7/2011 Woolf et al.
7,983,478 B2 7/2011 Liu et al.
7,983,915 B2 7/2011 Knight et al.
7,983,917 B2 7/2011 Kennewick et al.
7,983,919 B2 7/2011 Conkie
7,983,997 B2 7/2011 Allen et al.
7,984,062 B2 7/2011 Dunning et al.
7,986,431 B2 7/2011 Emori et al.
7,987,151 B2 7/2011 Schott et al.
7,987,244 B1 7/2011 Lewis et al.
7,991,614 B2 8/2011 Washio et al.
7,992,085 B2 8/2011 Wang-Aryattanwanich et al.
7,996,228 B2 8/2011 Miller et al.
7,996,589 B2 8/2011 Schultz et al.
7,996,769 B2 8/2011 Fux et al.
7,996,792 B2 8/2011 Anzures et al.
7,999,669 B2 8/2011 Singh et al.
8,000,453 B2 8/2011 Cooper et al.
8,005,664 B2 8/2011 Hanumanthappa
8,005,679 B2 8/2011 Jordan et al.
8,006,180 B2 8/2011 Tunning et al.
8,014,308 B2 9/2011 Gates et al.
8,015,006 B2 9/2011 Kennewick et al.
8,015,011 B2 9/2011 Nagano et al.
8,015,144 B2 9/2011 Zheng et al.
8,018,431 B1 9/2011 Zehr et al.
8,019,271 B1 9/2011 Izdepski
8,019,604 B2 9/2011 Ma
8,020,104 B2 9/2011 Robarts et al.
8,024,195 B2 9/2011 Mozer et al.
8,024,415 B2 9/2011 Horvitz et al.
8,027,836 B2 9/2011 Baker et al.
8,031,943 B2 10/2011 Chen et al.
8,032,383 B1 10/2011 Bhardwaj et al.
8,036,901 B2 10/2011 Mozer
8,037,034 B2 10/2011 Plachta et al.
8,041,557 B2 10/2011 Liu
8,041,570 B2 10/2011 Mirkovic et al.
8,041,611 B2 10/2011 Kleinrock et al.
8,042,053 B2 10/2011 Darwish et al.
8,046,363 B2 10/2011 Cha et al.
8,046,374 B1 10/2011 Bromwich et al.
8,050,500 B1 11/2011 Batty et al.
8,054,180 B1 11/2011 Scofield et al.
8,055,502 B2 11/2011 Clark et al.
8,055,708 B2 11/2011 Chitsaz et al.
8,056,070 B2 11/2011 Goller et al.
8,060,824 B2 11/2011 Brownrigg, Jr. et al.
8,064,753 B2 11/2011 Freeman
8,065,143 B2 11/2011 Yanagihara
8,065,155 B1 11/2011 Gazdzinski
8,065,156 B2 11/2011 Gazdzinski
8,068,604 B2 11/2011 Leeds et al.
8,069,046 B2 11/2011 Kennewick et al.
8,069,422 B2 11/2011 Sheshagiri et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,073,681 B2 12/2011 Baldwin et al.
8,073,695 B1 12/2011 Hendricks et al.
8,077,153 B2 12/2011 Benko et al.
8,078,473 B1 12/2011 Gazdzinski
8,082,153 B2 12/2011 Coffman et al.
8,082,498 B2 12/2011 Salamon et al.
8,090,571 B2 1/2012 Elshishiny et al.
8,095,364 B2 1/2012 Longe et al.
8,099,289 B2 1/2012 Mozer et al.
8,099,395 B2 1/2012 Pabla et al.
8,099,418 B2 1/2012 Inoue et al.
8,103,510 B2 1/2012 Sato
8,107,401 B2 1/2012 John et al.
8,112,275 B2 2/2012 Kennewick et al.
8,112,280 B2 2/2012 Lu
8,117,037 B2 2/2012 Gazdzinski
8,117,542 B2 2/2012 Radtke et al.
8,121,413 B2 2/2012 Hwang et al.
8,121,837 B2 2/2012 Agapi et al.
8,122,094 B1 2/2012 Kotab
8,122,353 B2 2/2012 Bouta
8,130,929 B2 3/2012 Wilkes et al.
8,131,557 B2 3/2012 Davis et al.
8,135,115 B1 3/2012 Hogg, Jr. et al.
8,138,912 B2 3/2012 Singh et al.
8,140,330 B2 3/2012 Cevik et al.
8,140,335 B2 3/2012 Kennewick et al.
8,140,567 B2 3/2012 Padovitz et al.
8,145,489 B2 3/2012 Freeman et al.
8,150,694 B2 4/2012 Kennewick et al.
8,150,700 B2 4/2012 Shin et al.
8,155,956 B2 4/2012 Cho et al.
8,156,005 B2 4/2012 Vieri
8,160,877 B1 4/2012 Nucci et al.
8,160,883 B2 4/2012 Lecoeuche
8,165,321 B2 4/2012 Paquier et al.
8,165,886 B1 4/2012 Gagnon et al.
8,166,019 B1 4/2012 Lee et al.
8,166,032 B2 4/2012 Sommer et al.
8,170,790 B2 5/2012 Lee et al.
8,175,872 B2 5/2012 Kristjansson et al.
8,175,876 B2 5/2012 Bou-Ghazale et al.
8,179,370 B1 5/2012 Yamasani et al.
8,188,856 B2 5/2012 Singh et al.
8,190,359 B2 5/2012 Bourne
8,190,596 B2 5/2012 Nambiar et al.
8,195,467 B2 6/2012 Mozer et al.
8,195,468 B2 6/2012 Kennewick et al.
8,200,489 B1 6/2012 Baggenstoss
8,200,495 B2 6/2012 Braho et al.
8,201,109 B2 6/2012 Van Os et al.
8,204,238 B2 6/2012 Mozer
8,205,788 B1 6/2012 Gazdzinski et al.
8,209,183 B1 6/2012 Patel et al.
8,213,911 B2 7/2012 Williams et al.
8,219,115 B1 7/2012 Nelissen
8,219,406 B2 7/2012 Yu et al.
8,219,407 B1 7/2012 Roy et al.
8,219,608 B2 7/2012 alSafadi et al.
8,224,649 B2 7/2012 Chaudhari et al.
8,228,299 B1 7/2012 Maloney et al.
8,233,919 B2 7/2012 Haag et al.
8,234,111 B2 7/2012 Lloyd et al.
8,239,206 B1 8/2012 LeBeau et al.
8,239,207 B2 8/2012 Seligman et al.
8,244,712 B2 8/2012 Serlet et al.
8,250,071 B1 8/2012 Killalea et al.
8,254,829 B1 8/2012 Kindred et al.
8,255,216 B2 8/2012 White
8,255,217 B2 8/2012 Stent et al.
8,260,247 B2 9/2012 Lazaridis et al.
8,260,617 B2 9/2012 Dhanakshirur et al.
8,270,933 B2 9/2012 Riemer et al.
8,271,287 B1 9/2012 Kermani
8,275,621 B2 9/2012 Alewine et al.
8,279,171 B2 10/2012 Hirai et al.
8,280,438 B2 10/2012 Barbera
8,285,546 B2 10/2012 Reich
8,285,551 B2 10/2012 Gazdzinski
8,285,553 B2 10/2012 Gazdzinski
8,290,777 B1 10/2012 Nguyen et al.
8,290,778 B2 10/2012 Gazdzinski
8,290,781 B2 10/2012 Gazdzinski
8,296,124 B1 10/2012 Holsztynska et al.
8,296,145 B2 10/2012 Clark et al.
8,296,146 B2 10/2012 Gazdzinski
8,296,153 B2 10/2012 Gazdzinski
8,296,380 B1 10/2012 Kelly et al.
8,296,383 B2 10/2012 Lindahl
8,300,776 B2 10/2012 Davies et al.
8,300,801 B2 10/2012 Sweeney et al.
8,301,456 B2 10/2012 Gazdzinski
8,311,189 B2 11/2012 Champlin et al.
8,311,834 B1 11/2012 Gazdzinski
8,311,835 B2 11/2012 Lecoeuche
8,311,838 B2 11/2012 Lindahl et al.
8,312,017 B2 11/2012 Martin et al.
8,321,786 B2 11/2012 Lunati et al.
8,326,627 B2 12/2012 Kennewick et al.
8,332,205 B2 12/2012 Krishnan et al.
8,332,218 B2 12/2012 Cross et al.
8,332,224 B2 12/2012 Di Cristo et al.
8,332,748 B1 12/2012 Karam
8,335,689 B2 12/2012 Wittenstein et al.
8,340,975 B1 12/2012 Rosenberger
8,345,665 B2 1/2013 Vieri et al.
8,346,563 B1 1/2013 Hjelm et al.
8,352,183 B2 1/2013 Thota et al.
8,352,268 B2 1/2013 Naik et al.
8,352,272 B2 1/2013 Rogers et al.
8,355,919 B2 1/2013 Silverman et al.
8,359,234 B2 1/2013 Vieri
8,370,145 B2 2/2013 Endo et al.
8,370,158 B2 2/2013 Gazdzinski
8,371,503 B2 2/2013 Gazdzinski
8,374,871 B2 2/2013 Ehsani et al.
8,375,320 B2 2/2013 Kotler et al.
8,380,504 B1 2/2013 Peden et al.
8,380,507 B2 2/2013 Herman et al.
8,381,107 B2 2/2013 Rottler et al.
8,381,135 B2 2/2013 Hotelling et al.
8,386,485 B2 2/2013 Kerschberg et al.
8,386,926 B1 2/2013 Matsuoka
8,391,844 B2 3/2013 Lamiraux et al.
8,396,714 B2 3/2013 Rogers et al.
8,401,163 B1 3/2013 Kirchhoff et al.
8,406,745 B1 3/2013 Upadhyay et al.
8,423,288 B2 4/2013 Stahl et al.
8,428,758 B2 4/2013 Naik et al.
8,433,572 B2 4/2013 Caskey et al.
8,433,778 B1 4/2013 Shreesha et al.
8,442,821 B1 5/2013 Vanhoucke
8,447,612 B2 5/2013 Gazdzinski
8,452,597 B2 5/2013 Bringert et al.
8,457,959 B2 6/2013 Kaiser
8,458,115 B2 6/2013 Cai et al.
8,458,278 B2 6/2013 Christie et al.
8,464,150 B2 6/2013 Davidson et al.
8,473,289 B2 6/2013 Jitkoff et al.
8,479,122 B2 7/2013 Hotelling et al.
8,484,027 B1 7/2013 Murphy
8,489,599 B2 7/2013 Bellotti
8,498,857 B2 7/2013 Kopparapu et al.
8,514,197 B2 8/2013 Shahraray et al.
8,515,750 B1 8/2013 Lei et al.
8,521,513 B2 8/2013 Millett et al.
8,521,531 B1 8/2013 Kim
8,527,276 B1 9/2013 Senior et al.
8,537,033 B2 9/2013 Gueziec
8,543,375 B2 9/2013 Hong
8,543,397 B1 9/2013 Nguyen
8,543,398 B1 9/2013 Strope et al.
8,560,229 B1 10/2013 Park et al.
8,571,851 B1 10/2013 Tickner et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

8,583,416 B2 11/2013 Huang et al.
8,583,511 B2 11/2013 Hendrickson
8,589,869 B2 11/2013 Wolfram
8,589,911 B1 11/2013 Sharkey et al.
8,595,004 B2 11/2013 Koshinaka
8,600,743 B2 12/2013 Lindahl et al.
8,600,746 B1 12/2013 Lei et al.
8,600,930 B2 12/2013 Sata et al.
8,606,090 B2 12/2013 Eyer
8,606,568 B1 12/2013 Tickner et al.
8,606,576 B1 12/2013 Barr et al.
8,620,659 B2 12/2013 Di Cristo et al.
8,620,662 B2 12/2013 Bellegarda
8,626,681 B1 1/2014 Jurca et al.
8,638,363 B2 1/2014 King et al.
8,639,516 B2 1/2014 Lindahl et al.
8,645,137 B2 2/2014 Bellegarda et al.
8,645,138 B1 2/2014 Weinstein et al.
8,654,936 B1 2/2014 Tofighbakhsh et al.
8,655,646 B2 2/2014 Lee et al.
8,655,901 B1 2/2014 Li et al.
8,660,843 B2 2/2014 Falcon et al.
8,660,849 B2 2/2014 Gruber et al.
8,660,970 B1 2/2014 Fiedorowicz
8,661,112 B2 2/2014 Creamer et al.
8,661,340 B2 2/2014 Goldsmith et al.
8,670,979 B2 3/2014 Gruber et al.
8,675,084 B2 3/2014 Bolton et al.
8,676,904 B2 3/2014 Lindahl et al.
8,677,377 B2 3/2014 Cheyer et al.
8,681,950 B2 3/2014 Vlack et al.
8,682,667 B2 3/2014 Haughay et al.
8,687,777 B1 4/2014 Lavian et al.
8,688,446 B2 4/2014 Yanagihara et al.
8,688,453 B1 4/2014 Joshi et al.
8,695,074 B2 4/2014 Saraf et al.
8,696,364 B2 4/2014 Cohen
8,706,472 B2 4/2014 Ramerth et al.
8,706,474 B2 4/2014 Blume et al.
8,706,503 B2 4/2014 Cheyer et al.
8,713,119 B2 4/2014 Lindahl et al.
8,713,418 B2 4/2014 King et al.
8,719,006 B2 5/2014 Bellegarda et al.
8,719,014 B2 5/2014 Wagner et al.
8,731,610 B2 5/2014 Appaji
8,731,912 B1 5/2014 Tickner et al.
8,731,942 B2 5/2014 Cheyer et al.
8,739,208 B2 5/2014 Rodriguez et al.
8,744,852 B1 6/2014 Seymour et al.
8,760,537 B2 6/2014 Johnson et al.
8,762,145 B2 6/2014 Ouchi et al.
8,762,156 B2 6/2014 Chen et al.
8,762,469 B2 6/2014 Lindahl et al.
8,768,693 B2 7/2014 Lempel et al.
8,768,702 B2 7/2014 Boettcher et al.
8,775,154 B2 7/2014 Clinchant et al.
8,775,931 B2 7/2014 Fux et al.
8,781,456 B2 7/2014 Prociw
8,781,841 B1 7/2014 Wang
8,798,255 B2 8/2014 Lubowich et al.
8,798,995 B1 8/2014 Edara et al.
8,799,000 B2 8/2014 Guzzoni et al.
8,805,690 B1 8/2014 LeBeau et al.
8,812,302 B2 8/2014 Xiao et al.
8,838,457 B2 9/2014 Cerra et al.
8,855,915 B2 10/2014 Furuhata et al.
8,861,925 B1 10/2014 Ohme
8,862,252 B2 10/2014 Rottler et al.
8,868,409 B1 10/2014 Mengibar et al.
8,880,405 B2 11/2014 Cerra et al.
8,886,534 B2 11/2014 Nakano et al.
8,886,540 B2 11/2014 Cerra et al.
8,886,541 B2 11/2014 Friedlander
8,892,446 B2 11/2014 Cheyer et al.
8,893,023 B2 11/2014 Perry et al.
8,898,568 B2 11/2014 Bull et al.
8,903,716 B2 12/2014 Chen et al.
8,909,693 B2 12/2014 Frissora et al.
8,930,176 B2 1/2015 Li et al.
8,930,191 B2 1/2015 Gruber et al.
8,938,394 B1 1/2015 Faaborg et al.
8,938,450 B2 1/2015 Spivack et al.
8,938,688 B2 1/2015 Bradford et al.
8,942,986 B2 1/2015 Cheyer et al.
8,943,423 B2 1/2015 Merrill et al.
8,972,240 B2 3/2015 Brockett et al.
8,972,432 B2 3/2015 Shaw et al.
8,972,878 B2 3/2015 Mohler et al.
8,983,383 B1 3/2015 Haskin
8,989,713 B2 3/2015 Doulton
8,990,235 B2 3/2015 King et al.
8,994,660 B2 3/2015 Neels et al.
8,996,350 B1 3/2015 Dub et al.
8,996,376 B2 3/2015 Fleizach et al.
8,996,381 B2 3/2015 Mozer et al.
8,996,639 B1 3/2015 Faaborg et al.
9,009,046 B1 4/2015 Stewart
9,020,804 B2 4/2015 Barbaiani et al.
9,026,425 B2 5/2015 Nikoulina et al.
9,031,834 B2 5/2015 Coorman et al.
9,037,967 B1 5/2015 Al-Jefri et al.
9,043,208 B2 5/2015 Koch et al.
9,049,255 B2 6/2015 MacFarlane et al.
9,049,295 B1 6/2015 Cooper et al.
9,053,706 B2 6/2015 Jitkoff et al.
9,058,811 B2 6/2015 Wang et al.
9,063,979 B2 6/2015 Chiu et al.
9,070,366 B1 6/2015 Mathias et al.
9,071,701 B2 6/2015 Donaldson et al.
9,076,448 B2 7/2015 Bennett et al.
9,076,450 B1 7/2015 Sadek et al.
9,081,411 B2 7/2015 Kalns et al.
9,081,482 B1 7/2015 Zhai et al.
9,082,402 B2 7/2015 Yadgar et al.
9,098,467 B1 8/2015 Blanksteen et al.
9,101,279 B2 8/2015 Ritchey et al.
9,112,984 B2 8/2015 Sejnoha et al.
9,117,447 B2 8/2015 Gruber et al.
9,123,338 B1 9/2015 Sanders et al.
9,164,983 B2 * 10/2015 Liu G06F 17/2217
9,171,541 B2 10/2015 Kennewick et al.
9,171,546 B1 10/2015 Pike
9,190,062 B2 11/2015 Haughay
9,208,153 B1 12/2015 Zaveri et al.
9,218,809 B2 12/2015 Bellegarda
9,218,819 B1 12/2015 Stekkelpak et al.
9,223,537 B2 12/2015 Brown et al.
9,255,812 B2 2/2016 Maeoka et al.
9,258,604 B1 2/2016 Bilobrov et al.
9,262,612 B2 2/2016 Cheyer
9,280,535 B2 3/2016 Varma et al.
9,286,910 B1 3/2016 Li et al.
9,292,487 B1 3/2016 Weber
9,292,489 B1 3/2016 Sak et al.
9,299,344 B2 3/2016 Braho et al.
9,300,718 B2 3/2016 Khanna
9,305,543 B2 4/2016 Fleizach et al.
9,305,548 B2 4/2016 Kennewick et al.
9,311,912 B1 4/2016 Swietlinski et al.
9,313,317 B1 4/2016 LeBeau et al.
9,318,108 B2 4/2016 Gruber et al.
9,325,809 B1 4/2016 Barros et al.
9,330,659 B2 5/2016 Ju et al.
9,330,720 B2 5/2016 Lee
9,338,493 B2 5/2016 Van Os et al.
9,349,368 B1 5/2016 LeBeau et al.
9,361,084 B1 6/2016 Costa
9,367,541 B1 6/2016 Servan et al.
9,377,871 B2 6/2016 Waddell et al.
9,378,740 B1 6/2016 Rosen et al.
9,380,155 B1 6/2016 Reding et al.
9,390,726 B1 7/2016 Smus et al.
9,396,722 B2 7/2016 Chung et al.
9,401,147 B2 7/2016 Jitkoff et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

9,406,224 B1 8/2016 Sanders et al.
9,412,392 B2 8/2016 Lindahl
9,423,266 B2 8/2016 Clark et al.
9,424,840 B1 8/2016 Hart et al.
9,436,918 B2 9/2016 Pantel et al.
9,437,186 B1 9/2016 Liu et al.
9,437,189 B2 9/2016 Epstein et al.
9,454,957 B1 9/2016 Mathias et al.
9,465,833 B2 10/2016 Aravamudan et al.
9,471,566 B1 10/2016 Zhang et al.
9,484,021 B1 11/2016 Mairesse et al.
9,495,129 B2 11/2016 Fleizach et al.
9,501,741 B2 11/2016 Cheyer et al.
9,502,025 B2 11/2016 Kennewick et al.
9,508,028 B2 11/2016 Bannister et al.
9,510,044 B1 11/2016 Pereira et al.
9,535,906 B2 1/2017 Lee et al.
9,536,527 B1 1/2017 Carlson
9,547,647 B2 1/2017 Badaskar
9,548,050 B2 1/2017 Gruber et al.
9,569,549 B1 2/2017 Jenkins et al.
9,575,964 B2 2/2017 Yadgar et al.
9,578,173 B2 2/2017 Sanghavi et al.
9,607,612 B2 3/2017 Deleeuw
9,620,113 B2 4/2017 Kennewick et al.
9,620,126 B2 4/2017 Chiba
9,626,955 B2 4/2017 Fleizach et al.
9,633,004 B2 4/2017 Giuli et al.
9,633,660 B2 4/2017 Haughay
9,652,453 B2 5/2017 Mathur et al.
9,658,746 B2 5/2017 Cohn et al.
9,665,567 B2 5/2017 Liu et al.
9,668,121 B2 5/2017 Naik et al.
9,672,725 B2 6/2017 Dotan-Cohen et al.
9,691,378 B1 6/2017 Meyers et al.
9,697,827 B1 7/2017 Lilly et al.
9,720,907 B2 8/2017 Bangalore et al.
9,721,566 B2 8/2017 Newendorp et al.
9,734,839 B1 8/2017 Adams
9,741,343 B1 8/2017 Miles et al.
9,747,083 B1 8/2017 Roman et al.
9,755,605 B1 9/2017 Li et al.
9,842,584 B1 12/2017 Hart et al.
9,934,785 B1 4/2018 Hulaud
9,948,728 B2 4/2018 Linn et al.
9,966,068 B2 5/2018 Cash et al.
9,967,381 B1 5/2018 Kashimba et al.
9,990,176 B1 6/2018 Gray
10,037,758 B2 7/2018 Jing et al.
10,049,663 B2 8/2018 Orr et al.
10,096,319 B1 10/2018 Jin et al.
2008/0001785 A1 1/2008 Elizarov et al.
2008/0010050 A1 1/2008 Fux et al.
2008/0010355 A1 1/2008 Vieri et al.
2008/0010605 A1 1/2008 Frank et al.
2008/0012950 A1 1/2008 Lee et al.
2008/0013751 A1 1/2008 Hiselius
2008/0015863 A1 1/2008 Agapi et al.
2008/0015864 A1 1/2008 Ross et al.
2008/0016575 A1 1/2008 Vincent et al.
2008/0021708 A1 1/2008 Bennett et al.
2008/0021886 A1 1/2008 Wang-Aryattanwanich et al.
2008/0022208 A1 1/2008 Morse
2008/0027711 A1 1/2008 Rajendran et al.
2008/0027726 A1 1/2008 Hansen et al.
2008/0031475 A1 2/2008 Goldstein
2008/0033719 A1 2/2008 Hall et al.
2008/0033723 A1 2/2008 Jang et al.
2008/0034032 A1 2/2008 Healey et al.
2008/0034044 A1 2/2008 Bhakta et al.
2008/0034081 A1 2/2008 Marshall et al.
2008/0036743 A1 2/2008 Westerman et al.
2008/0040339 A1 2/2008 Zhou et al.
2008/0042970 A1 2/2008 Liang et al.
2008/0043936 A1 2/2008 Liebermann
2008/0043943 A1 2/2008 Sipher et al.
2008/0046239 A1 2/2008 Boo
2008/0046250 A1 2/2008 Agapi et al.
2008/0046422 A1 2/2008 Lee et al.
2008/0046820 A1 2/2008 Lee et al.
2008/0046948 A1 2/2008 Verosub
2008/0048908 A1 2/2008 Sato
2008/0050027 A1 2/2008 Bashyam et al.
2008/0052063 A1 2/2008 Bennett et al.
2008/0052073 A1 2/2008 Goto et al.
2008/0052077 A1 2/2008 Bennett et al.
2008/0052080 A1 2/2008 Narayanan et al.
2008/0052262 A1 2/2008 Kosinov et al.
2008/0055194 A1 3/2008 Baudino et al.
2008/0056459 A1 3/2008 Vallier et al.
2008/0056579 A1 3/2008 Guha
2008/0057922 A1 3/2008 Kokes et al.
2008/0059190 A1 3/2008 Chu et al.
2008/0059200 A1 3/2008 Puli
2008/0059876 A1 3/2008 Hantler et al.
2008/0062141 A1 3/2008 Chandhri
2008/0065382 A1 3/2008 Gerl et al.
2008/0065387 A1 3/2008 Cross et al.
2008/0066135 A1 3/2008 Brodersen et al.
2008/0071529 A1 3/2008 Silverman et al.
2008/0071544 A1 3/2008 Beaufays et al.
2008/0071742 A1 3/2008 Yang et al.
2008/0072143 A1 3/2008 Assadollahi
2008/0075296 A1 3/2008 Lindahl et al.
2008/0076972 A1 3/2008 Dorogusker et al.
2008/0077310 A1 3/2008 Murlidar et al.
2008/0077384 A1 3/2008 Agapi et al.
2008/0077386 A1 3/2008 Gao et al.
2008/0077391 A1 3/2008 Chino et al.
2008/0077393 A1 3/2008 Gao et al.
2008/0077406 A1 3/2008 Ganong, III
2008/0077859 A1 3/2008 Schabes et al.
2008/0079566 A1 4/2008 Singh et al.
2008/0080411 A1 4/2008 Cole
2008/0082332 A1 4/2008 Mallett et al.
2008/0082338 A1 4/2008 O'Neil et al.
2008/0082390 A1 4/2008 Hawkins et al.
2008/0082576 A1 4/2008 Bodin et al.
2008/0082651 A1 4/2008 Singh et al.
2008/0084974 A1 4/2008 Dhanakshirur
2008/0085689 A1 4/2008 Zellner
2008/0086306 A1 4/2008 Hirota et al.
2008/0091406 A1 4/2008 Baldwin et al.
2008/0091426 A1 4/2008 Rempel et al.
2008/0091428 A1 4/2008 Bellegarda
2008/0091443 A1 4/2008 Strope et al.
2008/0096531 A1 4/2008 McQuaide et al.
2008/0096533 A1 4/2008 Manfredi et al.
2008/0096726 A1 4/2008 Riley et al.
2008/0097937 A1 4/2008 Hadjarian
2008/0098302 A1 4/2008 Roose
2008/0098480 A1 4/2008 Henry et al.
2008/0100579 A1 5/2008 Robinson et al.
2008/0101584 A1 5/2008 Gray et al.
2008/0103774 A1 5/2008 White
2008/0109222 A1 5/2008 Liu
2008/0109402 A1 5/2008 Wang et al.
2008/0114480 A1 5/2008 Harb
2008/0114598 A1 5/2008 Prieto et al.
2008/0114604 A1 5/2008 Wei et al.
2008/0114841 A1 5/2008 Lambert
2008/0115084 A1 5/2008 Scott et al.
2008/0118143 A1 5/2008 Gordon et al.
2008/0119953 A1 5/2008 Reed
2008/0120102 A1 5/2008 Rao
2008/0120112 A1 5/2008 Jordan et al.
2008/0120196 A1 5/2008 Reed et al.
2008/0120311 A1 5/2008 Reed
2008/0120312 A1 5/2008 Reed
2008/0120330 A1 5/2008 Reed
2008/0120342 A1 5/2008 Reed et al.
2008/0122796 A1 5/2008 Jobs et al.
2008/0124695 A1 5/2008 Myers et al.
2008/0126075 A1 5/2008 Thorn et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2008/0126077 A1 5/2008 Thorn
2008/0126091 A1 5/2008 Clark et al.
2008/0126093 A1 5/2008 Sivadas
2008/0126100 A1 5/2008 Grost et al.
2008/0126491 A1 5/2008 Portele et al.
2008/0129520 A1 6/2008 Lee
2008/0130867 A1 6/2008 Bowen
2008/0131006 A1 6/2008 Oliver
2008/0132221 A1 6/2008 Willey et al.
2008/0132295 A1 6/2008 Horowitz
2008/0133215 A1 6/2008 Sarukkai
2008/0133228 A1 6/2008 Rao
2008/0133230 A1 6/2008 Herforth et al.
2008/0133241 A1 6/2008 Baker et al.
2008/0133244 A1 6/2008 Bodin et al.
2008/0133245 A1 6/2008 Proulx et al.
2008/0133479 A1 6/2008 Zelevinsky et al.
2008/0133956 A1 6/2008 Fadell
2008/0140413 A1 6/2008 Millman et al.
2008/0140415 A1 6/2008 Shostak
2008/0140416 A1 6/2008 Shostak
2008/0140652 A1 6/2008 Millman et al.
2008/0140657 A1 6/2008 Azvine et al.
2008/0140702 A1 6/2008 Reed et al.
2008/0141125 A1 6/2008 Ghassabian et al.
2008/0141180 A1 6/2008 Reed et al.
2008/0141182 A1 6/2008 Barsness et al.
2008/0146245 A1 6/2008 Appaji
2008/0146290 A1 6/2008 Sreeram et al.
2008/0147408 A1 6/2008 Da Palma et al.
2008/0147411 A1 6/2008 Dames et al.
2008/0147874 A1 6/2008 Yoneda et al.
2008/0150900 A1 6/2008 Han
2008/0154577 A1 6/2008 Kim et al.
2008/0154599 A1 6/2008 Muschett et al.
2008/0154600 A1 6/2008 Tian et al.
2008/0154603 A1 6/2008 Oddo
2008/0154612 A1 6/2008 Evermann et al.
2008/0154828 A1 6/2008 Antebi et al.
2008/0157867 A1 7/2008 Krah
2008/0161113 A1 7/2008 Hansen et al.
2008/0162120 A1 7/2008 Mactavish et al.
2008/0162137 A1 7/2008 Saitoh et al.
2008/0162471 A1 7/2008 Bernard
2008/0163119 A1 7/2008 Kim et al.
2008/0163131 A1 7/2008 Hirai et al.
2008/0165144 A1 7/2008 Forstall et al.
2008/0165980 A1 7/2008 Pavlovic et al.
2008/0165994 A1 7/2008 Caren et al.
2008/0167013 A1 7/2008 Novick et al.
2008/0167858 A1 7/2008 Christie et al.
2008/0167876 A1 7/2008 Bakis et al.
2008/0168052 A1 7/2008 Ott et al.
2008/0168144 A1 7/2008 Lee
2008/0168366 A1 7/2008 Kocienda et al.
2008/0172698 A1 7/2008 Berger et al.
2008/0183473 A1 7/2008 Nagano et al.
2008/0186960 A1 8/2008 Kocheisen et al.
2008/0189099 A1 8/2008 Friedman et al.
2008/0189106 A1 8/2008 Low et al.
2008/0189110 A1 8/2008 Freeman et al.
2008/0189114 A1 8/2008 Fail et al.
2008/0189360 A1 8/2008 Kiley et al.
2008/0189606 A1 8/2008 Rybak
2008/0195312 A1 8/2008 Aaron et al.
2008/0195388 A1 8/2008 Bower et al.
2008/0195391 A1 8/2008 Marple et al.
2008/0195601 A1 8/2008 Ntoulas et al.
2008/0195630 A1 8/2008 Exartier et al.
2008/0195940 A1 8/2008 Gail et al.
2008/0200142 A1 8/2008 Abdel-Kader et al.
2008/0201000 A1 8/2008 Heikkila et al.
2008/0201306 A1 8/2008 Cooper et al.
2008/0201375 A1 8/2008 Khedouri et al.
2008/0201434 A1 8/2008 Holmes et al.
2008/0204379 A1 8/2008 Perez-Noguera
2008/0207176 A1 8/2008 Brackbill et al.
2008/0208585 A1 8/2008 Ativanichayaphong et al.
2008/0208587 A1 8/2008 Ben-David et al.
2008/0208864 A1 8/2008 Cucerzan et al.
2008/0212796 A1 9/2008 Denda
2008/0215678 A1 9/2008 Coletrane et al.
2008/0219641 A1 9/2008 Sandrew et al.
2008/0221866 A1 9/2008 Katragadda et al.
2008/0221879 A1 9/2008 Cerra et al.
2008/0221880 A1 9/2008 Cerra et al.
2008/0221887 A1 9/2008 Rose et al.
2008/0221889 A1 9/2008 Cerra et al.
2008/0221903 A1 9/2008 Kanevsky et al.
2008/0222118 A1 9/2008 Scian et al.
2008/0226130 A1 9/2008 Kansai et al.
2008/0228463 A1 9/2008 Mori et al.
2008/0228485 A1 9/2008 Owen
2008/0228490 A1 9/2008 Fischer et al.
2008/0228495 A1 9/2008 Cross et al.
2008/0228496 A1 9/2008 Yu et al.
2008/0228928 A1 9/2008 Donelli et al.
2008/0229185 A1 9/2008 Lynch
2008/0229218 A1 9/2008 Maeng
2008/0235017 A1 9/2008 Satomura et al.
2008/0235018 A1 9/2008 Eggen et al.
2008/0235023 A1 9/2008 Kennewick et al.
2008/0235024 A1 9/2008 Goldberg et al.
2008/0235027 A1 9/2008 Cross
2008/0240569 A1 10/2008 Tonouchi
2008/0242280 A1 10/2008 Shapiro et al.
2008/0242322 A1 10/2008 Scott et al.
2008/0242363 A1 10/2008 Onda et al.
2008/0243501 A1 10/2008 Hafsteinsson et al.
2008/0243834 A1 10/2008 Rieman et al.
2008/0244390 A1 10/2008 Fux et al.
2008/0244446 A1 10/2008 Lefevre et al.
2008/0247519 A1 10/2008 Abella et al.
2008/0247529 A1 10/2008 Barton et al.
2008/0248797 A1 10/2008 Freeman et al.
2008/0249770 A1 10/2008 Kim et al.
2008/0249778 A1 10/2008 Barton et al.
2008/0253577 A1 10/2008 Eppolito
2008/0254419 A1 10/2008 Cohen
2008/0254425 A1 10/2008 Cohen et al.
2008/0255837 A1 10/2008 Kahn et al.
2008/0255842 A1 10/2008 Simhi et al.
2008/0255845 A1 10/2008 Bennett
2008/0256613 A1 10/2008 Grover
2008/0259022 A1 10/2008 Mansfield et al.
2008/0261572 A1 10/2008 Tsui et al.
2008/0262828 A1 10/2008 Och et al.
2008/0262838 A1 10/2008 Nurminen et al.
2008/0262846 A1 10/2008 Burns et al.
2008/0263139 A1 10/2008 Martin
2008/0267416 A1 10/2008 Goldstein et al.
2008/0270118 A1 10/2008 Kuo et al.
2008/0270138 A1 10/2008 Knight et al.
2008/0270139 A1 10/2008 Shi et al.
2008/0270140 A1 10/2008 Hertz et al.
2008/0270151 A1 10/2008 Mahoney et al.
2008/0270344 A1 10/2008 Yurick et al.
2008/0273672 A1 11/2008 Didcock et al.
2008/0277473 A1 11/2008 Kotlarsky et al.
2008/0281510 A1 11/2008 Shahine
2008/0281582 A1 11/2008 Hsu et al.
2008/0288259 A1 11/2008 Chambers et al.
2008/0288460 A1 11/2008 Poniatowski et al.
2008/0292112 A1 11/2008 Valenzuela et al.
2008/0294418 A1 11/2008 Cleary et al.
2008/0294517 A1 11/2008 Hill
2008/0294651 A1 11/2008 Masuyama et al.
2008/0294981 A1 11/2008 Balzano et al.
2008/0298563 A1 12/2008 Rondeau et al.
2008/0298766 A1 12/2008 Wen et al.
2008/0299523 A1 12/2008 Chai et al.
2008/0300857 A1 12/2008 Barbaiani et al.
2008/0300871 A1 12/2008 Gilbert
2008/0300877 A1 12/2008 Gilbert et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2008/0300878 A1 12/2008 Bennett
2008/0300886 A1 12/2008 Patch
2008/0301567 A1 12/2008 Martin et al.
2008/0303645 A1 12/2008 Seymour et al.
2008/0306727 A1 12/2008 Thurmair et al.
2008/0312909 A1 12/2008 Hermansen et al.
2008/0312928 A1 12/2008 Goebel et al.
2008/0313335 A1 12/2008 Jung et al.
2008/0316183 A1 12/2008 Westerman et al.
2008/0319735 A1 12/2008 Kambhatla et al.
2008/0319738 A1 12/2008 Liu et al.
2008/0319753 A1 12/2008 Hancock
2008/0319763 A1 12/2008 Di Fabbrizio et al.
2008/0319783 A1 12/2008 Yao et al.
2009/0003115 A1 1/2009 Lindahl et al.
2009/0005012 A1 1/2009 Van Heugten
2009/0005891 A1 1/2009 Batson et al.
2009/0006096 A1 1/2009 Li et al.
2009/0006097 A1 1/2009 Etezadi et al.
2009/0006099 A1 1/2009 Sharpe et al.
2009/0006100 A1 1/2009 Badger et al.
2009/0006343 A1 1/2009 Platt et al.
2009/0006345 A1 1/2009 Platt et al.
2009/0006488 A1 1/2009 Lindahl et al.
2009/0006671 A1 1/2009 Batson et al.
2009/0007001 A1 1/2009 Morin et al.
2009/0011709 A1 1/2009 Akasaka et al.
2009/0012748 A1 1/2009 Beish et al.
2009/0012775 A1 1/2009 El Hady et al.
2009/0018828 A1 1/2009 Nakadai et al.
2009/0018829 A1 1/2009 Kuperstein
2009/0018834 A1 1/2009 Cooper et al.
2009/0018835 A1 1/2009 Cooper et al.
2009/0018839 A1 1/2009 Cooper et al.
2009/0018840 A1 1/2009 Lutz et al.
2009/0022329 A1 1/2009 Mahowald
2009/0024595 A1 1/2009 Chen
2009/0028435 A1 1/2009 Wu et al.
2009/0030685 A1 1/2009 Cerra et al.
2009/0030800 A1 1/2009 Grois
2009/0030978 A1 1/2009 Johnson et al.
2009/0043580 A1 2/2009 Mozer et al.
2009/0043583 A1 2/2009 Agapi et al.
2009/0043763 A1 2/2009 Peng
2009/0044094 A1 2/2009 Rapp et al.
2009/0048821 A1 2/2009 Yam et al.
2009/0048841 A1 2/2009 Pollet et al.
2009/0048845 A1 2/2009 Burckart et al.
2009/0049067 A1 2/2009 Murray
2009/0055168 A1 2/2009 Wu et al.
2009/0055175 A1 2/2009 Terrell et al.
2009/0055179 A1 2/2009 Cho et al.
2009/0055186 A1 2/2009 Lance et al.
2009/0055380 A1 2/2009 Peng et al.
2009/0055381 A1 2/2009 Wu et al.
2009/0055648 A1 2/2009 Kim et al.
2009/0058823 A1 3/2009 Kocienda
2009/0058860 A1 3/2009 Fong et al.
2009/0060351 A1 3/2009 Li et al.
2009/0060472 A1 3/2009 Bull et al.
2009/0063974 A1 3/2009 Bull et al.
2009/0064031 A1 3/2009 Bull et al.
2009/0070097 A1 3/2009 Wu et al.
2009/0070102 A1 3/2009 Maegawa
2009/0070109 A1 3/2009 Didcock et al.
2009/0070114 A1 3/2009 Staszak
2009/0074214 A1 3/2009 Bradford et al.
2009/0076792 A1 3/2009 Lawson-Tancred
2009/0076796 A1 3/2009 Daraselia
2009/0076798 A1 3/2009 Oh et al.
2009/0076819 A1 3/2009 Wouters et al.
2009/0076821 A1 3/2009 Brenner et al.
2009/0076825 A1 3/2009 Bradford et al.
2009/0077047 A1 3/2009 Cooper et al.
2009/0077165 A1 3/2009 Rhodes et al.
2009/0077464 A1 3/2009 Goldsmith et al.
2009/0079622 A1 3/2009 Seshadri et al.
2009/0083034 A1 3/2009 Hernandez et al.
2009/0083035 A1 3/2009 Huang et al.
2009/0083036 A1 3/2009 Zhao et al.
2009/0083037 A1 3/2009 Gleason et al.
2009/0083047 A1 3/2009 Lindahl et al.
2009/0089058 A1 4/2009 Bellegarda
2009/0091537 A1 4/2009 Huang et al.
2009/0092239 A1 4/2009 Macwan et al.
2009/0092260 A1 4/2009 Powers
2009/0092261 A1 4/2009 Bard
2009/0092262 A1 4/2009 Costa et al.
2009/0094029 A1 4/2009 Koch et al.
2009/0094033 A1 4/2009 Mozer et al.
2009/0097634 A1 4/2009 Nambiar et al.
2009/0097637 A1 4/2009 Boscher et al.
2009/0098903 A1 4/2009 Donaldson et al.
2009/0100049 A1 4/2009 Cao
2009/0100454 A1 4/2009 Weber
2009/0104898 A1 4/2009 Harris
2009/0106026 A1 4/2009 Ferrieux
2009/0106376 A1 4/2009 Tom et al.
2009/0106397 A1 4/2009 O'Keefe
2009/0112572 A1 4/2009 Thorn
2009/0112576 A1 4/2009 Jackson et al.
2009/0112592 A1 4/2009 Candelore et al.
2009/0112596 A1 4/2009 Syrdal et al.
2009/0112677 A1 4/2009 Rhett
2009/0112892 A1 4/2009 Cardie et al.
2009/0119587 A1 5/2009 Allen et al.
2009/0123021 A1 5/2009 Jung et al.
2009/0123071 A1 5/2009 Iwasaki
2009/0125477 A1 5/2009 Lu et al.
2009/0125602 A1 5/2009 Bhatia et al.
2009/0125813 A1 5/2009 Shen et al.
2009/0125947 A1 5/2009 Ibaraki
2009/0128505 A1 5/2009 Partridge et al.
2009/0132253 A1 5/2009 Bellegarda
2009/0132255 A1 5/2009 Lu
2009/0137286 A1 5/2009 Luke et al.
2009/0138263 A1 5/2009 Shozakai et al.
2009/0138430 A1 5/2009 Nambiar et al.
2009/0138736 A1 5/2009 Chin
2009/0138828 A1 5/2009 Schultz et al.
2009/0144036 A1 6/2009 Jorgensen et al.
2009/0144049 A1 6/2009 Haddad et al.
2009/0144428 A1 6/2009 Bowater et al.
2009/0144609 A1 6/2009 Liang et al.
2009/0146848 A1 6/2009 Ghassabian
2009/0150147 A1 6/2009 Jacoby et al.
2009/0150156 A1 6/2009 Kennewick et al.
2009/0152349 A1 6/2009 Bonev et al.
2009/0153288 A1 6/2009 Hope et al.
2009/0154669 A1 6/2009 Wood et al.
2009/0157382 A1 6/2009 Bar
2009/0157384 A1 6/2009 Toutanova et al.
2009/0157401 A1 6/2009 Bennett
2009/0158200 A1 6/2009 Palahnuk et al.
2009/0158323 A1 6/2009 Bober et al.
2009/0158423 A1 6/2009 Orlassino et al.
2009/0160803 A1 6/2009 Hashimoto
2009/0163243 A1 6/2009 Barbera
2009/0164301 A1 6/2009 O'Sullivan et al.
2009/0164441 A1 6/2009 Cheyer
2009/0164655 A1 6/2009 Pettersson et al.
2009/0164937 A1 6/2009 Alviar et al.
2009/0167508 A1 7/2009 Fadell et al.
2009/0167509 A1 7/2009 Fadell et al.
2009/0171578 A1 7/2009 Kim et al.
2009/0171662 A1 7/2009 Huang et al.
2009/0171664 A1 7/2009 Kennewick et al.
2009/0172108 A1 7/2009 Singh
2009/0172542 A1 7/2009 Girish et al.
2009/0174667 A1 7/2009 Kocienda et al.
2009/0174677 A1 7/2009 Gehani et al.
2009/0177300 A1 7/2009 Lee
2009/0177461 A1 7/2009 Ehsani et al.
2009/0177966 A1 7/2009 Chaudhri

(56) **References Cited**

U.S. PATENT DOCUMENTS

2009/0182445 A1 7/2009 Girish et al.
2009/0182549 A1 7/2009 Anisimovich et al.
2009/0182702 A1 7/2009 Miller
2009/0183070 A1 7/2009 Robbins
2009/0187402 A1 7/2009 Scholl
2009/0187577 A1 7/2009 Reznik et al.
2009/0187950 A1 7/2009 Nicas et al.
2009/0190774 A1 7/2009 Wang et al.
2009/0191895 A1 7/2009 Singh et al.
2009/0192782 A1 7/2009 Drewes
2009/0192787 A1 7/2009 Roon
2009/0192798 A1 7/2009 Basson et al.
2009/0198497 A1 8/2009 Kwon
2009/0204402 A1 8/2009 Marhawa et al.
2009/0204409 A1 8/2009 Mozer et al.
2009/0204478 A1 8/2009 Kaib et al.
2009/0204596 A1 8/2009 Brun et al.
2009/0204601 A1 8/2009 Grasset
2009/0204620 A1 8/2009 Thione et al.
2009/0210230 A1 8/2009 Schwarz et al.
2009/0210232 A1 8/2009 Sanchez et al.
2009/0213134 A1 8/2009 Stephanick et al.
2009/0215466 A1 8/2009 Ahl et al.
2009/0215503 A1 8/2009 Zhang et al.
2009/0216396 A1 8/2009 Yamagata
2009/0216528 A1 8/2009 Gemello et al.
2009/0216540 A1 8/2009 Tessel et al.
2009/0216704 A1 8/2009 Zheng et al.
2009/0219166 A1 9/2009 MacFarlane et al.
2009/0221274 A1 9/2009 Venkatakrishnan et al.
2009/0222257 A1 9/2009 Sumita et al.
2009/0222270 A2 9/2009 Likens et al.
2009/0222488 A1 9/2009 Boerries et al.
2009/0228126 A1 9/2009 Spielberg et al.
2009/0228273 A1 9/2009 Wang et al.
2009/0228277 A1 9/2009 Bonforte et al.
2009/0228281 A1 9/2009 Singleton et al.
2009/0228439 A1 9/2009 Manolescu et al.
2009/0228792 A1 9/2009 Van Os et al.
2009/0228842 A1 9/2009 Westerman et al.
2009/0233264 A1 9/2009 Rogers et al.
2009/0234638 A1 9/2009 Ranjan et al.
2009/0234651 A1 9/2009 Basir et al.
2009/0234655 A1 9/2009 Kwon
2009/0235280 A1 9/2009 Tannier et al.
2009/0239202 A1 9/2009 Stone
2009/0239552 A1 9/2009 Churchill et al.
2009/0240485 A1 9/2009 Dalal et al.
2009/0241054 A1 9/2009 Hendricks
2009/0241760 A1 10/2009 Georges
2009/0247237 A1 10/2009 Mittleman et al.
2009/0248182 A1 10/2009 Logan et al.
2009/0248395 A1 10/2009 Alewine et al.
2009/0248402 A1 10/2009 Ito et al.
2009/0248420 A1 10/2009 Basir et al.
2009/0248422 A1 10/2009 Li et al.
2009/0248456 A1 10/2009 Fahmy et al.
2009/0249198 A1 10/2009 Davis et al.
2009/0249247 A1 10/2009 Tseng et al.
2009/0252350 A1 10/2009 Seguin
2009/0253457 A1 10/2009 Seguin
2009/0253463 A1 10/2009 Shin et al.
2009/0254339 A1 10/2009 Seguin
2009/0254345 A1 10/2009 Fleizach et al.
2009/0254819 A1 10/2009 Song et al.
2009/0254823 A1 10/2009 Barrett
2009/0259472 A1 10/2009 Schroeter
2009/0259475 A1 10/2009 Yamagami et al.
2009/0259969 A1 10/2009 Pallakoff
2009/0265171 A1 10/2009 Davis
2009/0265368 A1 10/2009 Crider et al.
2009/0271109 A1 10/2009 Lee et al.
2009/0271175 A1 10/2009 Bodin et al.
2009/0271176 A1 10/2009 Bodin et al.
2009/0271178 A1 10/2009 Bodin et al.
2009/0271188 A1 10/2009 Agapi et al.
2009/0271189 A1 10/2009 Agapi et al.
2009/0274315 A1 11/2009 Carnes et al.
2009/0274376 A1 11/2009 Selvaraj et al.
2009/0278804 A1 11/2009 Rubanovich et al.
2009/0281789 A1 11/2009 Weibel et al.
2009/0284471 A1 11/2009 Longe et al.
2009/0284482 A1 11/2009 Chin
2009/0286514 A1 11/2009 Lichorowic et al.
2009/0287583 A1 11/2009 Holmes
2009/0290718 A1 11/2009 Kahn et al.
2009/0292987 A1 11/2009 Sorenson
2009/0296552 A1 12/2009 Hicks et al.
2009/0298474 A1 12/2009 George
2009/0298529 A1 12/2009 Mahajan
2009/0299745 A1 12/2009 Kennewick et al.
2009/0299849 A1 12/2009 Cao et al.
2009/0300391 A1 12/2009 Jessup et al.
2009/0300488 A1 12/2009 Salamon et al.
2009/0304198 A1 12/2009 Herre et al.
2009/0305203 A1 12/2009 Okumura et al.
2009/0306967 A1 12/2009 Nicolov et al.
2009/0306969 A1 12/2009 Goud et al.
2009/0306979 A1 12/2009 Jaiswal et al.
2009/0306980 A1 12/2009 Shin
2009/0306981 A1 12/2009 Cromack et al.
2009/0306985 A1 12/2009 Roberts et al.
2009/0306988 A1 12/2009 Chen et al.
2009/0306989 A1 12/2009 Kaji
2009/0307162 A1 12/2009 Bui et al.
2009/0307201 A1 12/2009 Dunning et al.
2009/0307584 A1 12/2009 Davidson et al.
2009/0307594 A1 12/2009 Kosonen et al.
2009/0309352 A1 12/2009 Walker et al.
2009/0313014 A1 12/2009 Shin et al.
2009/0313020 A1 12/2009 Koivunen
2009/0313023 A1 12/2009 Jones
2009/0313026 A1 12/2009 Coffman et al.
2009/0313544 A1 12/2009 Wood et al.
2009/0313564 A1 12/2009 Rottler et al.
2009/0316943 A1 12/2009 Frigola Munoz et al.
2009/0318119 A1 12/2009 Basir et al.
2009/0318198 A1 12/2009 Carroll
2009/0319257 A1 12/2009 Blume et al.
2009/0319266 A1 12/2009 Brown et al.
2009/0319342 A1 12/2009 Shilman et al.
2009/0326923 A1 12/2009 Yan et al.
2009/0326936 A1 12/2009 Nagashima
2009/0326938 A1 12/2009 Marila et al.
2009/0326949 A1 12/2009 Douthitt et al.
2009/0327977 A1 12/2009 Bachfischer et al.
2010/0004918 A1 1/2010 Lee et al.
2010/0004930 A1 1/2010 Strope et al.
2010/0004931 A1 1/2010 Ma et al.
2010/0005081 A1 1/2010 Bennett
2010/0010803 A1 1/2010 Ishikawa et al.
2010/0010814 A1 1/2010 Patel
2010/0010948 A1 1/2010 Ito et al.
2010/0013760 A1 1/2010 Hirai et al.
2010/0013796 A1 1/2010 Abileah et al.
2010/0017212 A1 1/2010 Attwater et al.
2010/0017382 A1 1/2010 Katragadda et al.
2010/0019834 A1 1/2010 Zerbe et al.
2010/0023318 A1 1/2010 Lemoine
2010/0023320 A1 1/2010 Di Cristo et al.
2010/0023331 A1 1/2010 Duta et al.
2010/0026526 A1 2/2010 Yokota
2010/0030549 A1 2/2010 Lee et al.
2010/0030928 A1 2/2010 Conroy et al.
2010/0031143 A1 2/2010 Rao et al.
2010/0036653 A1 2/2010 Kim et al.
2010/0036655 A1 2/2010 Cecil et al.
2010/0036660 A1 2/2010 Bennett
2010/0036829 A1 2/2010 Leyba
2010/0036928 A1 2/2010 Granito et al.
2010/0037183 A1 2/2010 Miyashita et al.
2010/0042400 A1 2/2010 Block et al.
2010/0042576 A1 2/2010 Roettger et al.
2010/0046842 A1 2/2010 Conwell et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2010/0049498 A1 2/2010 Cao et al.
2010/0049514 A1 2/2010 Kennewick et al.
2010/0050064 A1 2/2010 Liu et al.
2010/0054512 A1 3/2010 Solum
2010/0057435 A1 3/2010 Kent et al.
2010/0057443 A1 3/2010 Di Cristo et al.
2010/0057457 A1 3/2010 Ogata et al.
2010/0057461 A1 3/2010 Neubacher et al.
2010/0057643 A1 3/2010 Yang
2010/0058200 A1 3/2010 Jablokov et al.
2010/0060646 A1 3/2010 Unsal et al.
2010/0063804 A1 3/2010 Sato et al.
2010/0063825 A1 3/2010 Williams et al.
2010/0063961 A1 3/2010 Guiheneuf et al.
2010/0064113 A1 3/2010 Lindahl et al.
2010/0064218 A1 3/2010 Bull et al.
2010/0064226 A1 3/2010 Stefaniak et al.
2010/0066546 A1 3/2010 Aaron
2010/0066684 A1 3/2010 Shahraray et al.
2010/0067723 A1 3/2010 Bergmann et al.
2010/0067867 A1 3/2010 Lin et al.
2010/0070281 A1 3/2010 Conkie et al.
2010/0070517 A1 3/2010 Ghosh et al.
2010/0070521 A1 3/2010 Clinchant et al.
2010/0070899 A1 3/2010 Hunt et al.
2010/0071003 A1 3/2010 Bychkov et al.
2010/0076760 A1 3/2010 Kraenzel et al.
2010/0076993 A1 3/2010 Klawitter et al.
2010/0077350 A1 3/2010 Lim et al.
2010/0079501 A1 4/2010 Ikeda et al.
2010/0080398 A1 4/2010 Waldmann
2010/0080470 A1 4/2010 Deluca et al.
2010/0081456 A1 4/2010 Singh et al.
2010/0081487 A1 4/2010 Chen et al.
2010/0082286 A1 4/2010 Leung
2010/0082327 A1 4/2010 Rogers et al.
2010/0082328 A1 4/2010 Rogers et al.
2010/0082329 A1 4/2010 Silverman et al.
2010/0082333 A1 4/2010 Al-Shammari
2010/0082346 A1 4/2010 Rogers et al.
2010/0082347 A1 4/2010 Rogers et al.
2010/0082348 A1 4/2010 Silverman et al.
2010/0082349 A1 4/2010 Bellegarda et al.
2010/0082567 A1 4/2010 Rosenblatt et al.
2010/0082970 A1 4/2010 Lindahl et al.
2010/0086152 A1 4/2010 Rank et al.
2010/0086153 A1 4/2010 Hagen et al.
2010/0086156 A1 4/2010 Rank et al.
2010/0088020 A1 4/2010 Sano et al.
2010/0088093 A1 4/2010 Lee et al.
2010/0088100 A1 4/2010 Lindahl
2010/0094632 A1 4/2010 Davis et al.
2010/0098231 A1 4/2010 Wohlert et al.
2010/0100212 A1 4/2010 Lindahl et al.
2010/0100384 A1 4/2010 Ju et al.
2010/0100385 A1 4/2010 Davis et al.
2010/0100816 A1 4/2010 Mccloskey et al.
2010/0103776 A1 4/2010 Chan
2010/0106486 A1 4/2010 Hua et al.
2010/0106498 A1 4/2010 Morrison et al.
2010/0106500 A1 4/2010 McKee et al.
2010/0106503 A1 4/2010 Farrell et al.
2010/0114856 A1 5/2010 Kuboyama
2010/0114887 A1 5/2010 Conway et al.
2010/0121637 A1 5/2010 Roy et al.
2010/0125456 A1 5/2010 Weng et al.
2010/0125458 A1 5/2010 Franco et al.
2010/0125460 A1 5/2010 Mellott et al.
2010/0125811 A1 5/2010 Moore et al.
2010/0131269 A1 5/2010 Park et al.
2010/0131273 A1 5/2010 Aley-Raz et al.
2010/0131498 A1 5/2010 Linthicum et al.
2010/0131899 A1 5/2010 Hubert
2010/0138215 A1 6/2010 Williams
2010/0138224 A1 6/2010 Bedingfield, Sr.
2010/0138416 A1 6/2010 Bellotti
2010/0138680 A1 6/2010 Brisebois et al.
2010/0138759 A1 6/2010 Roy
2010/0138798 A1 6/2010 Wilson et al.
2010/0142740 A1 6/2010 Roerup
2010/0145694 A1 6/2010 Ju et al.
2010/0145700 A1 6/2010 Kennewick et al.
2010/0145707 A1 6/2010 Ljolje et al.
2010/0146442 A1 6/2010 Nagasaka et al.
2010/0150321 A1 6/2010 Harris et al.
2010/0153114 A1 6/2010 Shih et al.
2010/0153115 A1 6/2010 Klee et al.
2010/0153448 A1 6/2010 Harpur et al.
2010/0161311 A1 6/2010 Massuh
2010/0161313 A1 6/2010 Karttunen
2010/0161337 A1 6/2010 Pulz et al.
2010/0161554 A1 6/2010 Datuashvili et al.
2010/0164897 A1 7/2010 Morin et al.
2010/0169075 A1 7/2010 Raffa et al.
2010/0169093 A1 7/2010 Washio
2010/0169097 A1 7/2010 Nachman et al.
2010/0169098 A1 7/2010 Patch
2010/0171713 A1 7/2010 Kwok et al.
2010/0174544 A1 7/2010 Heifets
2010/0175066 A1 7/2010 Paik
2010/0179932 A1 7/2010 Yoon et al.
2010/0179991 A1 7/2010 Lorch et al.
2010/0180218 A1 7/2010 Boston et al.
2010/0185448 A1 7/2010 Meisel
2010/0185949 A1 7/2010 Jaeger
2010/0191520 A1 7/2010 Gruhn et al.
2010/0197359 A1 8/2010 Harris
2010/0199180 A1 8/2010 Brichter et al.
2010/0199215 A1 8/2010 Seymour et al.
2010/0204986 A1 8/2010 Kennewick et al.
2010/0211199 A1 8/2010 Naik et al.
2010/0211379 A1 8/2010 Gorman et al.
2010/0211644 A1 8/2010 Lavoie et al.
2010/0216509 A1 8/2010 Riemer et al.
2010/0217604 A1 8/2010 Baldwin et al.
2010/0222033 A1 9/2010 Scott et al.
2010/0222098 A1 9/2010 Garg
2010/0223055 A1 9/2010 Mclean
2010/0223056 A1 9/2010 Kadirkamanathan et al.
2010/0223131 A1 9/2010 Scott et al.
2010/0225599 A1 9/2010 Danielsson et al.
2010/0225809 A1 9/2010 Connors et al.
2010/0227642 A1 9/2010 Kim et al.
2010/0228540 A1 9/2010 Bennett
2010/0228549 A1 9/2010 Herman et al.
2010/0228691 A1 9/2010 Yang et al.
2010/0229082 A1 9/2010 Karmarkar et al.
2010/0229100 A1 9/2010 Miller et al.
2010/0231474 A1 9/2010 Yamagajo et al.
2010/0235167 A1 9/2010 Bourdon
2010/0235341 A1 9/2010 Bennett
2010/0235729 A1 9/2010 Kocienda et al.
2010/0235732 A1 9/2010 Bergman
2010/0235770 A1 9/2010 Ording et al.
2010/0235780 A1 9/2010 Westerman et al.
2010/0241418 A1 9/2010 Maeda et al.
2010/0250542 A1 9/2010 Fujimaki
2010/0250599 A1 9/2010 Schmidt et al.
2010/0255858 A1 10/2010 Juhasz
2010/0257160 A1 10/2010 Cao
2010/0257478 A1 10/2010 Longe et al.
2010/0262599 A1 10/2010 Nitz
2010/0263015 A1 10/2010 Pandey et al.
2010/0268537 A1 10/2010 Al-Telmissani
2010/0268539 A1 10/2010 Xu et al.
2010/0269040 A1 10/2010 Lee
2010/0274753 A1 10/2010 Liberty et al.
2010/0277579 A1 11/2010 Cho et al.
2010/0278320 A1 11/2010 Arsenault et al.
2010/0278453 A1 11/2010 King
2010/0280983 A1 11/2010 Cho et al.
2010/0281034 A1 11/2010 Petrou et al.
2010/0286984 A1 11/2010 Wandinger et al.
2010/0286985 A1 11/2010 Kennewick et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2010/0287514 A1 11/2010 Cragun et al.
2010/0290632 A1 11/2010 Lin
2010/0293460 A1 11/2010 Budelli
2010/0295645 A1 11/2010 Falldin et al.
2010/0299133 A1 11/2010 Kopparapu et al.
2010/0299138 A1 11/2010 Kim
2010/0299142 A1 11/2010 Freeman et al.
2010/0302056 A1 12/2010 Dutton et al.
2010/0304342 A1 12/2010 Zilber
2010/0304705 A1 12/2010 Hursey et al.
2010/0305807 A1 12/2010 Basir et al.
2010/0305947 A1 12/2010 Schwarz et al.
2010/0312547 A1 12/2010 Van Os et al.
2010/0312566 A1 12/2010 Odinak et al.
2010/0318366 A1 12/2010 Sullivan et al.
2010/0318576 A1 12/2010 Kim
2010/0322438 A1 12/2010 Siotis
2010/0324709 A1 12/2010 Starmen
2010/0324895 A1 12/2010 Kurzweil et al.
2010/0324896 A1 12/2010 Attwater et al.
2010/0324905 A1 12/2010 Kurzweil et al.
2010/0325131 A1 12/2010 Dumais et al.
2010/0325158 A1 12/2010 Oral et al.
2010/0325573 A1 12/2010 Estrada et al.
2010/0325588 A1 12/2010 Reddy et al.
2010/0330908 A1 12/2010 Maddern et al.
2010/0332220 A1 12/2010 Hursey et al.
2010/0332224 A1 12/2010 Mäkelä et al.
2010/0332235 A1 12/2010 David
2010/0332236 A1 12/2010 Tan
2010/0332280 A1 12/2010 Bradley et al.
2010/0332348 A1 12/2010 Cao
2010/0332428 A1 12/2010 Mchenry et al.
2010/0332976 A1 12/2010 Fux et al.
2010/0333030 A1 12/2010 Johns
2010/0333163 A1 12/2010 Daly
2011/0002487 A1 1/2011 Panther et al.
2011/0004475 A1 1/2011 Bellegarda
2011/0006876 A1 1/2011 Moberg et al.
2011/0009107 A1 1/2011 Guba et al.
2011/0010178 A1 1/2011 Lee et al.
2011/0010644 A1 1/2011 Merrill et al.
2011/0015928 A1 1/2011 Odell et al.
2011/0016150 A1 1/2011 Engstrom et al.
2011/0016421 A1 1/2011 Krupka et al.
2011/0018695 A1 1/2011 Bells et al.
2011/0021211 A1 1/2011 Ohki
2011/0021213 A1 1/2011 Carr
2011/0022292 A1 1/2011 Shen et al.
2011/0022388 A1 1/2011 Wu et al.
2011/0022393 A1 1/2011 Waller et al.
2011/0022394 A1 1/2011 Wide et al.
2011/0022472 A1 1/2011 Zon et al.
2011/0022952 A1 1/2011 Wu et al.
2011/0029616 A1 2/2011 Wang et al.
2011/0030067 A1 2/2011 Wilson
2011/0033064 A1 2/2011 Johnson et al.
2011/0034183 A1 2/2011 Haag et al.
2011/0035144 A1 2/2011 Okamoto et al.
2011/0035434 A1 2/2011 Lockwood
2011/0038489 A1 2/2011 Visser et al.
2011/0040707 A1 2/2011 Theisen et al.
2011/0045841 A1 2/2011 Kuhlke et al.
2011/0047072 A1 2/2011 Ciurea
2011/0047149 A1 2/2011 Vaananen
2011/0047161 A1 2/2011 Myaeng et al.
2011/0047266 A1 2/2011 Yu et al.
2011/0047605 A1 2/2011 Sontag et al.
2011/0050591 A1 3/2011 Kim et al.
2011/0050592 A1 3/2011 Kim et al.
2011/0054647 A1 3/2011 Chipchase
2011/0054894 A1 3/2011 Phillips et al.
2011/0054901 A1 3/2011 Qin et al.
2011/0055256 A1 3/2011 Phillips et al.
2011/0060584 A1 3/2011 Ferrucci et al.
2011/0060587 A1 3/2011 Phillips et al.
2011/0060589 A1 3/2011 Weinberg et al.
2011/0060807 A1 3/2011 Martin et al.
2011/0064387 A1 3/2011 Mendeloff et al.
2011/0065456 A1 3/2011 Brennan et al.
2011/0066366 A1 3/2011 Ellanti et al.
2011/0066436 A1 3/2011 Bezar
2011/0066468 A1 3/2011 Huang et al.
2011/0066634 A1 3/2011 Phillips et al.
2011/0072033 A1 3/2011 White et al.
2011/0072492 A1 3/2011 Mohler et al.
2011/0076994 A1 3/2011 Kim et al.
2011/0077943 A1 3/2011 Miki et al.
2011/0080260 A1 4/2011 Wang et al.
2011/0081889 A1 4/2011 Gao et al.
2011/0082688 A1 4/2011 Kim et al.
2011/0083079 A1 4/2011 Farrell et al.
2011/0087491 A1 4/2011 Wittenstein et al.
2011/0087685 A1 4/2011 Lin et al.
2011/0090078 A1 4/2011 Kim et al.
2011/0092187 A1 4/2011 Miller
2011/0093261 A1 4/2011 Angott
2011/0093265 A1 4/2011 Stent et al.
2011/0093271 A1 4/2011 Bernard et al.
2011/0093272 A1 4/2011 Isobe et al.
2011/0099000 A1 4/2011 Rai et al.
2011/0103682 A1 5/2011 Chidlovskii et al.
2011/0105097 A1 5/2011 Tadayon et al.
2011/0106736 A1 5/2011 Aharonson et al.
2011/0106892 A1 5/2011 Nelson et al.
2011/0110502 A1 5/2011 Daye et al.
2011/0111724 A1 5/2011 Baptiste
2011/0112825 A1 5/2011 Bellegarda
2011/0112827 A1 5/2011 Kennewick et al.
2011/0112837 A1 5/2011 Kurki-Suonio et al.
2011/0112838 A1 5/2011 Adibi
2011/0112921 A1 5/2011 Kennewick et al.
2011/0116610 A1 5/2011 Shaw et al.
2011/0119049 A1 5/2011 Ylonen
2011/0119051 A1 5/2011 Li et al.
2011/0119623 A1 5/2011 Kim
2011/0119715 A1 5/2011 Chang et al.
2011/0123004 A1 5/2011 Chang et al.
2011/0125498 A1 5/2011 Pickering et al.
2011/0125540 A1 5/2011 Jang et al.
2011/0125701 A1 5/2011 Nair et al.
2011/0130958 A1 6/2011 Stahl et al.
2011/0131036 A1 6/2011 DiCristo et al.
2011/0131038 A1 6/2011 Oyaizu et al.
2011/0131045 A1 6/2011 Cristo et al.
2011/0137636 A1 6/2011 Srihari et al.
2011/0141141 A1 6/2011 Kankainen
2011/0143726 A1 6/2011 de Silva
2011/0143811 A1 6/2011 Rodriguez
2011/0144857 A1 6/2011 Wingrove et al.
2011/0144901 A1 6/2011 Wang
2011/0144973 A1 6/2011 Bocchieri et al.
2011/0144999 A1 6/2011 Jang et al.
2011/0145718 A1 6/2011 Ketola et al.
2011/0151830 A1 6/2011 Blanda et al.
2011/0153209 A1 6/2011 Geelen
2011/0153322 A1 6/2011 Kwak et al.
2011/0153324 A1 6/2011 Ballinger et al.
2011/0153329 A1 6/2011 Moorer
2011/0153330 A1 6/2011 Yazdani et al.
2011/0153373 A1 6/2011 Dantzig et al.
2011/0154193 A1 6/2011 Creutz et al.
2011/0157029 A1 6/2011 Tseng
2011/0161072 A1 6/2011 Terao et al.
2011/0161076 A1 6/2011 Davis et al.
2011/0161079 A1 6/2011 Gruhn et al.
2011/0161309 A1 6/2011 Lung et al.
2011/0161852 A1 6/2011 Vainio et al.
2011/0166851 A1 7/2011 LeBeau et al.
2011/0167350 A1 7/2011 Hoellwarth
2011/0175810 A1 7/2011 Markovic et al.
2011/0179002 A1 7/2011 Dumitru et al.
2011/0179372 A1 7/2011 Moore et al.
2011/0183650 A1 7/2011 Mckee et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2011/0184721 A1 7/2011 Subramanian et al.
2011/0184730 A1 7/2011 LeBeau et al.
2011/0184736 A1 7/2011 Slotznick
2011/0184737 A1 7/2011 Nakano et al.
2011/0184768 A1 7/2011 Norton et al.
2011/0185288 A1 7/2011 Gupta et al.
2011/0191108 A1 8/2011 Friedlander
2011/0191271 A1 8/2011 Baker et al.
2011/0191344 A1 8/2011 Jin et al.
2011/0195758 A1 8/2011 Damale et al.
2011/0196670 A1 8/2011 Dang et al.
2011/0197128 A1 8/2011 Assadollahi et al.
2011/0199312 A1 8/2011 Okuta
2011/0201385 A1 8/2011 Higginbotham et al.
2011/0201387 A1 8/2011 Peek et al.
2011/0202526 A1 8/2011 Lee et al.
2011/0205149 A1 8/2011 Tom et al.
2011/0208511 A1 8/2011 Sikstrom et al.
2011/0208524 A1 8/2011 Haughay
2011/0209088 A1 8/2011 Hinckley et al.
2011/0212717 A1 9/2011 Rhoads et al.
2011/0216093 A1 9/2011 Griffin
2011/0218806 A1 9/2011 Alewine et al.
2011/0218855 A1 9/2011 Cao et al.
2011/0219018 A1 9/2011 Bailey et al.
2011/0223893 A1 9/2011 Lau et al.
2011/0224972 A1 9/2011 Millett et al.
2011/0228913 A1 9/2011 Cochinwala et al.
2011/0231182 A1 9/2011 Weider et al.
2011/0231184 A1 9/2011 Kerr
2011/0231188 A1 9/2011 Kennewick et al.
2011/0231432 A1 9/2011 Sata et al.
2011/0231474 A1 9/2011 Locker et al.
2011/0238191 A1 9/2011 Kristjansson et al.
2011/0238407 A1 9/2011 Kent
2011/0238408 A1 9/2011 Larcheveque et al.
2011/0238676 A1 9/2011 Liu et al.
2011/0239111 A1 9/2011 Grover
2011/0242007 A1 10/2011 Gray et al.
2011/0244888 A1 10/2011 Ohki
2011/0246471 A1 10/2011 Rakib et al.
2011/0249144 A1 10/2011 Chang
2011/0250570 A1 10/2011 Mack et al.
2011/0257966 A1 10/2011 Rychlik
2011/0258188 A1 10/2011 Abdalmageed et al.
2011/0260829 A1 10/2011 Lee
2011/0260861 A1 10/2011 Singh et al.
2011/0264643 A1 10/2011 Cao
2011/0264999 A1 10/2011 Bells et al.
2011/0274303 A1 11/2011 Filson et al.
2011/0276595 A1 11/2011 Kirkland et al.
2011/0276598 A1 11/2011 Kozempel
2011/0276944 A1 11/2011 Bergman et al.
2011/0279368 A1 11/2011 Klein et al.
2011/0282663 A1 11/2011 Talwar et al.
2011/0282888 A1 11/2011 Koperski et al.
2011/0282906 A1 11/2011 Wong
2011/0283189 A1 11/2011 McCarty
2011/0288852 A1 11/2011 Dymetman et al.
2011/0288855 A1 11/2011 Roy
2011/0288861 A1 11/2011 Kurzweil et al.
2011/0288863 A1 11/2011 Rasmussen
2011/0288866 A1 11/2011 Rasmussen
2011/0298585 A1 12/2011 Barry
2011/0301943 A1 12/2011 Patch
2011/0302162 A1 12/2011 Xiao et al.
2011/0306426 A1 12/2011 Novak et al.
2011/0307241 A1 12/2011 Weibel et al.
2011/0307491 A1 12/2011 Fisk et al.
2011/0307810 A1 12/2011 Hilerio et al.
2011/0313775 A1 12/2011 Laligand et al.
2011/0314003 A1 12/2011 Ju et al.
2011/0314032 A1 12/2011 Bennett et al.
2011/0314404 A1 12/2011 Kotler et al.
2011/0320187 A1 12/2011 Motik et al.
2012/0002820 A1 1/2012 Leichter
2012/0005602 A1 1/2012 Anttila et al.
2012/0008754 A1 1/2012 Mukherjee et al.
2012/0010886 A1 1/2012 Razavilar
2012/0011138 A1 1/2012 Dunning et al.
2012/0013609 A1 1/2012 Reponen et al.
2012/0015629 A1 1/2012 Olsen et al.
2012/0016658 A1 1/2012 Wu et al.
2012/0016678 A1 1/2012 Gruber et al.
2012/0019400 A1 1/2012 Patel et al.
2012/0020490 A1 1/2012 Leichter
2012/0022787 A1 1/2012 LeBeau et al.
2012/0022857 A1 1/2012 Baldwin et al.
2012/0022860 A1 1/2012 Lloyd et al.
2012/0022868 A1 1/2012 LeBeau et al.
2012/0022869 A1 1/2012 Lloyd et al.
2012/0022870 A1 1/2012 Kristjansson et al.
2012/0022872 A1 1/2012 Gruber et al.
2012/0022874 A1 1/2012 Lloyd et al.
2012/0022876 A1 1/2012 LeBeau et al.
2012/0022967 A1 1/2012 Bachman et al.
2012/0023088 A1 1/2012 Cheng et al.
2012/0023095 A1 1/2012 Wadycki et al.
2012/0023462 A1 1/2012 Rosing et al.
2012/0029661 A1 2/2012 Jones et al.
2012/0029910 A1 2/2012 Medlock et al.
2012/0034904 A1 2/2012 LeBeau et al.
2012/0035907 A1 2/2012 Lebeau et al.
2012/0035908 A1 2/2012 Lebeau et al.
2012/0035924 A1 2/2012 Jitkoff et al.
2012/0035925 A1 2/2012 Friend et al.
2012/0035926 A1 2/2012 Ambler
2012/0035931 A1 2/2012 LeBeau et al.
2012/0035932 A1 2/2012 Jitkoff et al.
2012/0035935 A1 2/2012 Park et al.
2012/0036556 A1 2/2012 LeBeau et al.
2012/0039539 A1 2/2012 Boiman et al.
2012/0041752 A1 2/2012 Wang et al.
2012/0042014 A1 2/2012 Desai et al.
2012/0042343 A1 2/2012 Laligand et al.
2012/0053815 A1 3/2012 Montanari et al.
2012/0053829 A1 3/2012 Agarwal et al.
2012/0053945 A1 3/2012 Gupta et al.
2012/0056815 A1 3/2012 Mehra
2012/0059655 A1 3/2012 Cartales
2012/0059813 A1 3/2012 Sejnoha et al.
2012/0062473 A1 3/2012 Xiao et al.
2012/0066212 A1 3/2012 Jennings
2012/0066581 A1 3/2012 Spalink
2012/0075054 A1 3/2012 Ge et al.
2012/0077479 A1 3/2012 Sabotta et al.
2012/0078611 A1 3/2012 Soltani et al.
2012/0078624 A1 3/2012 Yook et al.
2012/0078627 A1 3/2012 Wagner
2012/0078635 A1 3/2012 Rothkopf et al.
2012/0078747 A1 3/2012 Chakrabarti et al.
2012/0082317 A1 4/2012 Pance et al.
2012/0083286 A1 4/2012 Kim et al.
2012/0084086 A1 4/2012 Gilbert et al.
2012/0084634 A1 4/2012 Wong et al.
2012/0088219 A1 4/2012 Briscoe et al.
2012/0089331 A1 4/2012 Schmidt et al.
2012/0101823 A1 4/2012 Weng et al.
2012/0108166 A1 5/2012 Hymel
2012/0108221 A1 5/2012 Thomas et al.
2012/0110456 A1 5/2012 Larco et al.
2012/0116770 A1 5/2012 Chen et al.
2012/0117499 A1 5/2012 Mori et al.
2012/0124126 A1 5/2012 Alcazar et al.
2012/0128322 A1 5/2012 Shaffer et al.
2012/0130709 A1 5/2012 Bocchieri et al.
2012/0136572 A1 5/2012 Norton
2012/0136649 A1 5/2012 Freising et al.
2012/0136855 A1 5/2012 Ni et al.
2012/0136985 A1 5/2012 Popescu et al.
2012/0137367 A1 5/2012 Dupont et al.
2012/0149342 A1 6/2012 Cohen et al.
2012/0149394 A1 6/2012 Singh et al.
2012/0150544 A1 6/2012 McLoughlin et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2012/0150580 A1 6/2012 Norton
2012/0158293 A1 6/2012 Burnham
2012/0158399 A1 6/2012 Tremblay et al.
2012/0158422 A1 6/2012 Burnham et al.
2012/0159380 A1 6/2012 Kocienda et al.
2012/0163710 A1 6/2012 Skaff et al.
2012/0166196 A1 6/2012 Ju et al.
2012/0173222 A1 7/2012 Wang et al.
2012/0173244 A1 7/2012 Kwak et al.
2012/0173464 A1 7/2012 Tur et al.
2012/0174121 A1 7/2012 Treat et al.
2012/0179457 A1 7/2012 Newman et al.
2012/0179467 A1 7/2012 Williams
2012/0185237 A1 7/2012 Gajic et al.
2012/0185480 A1 7/2012 Ni et al.
2012/0185781 A1 7/2012 Guzman et al.
2012/0191461 A1 7/2012 Lin et al.
2012/0192096 A1 7/2012 Bowman et al.
2012/0197743 A1 8/2012 Grigg et al.
2012/0197995 A1 8/2012 Caruso
2012/0197998 A1 8/2012 Kessel et al.
2012/0201362 A1 8/2012 Crossan et al.
2012/0209853 A1 8/2012 Desai et al.
2012/0209874 A1 8/2012 Wong et al.
2012/0210266 A1 8/2012 Jiang et al.
2012/0214141 A1 8/2012 Raya et al.
2012/0214517 A1 8/2012 Singh et al.
2012/0215762 A1 8/2012 Hall et al.
2012/0221339 A1 8/2012 Wang et al.
2012/0221552 A1 8/2012 Reponen et al.
2012/0223889 A1 9/2012 Medlock et al.
2012/0223936 A1 9/2012 Aughey et al.
2012/0232885 A1 9/2012 Barbosa et al.
2012/0232886 A1 9/2012 Capuozzo et al.
2012/0232906 A1 9/2012 Lindahl et al.
2012/0233207 A1 9/2012 Mohajer
2012/0233266 A1 9/2012 Hassan et al.
2012/0239661 A1 9/2012 Giblin
2012/0239761 A1 9/2012 Linner et al.
2012/0242482 A1 9/2012 Elumalai et al.
2012/0245719 A1 9/2012 Story, Jr. et al.
2012/0245939 A1 9/2012 Braho et al.
2012/0245941 A1 9/2012 Cheyer
2012/0245944 A1 9/2012 Gruber et al.
2012/0246064 A1 9/2012 Balkow
2012/0250858 A1 10/2012 Iqbal et al.
2012/0252367 A1 10/2012 Gaglio et al.
2012/0252540 A1 10/2012 Kirigaya
2012/0253785 A1 10/2012 Hamid et al.
2012/0253791 A1 10/2012 Heck et al.
2012/0254143 A1 10/2012 Varma et al.
2012/0254152 A1 10/2012 Park et al.
2012/0254290 A1 10/2012 Naaman
2012/0259615 A1 10/2012 Morin et al.
2012/0262296 A1 10/2012 Bazar
2012/0265528 A1 10/2012 Gruber et al.
2012/0265535 A1 10/2012 Bryant-Rich et al.
2012/0265806 A1 10/2012 Blanchflower et al.
2012/0271625 A1 10/2012 Bernard
2012/0271634 A1 10/2012 Lenke
2012/0271635 A1 10/2012 Ljolje
2012/0271640 A1 10/2012 Basir
2012/0271676 A1 10/2012 Aravamudan et al.
2012/0275377 A1 11/2012 Lehane et al.
2012/0284015 A1 11/2012 Drewes
2012/0284027 A1 11/2012 Mallett et al.
2012/0290291 A1 11/2012 Shelley et al.
2012/0290300 A1 11/2012 Lee et al.
2012/0295708 A1 11/2012 Hernandez-Abrego et al.
2012/0296638 A1 11/2012 Patwa
2012/0296649 A1 11/2012 Bansal et al.
2012/0296654 A1 11/2012 Hendrickson et al.
2012/0296891 A1 11/2012 Rangan
2012/0297348 A1 11/2012 Santoro
2012/0303369 A1 11/2012 Brush et al.
2012/0303371 A1 11/2012 Labsky et al.
2012/0304124 A1 11/2012 Chen et al.
2012/0309363 A1 12/2012 Gruber et al.
2012/0310642 A1 12/2012 Cao et al.
2012/0310649 A1 12/2012 Cannistraro et al.
2012/0310652 A1 12/2012 O'Sullivan
2012/0310922 A1 12/2012 Johnson et al.
2012/0311478 A1 12/2012 Van Os et al.
2012/0311583 A1 12/2012 Gruber et al.
2012/0311584 A1 12/2012 Gruber et al.
2012/0311585 A1 12/2012 Gruber et al.
2012/0316862 A1 12/2012 Sultan et al.
2012/0316875 A1 12/2012 Nyquist et al.
2012/0316878 A1 12/2012 Singleton et al.
2012/0317194 A1 12/2012 Tian
2012/0317498 A1 12/2012 Logan et al.
2012/0321112 A1 12/2012 Schubert et al.
2012/0324391 A1 12/2012 Tocci et al.
2012/0327009 A1 12/2012 Fleizach
2012/0329529 A1 12/2012 van der Raadt
2012/0330660 A1 12/2012 Jaiswal
2012/0330661 A1 12/2012 Lindahl
2012/0330990 A1 12/2012 Chen et al.
2013/0002716 A1 1/2013 Walker et al.
2013/0005405 A1 1/2013 Prociw
2013/0006633 A1 1/2013 Grokop et al.
2013/0006637 A1 1/2013 Kanevsky et al.
2013/0006638 A1 1/2013 Lindahl
2013/0007648 A1 1/2013 Gamon et al.
2013/0010575 A1 1/2013 He et al.
2013/0013313 A1 1/2013 Shechtman et al.
2013/0013319 A1 1/2013 Grant et al.
2013/0018659 A1 1/2013 Chi
2013/0024576 A1 1/2013 Dishneau et al.
2013/0027875 A1 1/2013 Zhu et al.
2013/0030787 A1 1/2013 Cancedda et al.
2013/0030789 A1 1/2013 Dalce
2013/0030804 A1 1/2013 Zavaliagko et al.
2013/0030815 A1 1/2013 Madhvanath et al.
2013/0030913 A1 1/2013 Zhu et al.
2013/0030955 A1 1/2013 David
2013/0031162 A1 1/2013 Willis et al.
2013/0031476 A1 1/2013 Coin et al.
2013/0033643 A1 2/2013 Kim et al.
2013/0035086 A1 2/2013 Chardon et al.
2013/0035942 A1 2/2013 Kim et al.
2013/0035961 A1 2/2013 Yegnanarayanan
2013/0041647 A1 2/2013 Ramerth et al.
2013/0041654 A1 2/2013 Walker et al.
2013/0041661 A1 2/2013 Lee et al.
2013/0041665 A1 2/2013 Jang et al.
2013/0041667 A1 2/2013 Longe et al.
2013/0041968 A1 2/2013 Cohen et al.
2013/0046544 A1 2/2013 Kay et al.
2013/0050089 A1 2/2013 Neels et al.
2013/0054550 A1 2/2013 Bolohan
2013/0054609 A1 2/2013 Rajput et al.
2013/0054613 A1 2/2013 Bishop
2013/0054675 A1 2/2013 Jenkins et al.
2013/0054706 A1 2/2013 Graham et al.
2013/0055099 A1 2/2013 Yao et al.
2013/0055147 A1 2/2013 Vasudev et al.
2013/0063611 A1 3/2013 Papakipos et al.
2013/0066832 A1 3/2013 Sheehan et al.
2013/0067307 A1 3/2013 Tian et al.
2013/0073286 A1 3/2013 Bastea-Forte et al.
2013/0073346 A1 3/2013 Chun et al.
2013/0080152 A1 3/2013 Brun et al.
2013/0080162 A1 3/2013 Chang et al.
2013/0080167 A1 3/2013 Mozer
2013/0080177 A1 3/2013 Chen
2013/0080251 A1 3/2013 Dempski
2013/0082967 A1 4/2013 Hillis et al.
2013/0085755 A1 4/2013 Bringert et al.
2013/0085761 A1 4/2013 Bringert et al.
2013/0090921 A1 4/2013 Liu et al.
2013/0091090 A1 4/2013 Spivack et al.
2013/0095805 A1 4/2013 Lebeau et al.
2013/0096909 A1 4/2013 Brun et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2013/0096917 A1 4/2013 Edgar et al.
2013/0097566 A1 4/2013 Berglund
2013/0097682 A1 4/2013 Zeljkovic et al.
2013/0100268 A1 4/2013 Mihailidis et al.
2013/0103391 A1 4/2013 Millmore et al.
2013/0103405 A1 4/2013 Namba et al.
2013/0106742 A1 5/2013 Lee et al.
2013/0110505 A1 5/2013 Gruber et al.
2013/0110515 A1 5/2013 Guzzoni et al.
2013/0110518 A1 5/2013 Gruber et al.
2013/0110519 A1 5/2013 Cheyer et al.
2013/0110520 A1 5/2013 Cheyer et al.
2013/0110943 A1 5/2013 Menon et al.
2013/0111330 A1 5/2013 Staikos et al.
2013/0111348 A1 5/2013 Gruber et al.
2013/0111365 A1 5/2013 Chen et al.
2013/0111487 A1 5/2013 Cheyer et al.
2013/0111581 A1 5/2013 Griffin et al.
2013/0115927 A1 5/2013 Gruber et al.
2013/0117022 A1 5/2013 Chen et al.
2013/0124189 A1 5/2013 Baldwin et al.
2013/0132084 A1 5/2013 Stonehocker et al.
2013/0132089 A1 5/2013 Fanty et al.
2013/0132871 A1 5/2013 Zeng et al.
2013/0141551 A1 6/2013 Kim
2013/0142317 A1 6/2013 Reynolds
2013/0142345 A1 6/2013 Waldmann
2013/0144594 A1 6/2013 Bangalore et al.
2013/0144616 A1 6/2013 Bangalore et al.
2013/0151339 A1 6/2013 Kim et al.
2013/0152092 A1 6/2013 Yadgar et al.
2013/0154811 A1 6/2013 Ferren et al.
2013/0157629 A1 6/2013 Lee et al.
2013/0158977 A1 6/2013 Senior
2013/0159847 A1 6/2013 Banke et al.
2013/0165232 A1 6/2013 Nelson et al.
2013/0166303 A1 6/2013 Chang et al.
2013/0166442 A1 6/2013 Nakajima et al.
2013/0170738 A1 7/2013 Capuozzo et al.
2013/0172022 A1 7/2013 Seymour et al.
2013/0173258 A1* 7/2013 Liu G06F 17/2217 704/9
2013/0176244 A1 7/2013 Yamamoto et al.
2013/0176592 A1 7/2013 Sasaki
2013/0179172 A1 7/2013 Nakamura et al.
2013/0179440 A1 7/2013 Gordon
2013/0183944 A1 7/2013 Mozer et al.
2013/0185059 A1 7/2013 Riccardi et al.
2013/0185074 A1 7/2013 Gruber et al.
2013/0185081 A1 7/2013 Cheyer et al.
2013/0185336 A1 7/2013 Singh et al.
2013/0187850 A1 7/2013 Schulz et al.
2013/0191117 A1 7/2013 Atti et al.
2013/0197911 A1 8/2013 Wei et al.
2013/0204813 A1 8/2013 Master et al.
2013/0204897 A1 8/2013 McDougall
2013/0207898 A1 8/2013 Sullivan et al.
2013/0218553 A1 8/2013 Fujii et al.
2013/0218560 A1 8/2013 Hsiao et al.
2013/0219333 A1 8/2013 Palwe et al.
2013/0222249 A1 8/2013 Pasquero et al.
2013/0225128 A1 8/2013 Gomar
2013/0226935 A1 8/2013 Bai et al.
2013/0231917 A1 9/2013 Naik
2013/0234947 A1 9/2013 Kristensson et al.
2013/0235987 A1 9/2013 Arroniz-Escobar et al.
2013/0238647 A1 9/2013 Thompson
2013/0244615 A1 9/2013 Miller et al.
2013/0246048 A1 9/2013 Nagase et al.
2013/0246050 A1 9/2013 Yu et al.
2013/0246329 A1 9/2013 Pasquero et al.
2013/0253911 A1 9/2013 Petri et al.
2013/0253912 A1 9/2013 Medlock et al.
2013/0268263 A1 10/2013 Park et al.
2013/0275117 A1 10/2013 Winer
2013/0275138 A1 10/2013 Gruber et al.
2013/0275164 A1 10/2013 Gruber et al.
2013/0275199 A1 10/2013 Proctor, Jr. et al.
2013/0275625 A1 10/2013 Taivalsaari et al.
2013/0275875 A1 10/2013 Gruber et al.
2013/0275899 A1 10/2013 Schubert et al.
2013/0282709 A1 10/2013 Zhu et al.
2013/0283168 A1 10/2013 Brown et al.
2013/0289991 A1 10/2013 Eshwar et al.
2013/0289993 A1 10/2013 Rao et al.
2013/0289994 A1 10/2013 Newman et al.
2013/0291015 A1 10/2013 Pan
2013/0297317 A1 11/2013 Lee et al.
2013/0297319 A1 11/2013 Kim
2013/0297348 A1 11/2013 Cardoza et al.
2013/0300645 A1 11/2013 Fedorov
2013/0300648 A1 11/2013 Kim et al.
2013/0303106 A1 11/2013 Martin
2013/0304479 A1 11/2013 Teller et al.
2013/0304758 A1 11/2013 Gruber et al.
2013/0304815 A1 11/2013 Puente et al.
2013/0305119 A1 11/2013 Kern et al.
2013/0307855 A1 11/2013 Lamb et al.
2013/0307997 A1 11/2013 O'Keefe et al.
2013/0308922 A1 11/2013 Sano et al.
2013/0311184 A1 11/2013 Badavne et al.
2013/0311997 A1 11/2013 Gruber et al.
2013/0316746 A1 11/2013 Miller et al.
2013/0322634 A1 12/2013 Bennett et al.
2013/0325436 A1 12/2013 Wang et al.
2013/0325443 A1 12/2013 Begeja et al.
2013/0325447 A1 12/2013 Levien et al.
2013/0325448 A1 12/2013 Levien et al.
2013/0325481 A1 12/2013 Van Os et al.
2013/0325484 A1 12/2013 Chakladar et al.
2013/0325967 A1 12/2013 Parks et al.
2013/0325970 A1 12/2013 Roberts et al.
2013/0325979 A1 12/2013 Mansfield et al.
2013/0329023 A1 12/2013 Suplee, III et al.
2013/0331127 A1 12/2013 Sabatelli et al.
2013/0332159 A1 12/2013 Federighi et al.
2013/0332162 A1 12/2013 Keen
2013/0332164 A1 12/2013 Nalk
2013/0332168 A1 12/2013 Kim et al.
2013/0332172 A1 12/2013 Prakash et al.
2013/0332400 A1 12/2013 González
2013/0339256 A1 12/2013 Shroff
2013/0346068 A1 12/2013 Solem et al.
2013/0346347 A1 12/2013 Patterson et al.
2014/0006012 A1 1/2014 Zhou et al.
2014/0006025 A1 1/2014 Krishnan et al.
2014/0006027 A1 1/2014 Kim et al.
2014/0006030 A1 1/2014 Fleizach et al.
2014/0006153 A1 1/2014 Thangam et al.
2014/0012574 A1 1/2014 Pasupalak et al.
2014/0012580 A1 1/2014 Ganong et al.
2014/0012586 A1 1/2014 Rubin et al.
2014/0019116 A1 1/2014 Lundberg et al.
2014/0019133 A1 1/2014 Bao et al.
2014/0019460 A1 1/2014 Sambrani et al.
2014/0028735 A1 1/2014 Williams et al.
2014/0032453 A1 1/2014 Eustice et al.
2014/0033071 A1 1/2014 Gruber et al.
2014/0035823 A1 2/2014 Khoe et al.
2014/0039893 A1 2/2014 Weiner
2014/0039894 A1 2/2014 Shostak
2014/0040274 A1 2/2014 Aravamudan et al.
2014/0040748 A1 2/2014 Lemay et al.
2014/0040801 A1 2/2014 Patel et al.
2014/0040918 A1 2/2014 Li et al.
2014/0046934 A1 2/2014 Zhou et al.
2014/0047001 A1 2/2014 Phillips et al.
2014/0052680 A1 2/2014 Nitz et al.
2014/0052791 A1 2/2014 Chakra et al.
2014/0053082 A1 2/2014 Park et al.
2014/0053210 A1 2/2014 Cheong et al.
2014/0057610 A1 2/2014 Olincy et al.
2014/0059030 A1 2/2014 Hakkani-Tur et al.
2014/0067361 A1 3/2014 Nikoulina et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2014/0067371 A1 3/2014 Liensberger
2014/0067402 A1 3/2014 Kim
2014/0068751 A1 3/2014 Last et al.
2014/0074454 A1 3/2014 Brown et al.
2014/0074466 A1 3/2014 Sharifi et al.
2014/0074470 A1 3/2014 Jansche et al.
2014/0074472 A1 3/2014 Lin et al.
2014/0074483 A1 3/2014 Van Os
2014/0074815 A1 3/2014 Plimton
2014/0078065 A1 3/2014 Akkok et al.
2014/0079195 A1 3/2014 Srivastava et al.
2014/0080428 A1 3/2014 Rhoads et al.
2014/0081619 A1 3/2014 Solntseva et al.
2014/0081633 A1 3/2014 Badaskar et al.
2014/0082501 A1 3/2014 Bae et al.
2014/0086458 A1 3/2014 Rogers et al.
2014/0087711 A1 3/2014 Geyer et al.
2014/0088961 A1 3/2014 Woodward et al.
2014/0095171 A1 4/2014 Lynch et al.
2014/0095172 A1 4/2014 Cabaco et al.
2014/0095173 A1 4/2014 Lynch et al.
2014/0096209 A1 4/2014 Saraf et al.
2014/0098247 A1 4/2014 Rao et al.
2014/0108017 A1 4/2014 Mason et al.
2014/0114554 A1 4/2014 Lagassey
2014/0118155 A1 5/2014 Bowers et al.
2014/0122059 A1 5/2014 Patel et al.
2014/0122086 A1 5/2014 Kapur et al.
2014/0122136 A1 5/2014 Jayanthi
2014/0122153 A1 5/2014 Truitt
2014/0134983 A1 5/2014 Jung et al.
2014/0135036 A1 5/2014 Bonanni et al.
2014/0136187 A1 5/2014 Wolverton et al.
2014/0136195 A1 5/2014 Abdossalami et al.
2014/0136212 A1 5/2014 Kwon et al.
2014/0136946 A1 5/2014 Matas
2014/0136987 A1 5/2014 Rodriguez
2014/0142922 A1 5/2014 Liang et al.
2014/0142923 A1 5/2014 Jones et al.
2014/0142935 A1 5/2014 Lindahl et al.
2014/0143550 A1 5/2014 Ganong, III et al.
2014/0143721 A1 5/2014 Suzuki et al.
2014/0146200 A1 5/2014 Scott et al.
2014/0152577 A1 6/2014 Yuen et al.
2014/0153709 A1* 6/2014 Byrd H04M 3/42221 379/265.09
2014/0155031 A1 6/2014 Lee et al.
2014/0156262 A1 6/2014 Yuen et al.
2014/0156279 A1 6/2014 Okamoto et al.
2014/0157422 A1 6/2014 Livshits et al.
2014/0163951 A1 6/2014 Nikoulina et al.
2014/0163953 A1 6/2014 Parikh
2014/0163954 A1 6/2014 Joshi et al.
2014/0163977 A1 6/2014 Hoffmeister et al.
2014/0163981 A1 6/2014 Cook et al.
2014/0163995 A1 6/2014 Burns et al.
2014/0164476 A1 6/2014 Thomson
2014/0164532 A1 6/2014 Lynch et al.
2014/0164533 A1 6/2014 Lynch et al.
2014/0169795 A1 6/2014 Clough
2014/0172878 A1 6/2014 Clark et al.
2014/0173460 A1 6/2014 Kim
2014/0180499 A1 6/2014 Cooper et al.
2014/0180689 A1 6/2014 Kim et al.
2014/0180697 A1 6/2014 Torok et al.
2014/0181865 A1 6/2014 Koganei
2014/0188477 A1 7/2014 Zhang
2014/0195226 A1 7/2014 Yun et al.
2014/0195230 A1 7/2014 Han et al.
2014/0195233 A1 7/2014 Bapat
2014/0195244 A1 7/2014 Cha et al.
2014/0195251 A1 7/2014 Zeinstra et al.
2014/0195252 A1 7/2014 Gruber et al.
2014/0198048 A1 7/2014 Unruh et al.
2014/0203939 A1 7/2014 Harrington et al.
2014/0205076 A1 7/2014 Kumar et al.
2014/0207439 A1 7/2014 Venkatapathy et al.
2014/0207446 A1 7/2014 Klein et al.
2014/0207468 A1 7/2014 Bartnik
2014/0207582 A1 7/2014 Flinn et al.
2014/0214429 A1 7/2014 Pantel
2014/0214537 A1 7/2014 Yoo et al.
2014/0218372 A1 8/2014 Missig et al.
2014/0222436 A1 8/2014 Binder et al.
2014/0222678 A1 8/2014 Sheets et al.
2014/0223377 A1 8/2014 Shaw et al.
2014/0223481 A1 8/2014 Fundament
2014/0230055 A1 8/2014 Boehl
2014/0232656 A1 8/2014 Pasquero et al.
2014/0236595 A1 8/2014 Gray
2014/0236986 A1 8/2014 Guzman
2014/0237042 A1 8/2014 Ahmed et al.
2014/0244248 A1 8/2014 Arisoy et al.
2014/0244249 A1 8/2014 Mohamed et al.
2014/0244254 A1 8/2014 Ju et al.
2014/0244257 A1 8/2014 Colibro et al.
2014/0244258 A1 8/2014 Song et al.
2014/0244263 A1 8/2014 Pontual et al.
2014/0244266 A1 8/2014 Brown et al.
2014/0244268 A1 8/2014 Abdelsamie et al.
2014/0244271 A1 8/2014 Lindahl
2014/0244712 A1 8/2014 Walters et al.
2014/0245140 A1 8/2014 Brown et al.
2014/0247383 A1 9/2014 Dave et al.
2014/0247926 A1 9/2014 Gainsboro et al.
2014/0249817 A1 9/2014 Hart et al.
2014/0249821 A1 9/2014 Kennewick et al.
2014/0250046 A1 9/2014 Winn et al.
2014/0257809 A1 9/2014 Goel et al.
2014/0257815 A1 9/2014 Zhao et al.
2014/0258857 A1 9/2014 Dykstra-Erickson et al.
2014/0267022 A1 9/2014 Kim
2014/0267599 A1 9/2014 Drouin et al.
2014/0272821 A1 9/2014 Pitschel et al.
2014/0274005 A1 9/2014 Luna et al.
2014/0274203 A1 9/2014 Ganong et al.
2014/0274211 A1 9/2014 Sejnoha et al.
2014/0278343 A1 9/2014 Tran
2014/0278349 A1 9/2014 Grieves et al.
2014/0278379 A1 9/2014 Coccaro et al.
2014/0278390 A1 9/2014 Kingsbury et al.
2014/0278391 A1 9/2014 Braho et al.
2014/0278394 A1 9/2014 Bastyr et al.
2014/0278406 A1 9/2014 Tsumura et al.
2014/0278413 A1 9/2014 Pitschel et al.
2014/0278429 A1 9/2014 Ganong, III
2014/0278435 A1 9/2014 Ganong et al.
2014/0278436 A1 9/2014 Khanna et al.
2014/0278443 A1 9/2014 Gunn et al.
2014/0278513 A1 9/2014 Prakash et al.
2014/0280138 A1 9/2014 Li et al.
2014/0280292 A1 9/2014 Skinder
2014/0280353 A1 9/2014 Delaney et al.
2014/0280450 A1 9/2014 Luna
2014/0281983 A1 9/2014 Xian et al.
2014/0282003 A1 9/2014 Gruber et al.
2014/0282007 A1 9/2014 Fleizach
2014/0282045 A1 9/2014 Ayanam et al.
2014/0282201 A1 9/2014 Pasquero et al.
2014/0282586 A1 9/2014 Shear et al.
2014/0282743 A1 9/2014 Howard et al.
2014/0288990 A1 9/2014 Moore et al.
2014/0289508 A1 9/2014 Wang
2014/0297267 A1 10/2014 Spencer et al.
2014/0297281 A1 10/2014 Togawa et al.
2014/0297284 A1 10/2014 Gruber et al.
2014/0297288 A1 10/2014 Yu et al.
2014/0304605 A1 10/2014 Ohmura et al.
2014/0309996 A1 10/2014 Zhang
2014/0310001 A1 10/2014 Kalns et al.
2014/0310002 A1 10/2014 Nitz et al.
2014/0316585 A1 10/2014 Boesveld et al.
2014/0317030 A1 10/2014 Shen et al.
2014/0317502 A1 10/2014 Brown et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2014/0324884 A1 10/2014 Lindahl et al.
2014/0330569 A1 11/2014 Kolavennu et al.
2014/0337048 A1 11/2014 Brown et al.
2014/0337266 A1 11/2014 Wolverton et al.
2014/0337371 A1 11/2014 Li
2014/0337438 A1 11/2014 Govande et al.
2014/0337751 A1 11/2014 Lim et al.
2014/0337814 A1 11/2014 Kalns et al.
2014/0342762 A1 11/2014 Hajdu et al.
2014/0344627 A1 11/2014 Schaub et al.
2014/0344687 A1 11/2014 Durham et al.
2014/0350924 A1 11/2014 Zurek et al.
2014/0350933 A1 11/2014 Bak et al.
2014/0351741 A1 11/2014 Medlock et al.
2014/0351760 A1 11/2014 Skory et al.
2014/0358519 A1 12/2014 Mirkin et al.
2014/0358523 A1 12/2014 Sheth et al.
2014/0361973 A1 12/2014 Raux et al.
2014/0365209 A1 12/2014 Evermann
2014/0365214 A1 12/2014 Bayley
2014/0365216 A1 12/2014 Gruber et al.
2014/0365226 A1 12/2014 Sinha
2014/0365227 A1 12/2014 Cash et al.
2014/0365407 A1 12/2014 Brown et al.
2014/0365880 A1 12/2014 Bellegarda
2014/0365885 A1 12/2014 Carson et al.
2014/0365895 A1 12/2014 Paulson et al.
2014/0365922 A1 12/2014 Yang
2014/0370817 A1 12/2014 Luna
2014/0370841 A1 12/2014 Roberts et al.
2014/0372112 A1 12/2014 Xue et al.
2014/0372356 A1 12/2014 Bilal et al.
2014/0372931 A1 12/2014 Zhai et al.
2014/0379334 A1 12/2014 Fry
2014/0379341 A1 12/2014 Seo et al.
2014/0380285 A1 12/2014 Gabel et al.
2015/0003797 A1 1/2015 Schmidt
2015/0006148 A1 1/2015 Goldszmit et al.
2015/0006157 A1 1/2015 Andrade Silva et al.
2015/0006176 A1 1/2015 Pogue et al.
2015/0006178 A1 1/2015 Peng et al.
2015/0006184 A1 1/2015 Marti et al.
2015/0006199 A1 1/2015 Snider et al.
2015/0012271 A1 1/2015 Peng et al.
2015/0019219 A1 1/2015 Tzirkel-hancock et al.
2015/0019221 A1 1/2015 Lee et al.
2015/0031416 A1 1/2015 Wells et al.
2015/0033219 A1 1/2015 Breiner et al.
2015/0033275 A1 1/2015 Natani et al.
2015/0039292 A1 2/2015 Suleman et al.
2015/0039299 A1 2/2015 Weinstein et al.
2015/0039305 A1 2/2015 Huang
2015/0040012 A1 2/2015 Faaborg et al.
2015/0045003 A1 2/2015 Vora et al.
2015/0045068 A1 2/2015 Soffer et al.
2015/0046537 A1 2/2015 Rakib
2015/0050633 A1 2/2015 Christmas et al.
2015/0058013 A1 2/2015 Pakhomov et al.
2015/0058018 A1 2/2015 Georges et al.
2015/0058785 A1 2/2015 Ookawara
2015/0065200 A1 3/2015 Namgung et al.
2015/0066494 A1 3/2015 Salvador et al.
2015/0066496 A1 3/2015 Deoras et al.
2015/0066506 A1 3/2015 Romano et al.
2015/0066516 A1 3/2015 Nishikawa et al.
2015/0067485 A1 3/2015 Kim et al.
2015/0067822 A1 3/2015 Randall
2015/0071121 A1 3/2015 Patil et al.
2015/0073788 A1 3/2015 Allauzen et al.
2015/0073804 A1 3/2015 Senior et al.
2015/0074524 A1 3/2015 Nicholson et al.
2015/0074615 A1 3/2015 Han et al.
2015/0082229 A1 3/2015 Ouyang et al.
2015/0088511 A1 3/2015 Bharadwaj et al.
2015/0088514 A1 3/2015 Typrin
2015/0088522 A1 3/2015 Hendrickson et al.
2015/0088523 A1 3/2015 Schuster
2015/0095031 A1 4/2015 Conkie et al.
2015/0095278 A1 4/2015 Flinn et al.
2015/0100316 A1 4/2015 Williams et al.
2015/0100537 A1 4/2015 Grieves et al.
2015/0100983 A1 4/2015 Pan
2015/0106093 A1 4/2015 Weeks et al.
2015/0113407 A1 4/2015 Hoffert et al.
2015/0120723 A1 4/2015 Deshmukh et al.
2015/0121216 A1 4/2015 Brown et al.
2015/0127348 A1 5/2015 Follis
2015/0127350 A1 5/2015 Agiomyrgiannakis
2015/0133109 A1 5/2015 Freeman et al.
2015/0134334 A1 5/2015 Sachidanandam et al.
2015/0135085 A1 5/2015 Shoham et al.
2015/0135123 A1 5/2015 Carr et al.
2015/0142420 A1 5/2015 Sarikaya et al.
2015/0142438 A1 5/2015 Dai et al.
2015/0142447 A1 5/2015 Kennewick et al.
2015/0142851 A1 5/2015 Gupta et al.
2015/0148013 A1 5/2015 Baldwin et al.
2015/0149177 A1 5/2015 Kalns et al.
2015/0149182 A1 5/2015 Kalns et al.
2015/0149354 A1 5/2015 Mccoy
2015/0149469 A1 5/2015 Xu et al.
2015/0154185 A1 6/2015 Weibel
2015/0154976 A1 6/2015 Mutagi
2015/0161370 A1 6/2015 North et al.
2015/0161521 A1 6/2015 Shah et al.
2015/0161989 A1 6/2015 Hsu et al.
2015/0162001 A1 6/2015 Kar et al.
2015/0163558 A1 6/2015 Wheatley
2015/0169284 A1 6/2015 Quast et al.
2015/0169336 A1 6/2015 Harper et al.
2015/0170664 A1 6/2015 Doherty et al.
2015/0172463 A1 6/2015 Quast et al.
2015/0178388 A1 6/2015 Winnemoeller et al.
2015/0179176 A1 6/2015 Ryu et al.
2015/0185964 A1 7/2015 Stout
2015/0186012 A1 7/2015 Coleman et al.
2015/0186110 A1 7/2015 Kannan
2015/0186154 A1 7/2015 Brown et al.
2015/0186155 A1 7/2015 Brown et al.
2015/0186156 A1 7/2015 Brown et al.
2015/0186351 A1 7/2015 Hicks et al.
2015/0187355 A1 7/2015 Parkinson et al.
2015/0187369 A1 7/2015 Dadu et al.
2015/0189362 A1 7/2015 Lee et al.
2015/0193379 A1 7/2015 Mehta
2015/0193391 A1 7/2015 Khvostichenko et al.
2015/0193392 A1 7/2015 Greenblatt et al.
2015/0194152 A1 7/2015 Katuri et al.
2015/0195379 A1 7/2015 Zhang et al.
2015/0195606 A1 7/2015 McDevitt
2015/0199077 A1 7/2015 Zuger et al.
2015/0199960 A1 7/2015 Huo et al.
2015/0199965 A1 7/2015 Leak et al.
2015/0199967 A1 7/2015 Reddy et al.
2015/0201064 A1 7/2015 Bells et al.
2015/0205858 A1 7/2015 Xie et al.
2015/0208226 A1 7/2015 Kuusilinna et al.
2015/0212791 A1 7/2015 Kumar et al.
2015/0213796 A1 7/2015 Waltermann et al.
2015/0220507 A1 8/2015 Mohajer et al.
2015/0221304 A1 8/2015 Stewart
2015/0221307 A1 8/2015 Shah et al.
2015/0227505 A1 8/2015 Morimoto
2015/0227633 A1 8/2015 Shapira
2015/0228281 A1 8/2015 Raniere
2015/0230095 A1 8/2015 Smith et al.
2015/0234636 A1 8/2015 Barnes, Jr.
2015/0234800 A1 8/2015 Patrick et al.
2015/0242091 A1 8/2015 Lu et al.
2015/0243278 A1 8/2015 Kibre et al.
2015/0243283 A1 8/2015 Halash et al.
2015/0245154 A1 8/2015 Dadu et al.
2015/0248651 A1 9/2015 Akutagawa et al.
2015/0248886 A1 9/2015 Sarikaya et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2015/0254057 A1 9/2015 Klein et al.
2015/0254058 A1 9/2015 Klein et al.
2015/0254333 A1 9/2015 Fife et al.
2015/0255071 A1 9/2015 Chiba
2015/0256873 A1 9/2015 Klein et al.
2015/0261496 A1 9/2015 Faaborg et al.
2015/0261850 A1 9/2015 Mittal
2015/0269139 A1 9/2015 McAteer et al.
2015/0277574 A1 10/2015 Jain et al.
2015/0278370 A1 10/2015 Stratvert et al.
2015/0279358 A1 10/2015 Kingsbury et al.
2015/0279360 A1 10/2015 Mengibar et al.
2015/0281380 A1 10/2015 Wang et al.
2015/0286627 A1 10/2015 Chang et al.
2015/0287401 A1 10/2015 Lee et al.
2015/0287409 A1 10/2015 Jang
2015/0288629 A1 10/2015 Choi et al.
2015/0294086 A1 10/2015 Kara et al.
2015/0294377 A1 10/2015 Chow
2015/0294516 A1 10/2015 Chiang
2015/0295915 A1 10/2015 Xiu
2015/0302855 A1 10/2015 Kim et al.
2015/0302856 A1 10/2015 Kim et al.
2015/0302857 A1 10/2015 Yamada
2015/0309997 A1 10/2015 Lee et al.
2015/0310858 A1 10/2015 Li et al.
2015/0310862 A1 10/2015 Dauphin et al.
2015/0310879 A1 10/2015 Buchanan et al.
2015/0312182 A1 10/2015 Langholz
2015/0317069 A1 11/2015 Clements et al.
2015/0317310 A1 11/2015 Eiche et al.
2015/0324041 A1 11/2015 Varley et al.
2015/0324334 A1 11/2015 Lee et al.
2015/0331664 A1 11/2015 Osawa et al.
2015/0331711 A1 11/2015 Huang et al.
2015/0332667 A1 11/2015 Mason
2015/0339049 A1 11/2015 Kasemset et al.
2015/0339391 A1 11/2015 Kang et al.
2015/0340033 A1 11/2015 Di Fabbrizio et al.
2015/0340040 A1 11/2015 Mun et al.
2015/0340042 A1 11/2015 Sejnoha et al.
2015/0341717 A1 11/2015 Song et al.
2015/0347086 A1 12/2015 Liedholm et al.
2015/0347381 A1 12/2015 Bellegarda
2015/0347382 A1 12/2015 Dolfing et al.
2015/0347385 A1 12/2015 Flor et al.
2015/0347393 A1 12/2015 Futrell et al.
2015/0347733 A1 12/2015 Tsou et al.
2015/0347985 A1 12/2015 Gross et al.
2015/0348547 A1 12/2015 Paulik et al.
2015/0348548 A1 12/2015 Piernot et al.
2015/0348549 A1 12/2015 Giuli et al.
2015/0348551 A1 12/2015 Gruber et al.
2015/0348554 A1 12/2015 Orr et al.
2015/0350031 A1 12/2015 Burks et al.
2015/0352999 A1 12/2015 Bando et al.
2015/0355879 A1 12/2015 Beckhardt et al.
2015/0363587 A1 12/2015 Ahn et al.
2015/0364140 A1 12/2015 Thorn
2015/0370531 A1 12/2015 Faaborg
2015/0370780 A1 12/2015 Wang et al.
2015/0371639 A1 12/2015 Foerster et al.
2015/0371665 A1 12/2015 Naik et al.
2015/0373183 A1 12/2015 Woolsey et al.
2015/0382047 A1 12/2015 Napolitano et al.
2015/0382079 A1 12/2015 Lister et al.
2016/0004690 A1 1/2016 Bangalore et al.
2016/0005320 A1 1/2016 deCharms et al.
2016/0012038 A1 1/2016 Edwards et al.
2016/0014476 A1 1/2016 Caliendo, Jr. et al.
2016/0018900 A1 1/2016 Tu et al.
2016/0019886 A1 1/2016 Hong
2016/0026258 A1 1/2016 Ou et al.
2016/0027431 A1 1/2016 Kurzweil et al.
2016/0028666 A1 1/2016 Li
2016/0029316 A1 1/2016 Mohan et al.
2016/0034042 A1 2/2016 Joo
2016/0034811 A1 2/2016 Paulik et al.
2016/0042735 A1 2/2016 Vibbert et al.
2016/0042748 A1 2/2016 Jain et al.
2016/0048666 A1 2/2016 Dey et al.
2016/0055422 A1 2/2016 Li
2016/0062605 A1 3/2016 Agarwal et al.
2016/0063998 A1 3/2016 Krishnamoorthy et al.
2016/0070581 A1 3/2016 Soon-Shiong
2016/0071516 A1 3/2016 Lee et al.
2016/0071521 A1 3/2016 Haughay
2016/0072940 A1 3/2016 Cronin
2016/0077794 A1 3/2016 Kim et al.
2016/0078860 A1 3/2016 Paulik et al.
2016/0080165 A1 3/2016 Ehsani et al.
2016/0086116 A1 3/2016 Rao et al.
2016/0091967 A1 3/2016 Prokofieva et al.
2016/0092447 A1 3/2016 Venkataraman et al.
2016/0092766 A1 3/2016 Sainath et al.
2016/0093291 A1 3/2016 Kim
2016/0093298 A1 3/2016 Naik et al.
2016/0093301 A1 3/2016 Bellegarda et al.
2016/0093304 A1 3/2016 Kim et al.
2016/0094700 A1 3/2016 Lee et al.
2016/0094979 A1 3/2016 Naik et al.
2016/0098991 A1 4/2016 Luo et al.
2016/0104486 A1 4/2016 Penilla et al.
2016/0111091 A1 4/2016 Bakish
2016/0117386 A1 4/2016 Ajmera et al.
2016/0118048 A1 4/2016 Heide
2016/0119338 A1 4/2016 Cheyer
2016/0125048 A1 5/2016 Hamada
2016/0125071 A1 5/2016 Gabbai
2016/0132484 A1 5/2016 Nauze et al.
2016/0132488 A1 5/2016 Clark et al.
2016/0133254 A1 5/2016 Vogel et al.
2016/0139662 A1 5/2016 Dabhade
2016/0147725 A1 5/2016 Patten et al.
2016/0148610 A1 5/2016 Kennewick, Jr. et al.
2016/0155442 A1 6/2016 Kannan et al.
2016/0155443 A1 6/2016 Khan et al.
2016/0162456 A1 6/2016 Munro et al.
2016/0163311 A1 6/2016 Crook et al.
2016/0163312 A1 6/2016 Naik et al.
2016/0170966 A1 6/2016 Kolo
2016/0173578 A1 6/2016 Sharma et al.
2016/0173960 A1 6/2016 Snibbe et al.
2016/0179462 A1 6/2016 Bjorkengren
2016/0180844 A1 6/2016 Vanblon et al.
2016/0182410 A1 6/2016 Janakiraman et al.
2016/0182709 A1 6/2016 Kim et al.
2016/0188181 A1 6/2016 Smith
2016/0188738 A1 6/2016 Gruber et al.
2016/0189717 A1 6/2016 Kannan et al.
2016/0198319 A1 7/2016 Huang et al.
2016/0210981 A1 7/2016 Lee
2016/0212488 A1 7/2016 Os et al.
2016/0217784 A1 7/2016 Gelfenbeyn et al.
2016/0224540 A1 8/2016 Stewart et al.
2016/0224774 A1 8/2016 Pender
2016/0225372 A1 8/2016 Cheung et al.
2016/0240187 A1 8/2016 Fleizach et al.
2016/0247061 A1 8/2016 Trask et al.
2016/0253312 A1 9/2016 Rhodes
2016/0253528 A1 9/2016 Gao et al.
2016/0259623 A1 9/2016 Sumner et al.
2016/0259656 A1 9/2016 Sumner et al.
2016/0259779 A1 9/2016 Labsk et al.
2016/0260431 A1 9/2016 Newendorp et al.
2016/0260433 A1 9/2016 Sumner et al.
2016/0260434 A1 9/2016 Gelfenbeyn et al.
2016/0260436 A1 9/2016 Lemay et al.
2016/0266871 A1 9/2016 Schmid et al.
2016/0267904 A1 9/2016 Biadsy et al.
2016/0275941 A1 9/2016 Bellegarda et al.
2016/0275947 A1 9/2016 Li et al.
2016/0282956 A1 9/2016 Ouyang et al.
2016/0284005 A1 9/2016 Daniel et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2016/0284199 A1 9/2016 Dotan-Cohen et al.
2016/0286045 A1 9/2016 Shaltiel et al.
2016/0299685 A1 10/2016 Zhai et al.
2016/0299882 A1 10/2016 Hagerty et al.
2016/0299883 A1 10/2016 Zhu et al.
2016/0307566 A1 10/2016 Bellegarda
2016/0313906 A1 10/2016 Kilchenko et al.
2016/0314788 A1 10/2016 Jitkoff et al.
2016/0314792 A1 10/2016 Alvarez et al.
2016/0321261 A1 11/2016 Spasojevic et al.
2016/0322045 A1 11/2016 Hatfeild et al.
2016/0322050 A1 11/2016 Wang et al.
2016/0328205 A1 11/2016 Agrawal et al.
2016/0328893 A1 11/2016 Cordova et al.
2016/0336007 A1 11/2016 Hanazawa
2016/0336010 A1 11/2016 Lindahl
2016/0336024 A1 11/2016 Choi et al.
2016/0337299 A1 11/2016 Lane et al.
2016/0337301 A1 11/2016 Rollins et al.
2016/0342685 A1 11/2016 Basu et al.
2016/0342781 A1 11/2016 Jeon
2016/0351190 A1 12/2016 Binder et al.
2016/0352567 A1 12/2016 Robbins et al.
2016/0357304 A1 12/2016 Hatori et al.
2016/0357728 A1 12/2016 Bellegarda et al.
2016/0357861 A1 12/2016 Carlhian et al.
2016/0357870 A1 12/2016 Hentschel et al.
2016/0358598 A1 12/2016 Williams et al.
2016/0358600 A1 12/2016 Nallasamy et al.
2016/0358619 A1 12/2016 Ramprashad et al.
2016/0359771 A1 12/2016 Sridhar
2016/0360039 A1 12/2016 Sanghavi et al.
2016/0360336 A1 12/2016 Gross et al.
2016/0360382 A1 12/2016 Gross et al.
2016/0364378 A1 12/2016 Futrell et al.
2016/0365101 A1 12/2016 Foy et al.
2016/0371250 A1 12/2016 Rhodes
2016/0372112 A1 12/2016 Miller et al.
2016/0378747 A1 12/2016 Orr et al.
2016/0379091 A1 12/2016 Lin et al.
2016/0379626 A1 12/2016 Deisher et al.
2016/0379633 A1 12/2016 Lehman et al.
2016/0379641 A1 12/2016 Liu et al.
2017/0004824 A1 1/2017 Yoo et al.
2017/0011303 A1 1/2017 Annapureddy et al.
2017/0011742 A1 1/2017 Jing et al.
2017/0018271 A1 1/2017 Khan et al.
2017/0019987 A1 1/2017 Dragone et al.
2017/0025124 A1 1/2017 Mixter et al.
2017/0031576 A1 2/2017 Saoji et al.
2017/0032783 A1 2/2017 Lord et al.
2017/0032791 A1 2/2017 Elson et al.
2017/0040002 A1 2/2017 Basson et al.
2017/0055895 A1 3/2017 Des Jardins et al.
2017/0060853 A1 3/2017 Lee et al.
2017/0068423 A1 3/2017 Napolitano et al.
2017/0068513 A1 3/2017 Stasior et al.
2017/0068550 A1 3/2017 Zeitlin
2017/0068670 A1 3/2017 Orr et al.
2017/0076720 A1 3/2017 Gopalan et al.
2017/0076721 A1 3/2017 Bargetzi et al.
2017/0083179 A1 3/2017 Gruber et al.
2017/0083285 A1 3/2017 Meyers et al.
2017/0090569 A1 3/2017 Levesque
2017/0091168 A1 3/2017 Bellegarda et al.
2017/0092270 A1 3/2017 Newendorp et al.
2017/0092278 A1 3/2017 Evermann et al.
2017/0102915 A1 4/2017 Kuscher et al.
2017/0103749 A1 4/2017 Zhao et al.
2017/0105190 A1 4/2017 Logan et al.
2017/0116177 A1* 4/2017 Walia G06F 17/279
2017/0116989 A1 4/2017 Yadgar et al.
2017/0124190 A1 5/2017 Wang et al.
2017/0125016 A1 5/2017 Wang
2017/0127124 A9 5/2017 Wilson et al.
2017/0131778 A1 5/2017 Iyer
2017/0132199 A1 5/2017 Vescovi et al.
2017/0140644 A1 5/2017 Hwang et al.
2017/0154033 A1 6/2017 Lee
2017/0154055 A1 6/2017 Dimson et al.
2017/0161018 A1 6/2017 Lemay et al.
2017/0161268 A1 6/2017 Badaskar
2017/0169818 A1 6/2017 VanBlon et al.
2017/0169819 A1 6/2017 Mese et al.
2017/0178619 A1 6/2017 Naik et al.
2017/0178626 A1 6/2017 Gruber et al.
2017/0180499 A1 6/2017 Gelfenbeyn et al.
2017/0185375 A1 6/2017 Martel et al.
2017/0185581 A1 6/2017 Bojja et al.
2017/0186429 A1 6/2017 Giuli et al.
2017/0193083 A1 7/2017 Bhatt et al.
2017/0199874 A1 7/2017 Patel et al.
2017/0200066 A1 7/2017 Wang et al.
2017/0221486 A1 8/2017 Kurata et al.
2017/0227935 A1 8/2017 Su et al.
2017/0228382 A1 8/2017 Haviv et al.
2017/0230709 A1 8/2017 Van Os et al.
2017/0242653 A1 8/2017 Lang et al.
2017/0243468 A1 8/2017 Dotan-Cohen et al.
2017/0256256 A1 9/2017 Wang et al.
2017/0263247 A1 9/2017 Kang et al.
2017/0263248 A1 9/2017 Gruber et al.
2017/0263249 A1 9/2017 Akbacak et al.
2017/0264451 A1 9/2017 Yu et al.
2017/0278514 A1 9/2017 Mathias et al.
2017/0285915 A1 10/2017 Napolitano et al.
2017/0286397 A1 10/2017 Gonzalez
2017/0295446 A1 10/2017 Thagadur Shivappa
2017/0316775 A1 11/2017 Le et al.
2017/0316782 A1 11/2017 Haughay et al.
2017/0323637 A1 11/2017 Naik
2017/0345411 A1 11/2017 Raitio et al.
2017/0346949 A1 11/2017 Sanghavi et al.
2017/0352346 A1 12/2017 Paulik et al.
2017/0352350 A1 12/2017 Booker et al.
2017/0357478 A1 12/2017 Piersol et al.
2017/0357632 A1 12/2017 Pagallo et al.
2017/0357633 A1 12/2017 Wang et al.
2017/0357637 A1 12/2017 Nell et al.
2017/0357640 A1 12/2017 Bellegarda et al.
2017/0357716 A1 12/2017 Bellegarda et al.
2017/0358300 A1 12/2017 Laurens et al.
2017/0358301 A1 12/2017 Raitio et al.
2017/0358302 A1 12/2017 Orr et al.
2017/0358303 A1 12/2017 Walker, II et al.
2017/0358304 A1 12/2017 Castillo et al.
2017/0358305 A1 12/2017 Kudurshian et al.
2017/0371885 A1 12/2017 Aggarwal et al.
2018/0007060 A1 1/2018 Leblang et al.
2018/0007538 A1 1/2018 Naik et al.
2018/0012596 A1 1/2018 Piernot et al.
2018/0033431 A1 2/2018 Newendorp et al.
2018/0054505 A1 2/2018 Hart et al.
2018/0060312 A1 3/2018 Won
2018/0063624 A1 3/2018 Boesen
2018/0067914 A1 3/2018 Chen et al.
2018/0090143 A1 3/2018 Saddler et al.
2018/0107945 A1 4/2018 Gao et al.
2018/0108346 A1 4/2018 Paulik et al.
2018/0137856 A1 5/2018 Gilbert
2018/0137857 A1 5/2018 Zhou et al.
2018/0144748 A1 5/2018 Leong
2018/0190273 A1 7/2018 Karimli et al.
2018/0213448 A1 7/2018 Segal et al.
2018/0308485 A1 10/2018 Kudurshian et al.
2018/0322112 A1 11/2018 Bellegarda et al.
2018/0329982 A1 11/2018 Patel et al.
2018/0330737 A1 11/2018 Paulik et al.
2018/0336275 A1 11/2018 Graham et al.
2018/0336894 A1 11/2018 Graham et al.

(56) **References Cited**

U.S. PATENT DOCUMENTS

FOREIGN PATENT DOCUMENTS

CA	2792412	A1	7/2011
CA	2666438	C	6/2013
CN	101162153	A	4/2008
CN	101174366	A	5/2008
CN	101179754	A	5/2008
CN	101183525	A	5/2008
CN	101188644	A	5/2008
CN	101228503	A	7/2008
CN	101233741	A	7/2008
CN	101246020	A	8/2008
CN	101247301	A	8/2008
CN	101271689	A	9/2008
CN	101277501	A	10/2008
CN	101281745	A	10/2008
CN	101292282	A	10/2008
CN	101297541	A	10/2008
CN	101325756	A	12/2008
CN	101416471	A	4/2009
CN	101427244	A	5/2009
CN	101448340	A	6/2009
CN	101453498	A	6/2009
CN	101499156	A	8/2009
CN	101500041	A	8/2009
CN	101515952	A	8/2009
CN	101535983	A	9/2009
CN	101547396	A	9/2009
CN	101557432	A	10/2009
CN	101601088	A	12/2009
CN	101604521	A	12/2009
CN	101632316	A	1/2010
CN	101636736	A	1/2010
CN	101673544	A	3/2010
CN	101751387	A	6/2010
CN	101833286	A	9/2010
CN	101847405	A	9/2010
CN	101894547	A	11/2010
CN	101939740	A	1/2011
CN	101951553	A	1/2011
CN	102137193	A	7/2011
CN	102160043	A	8/2011
CN	102246136	A	11/2011
CN	202035047	U	11/2011
CN	102282609	A	12/2011
CN	202092650	U	12/2011
CN	102368256	A	3/2012
CN	102405463	A	4/2012
CN	102498457	A	6/2012
CN	102629246	A	8/2012
CN	102682769	A	9/2012
CN	102682771	A	9/2012
CN	102685295	A	9/2012
CN	102693725	A	9/2012
CN	102792320	A	11/2012
CN	102801853	A	11/2012
CN	102870065	A	1/2013
CN	102917004	A	2/2013
CN	102918493	A	2/2013
CN	103035240	A	4/2013
CN	103038728	A	4/2013
CN	103093334	A	5/2013
CN	103135916	A	6/2013
CN	103365279	A	10/2013
CN	103744761	A	4/2014
CN	103795850	A	5/2014
CN	103930945	A	7/2014
CN	104038621	A	9/2014
CN	104090652	A	10/2014
CN	104144377	A	11/2014
CN	104284257	A	1/2015
CN	104423625	A	3/2015
CN	104463552	A	3/2015
CN	104516522	A	4/2015
CN	104854583	A	8/2015
CN	104951077	A	9/2015
CN	105247511	A	1/2016
CN	105264524	A	1/2016
CN	105471705	A	4/2016
CN	107919123	A	4/2018
DE	102008024258	A1	11/2009
DE	202016008226	U1	5/2017
EP	1892700	A1	2/2008
EP	1912205	A2	4/2008
EP	1939860	A1	7/2008
EP	1944997	A2	7/2008
EP	651543	B1	9/2008
EP	1909263	B1	1/2009
EP	1335620	B1	3/2009
EP	2069895	A1	6/2009
EP	2081185	A1	7/2009
EP	2094032	A1	8/2009
EP	2096840	A1	9/2009
EP	2107553	A1	10/2009
EP	2109295	A1	10/2009
EP	1720375	B1	7/2010
EP	2205010	A1	7/2010
EP	2309491	A1	4/2011
EP	2329348		6/2011
EP	2339576	A2	6/2011
EP	2400373	A1	12/2011
EP	2431842	A2	3/2012
EP	2523188	A1	11/2012
EP	2551784	A1	1/2013
EP	2555536	A1	2/2013
EP	2575128	A2	4/2013
EP	2632129	A1	8/2013
EP	2683175	A1	1/2014
EP	2733598	A2	5/2014
EP	2760015	A1	7/2014
EP	2801890	A1	11/2014
EP	2801972	A1	11/2014
EP	2849177	A1	3/2015
EP	2930715	A1	10/2015
EP	2938022	A1	10/2015
EP	2940556	A1	11/2015
EP	2950307	A1	12/2015
EP	3035329	A1	6/2016
EP	3224708	A1	10/2017
EP	3246916	A1	11/2017
EP	3300074	A1	3/2018
EP	2983065	B1	8/2018
FR	2911201	A1	7/2008
GB	2445436	A	7/2008
GB	2445667	A	7/2008
JP	2008-009120	A	1/2008
JP	2008-21002	A	1/2008
JP	2008-26381	A	2/2008
JP	2008-39928	A	2/2008
JP	2008-58813	A	3/2008
JP	2008-064687	A	3/2008
JP	2008-90545	A	4/2008
JP	2008-97003	A	4/2008
JP	2008-134949	A	6/2008
JP	2008-158510	A	7/2008
JP	2008-526101	A	7/2008
JP	2008-185693	A	8/2008
JP	2008-198022	A	8/2008
JP	2008-217468	A	9/2008
JP	2008-228129	A	9/2008
JP	2008-233678	A	10/2008
JP	2008-236448	A	10/2008
JP	2008-252161	A	10/2008
JP	2008-268684	A	11/2008
JP	2008-269480	A	11/2008
JP	2008-271481	A	11/2008
JP	2008-275731	A	11/2008
JP	2008-299221	A	12/2008
JP	2009-2850	A	1/2009
JP	2009-503623	A	1/2009
JP	2009-36999	A	2/2009
JP	2009-505142	A	2/2009
JP	2009-47920	A	3/2009
JP	2009-069062	A	4/2009

(56) **References Cited**

FOREIGN PATENT DOCUMENTS

JP	2009-98490	A	5/2009
JP	2009-110300	A	5/2009
JP	2009-134409	A	6/2009
JP	2009-140444	A	6/2009
JP	2009-186989	A	8/2009
JP	2009-193448	A	8/2009
JP	2009-193457	A	8/2009
JP	2009-193532	A	8/2009
JP	2009-205367	A	9/2009
JP	2009-223840	A	10/2009
JP	2009-294913	A	12/2009
JP	2009-294946	A	12/2009
JP	2009-543166	A	12/2009
JP	2010-66519	A	3/2010
JP	2010-78979	A	4/2010
JP	2010-108378	A	5/2010
JP	2010-518475	A	5/2010
JP	2010-518526	A	5/2010
JP	2010-146347	A	7/2010
JP	2010-157207	A	7/2010
JP	2010-205111	A	9/2010
JP	2010-224236	A	10/2010
JP	4563106	B2	10/2010
JP	2010-535377	A	11/2010
JP	2010-287063	A	12/2010
JP	2011-33874	A	2/2011
JP	2011-41026	A	2/2011
JP	2011-45005	A	3/2011
JP	2011-59659	A	3/2011
JP	2011-81541	A	4/2011
JP	2011-525045	A	9/2011
JP	2011-238022	A	11/2011
JP	2011-250027	A	12/2011
JP	2012-014394	A	1/2012
JP	2012-33997	A	2/2012
JP	2012-508530	A	4/2012
JP	2012-089020	A	5/2012
JP	2012-116442	A	6/2012
JP	2012-142744	A	7/2012
JP	2012-147063	A	8/2012
JP	2012-518847	A	8/2012
JP	2013-37688	A	2/2013
JP	2013-511214	A	3/2013
JP	2013-65284	A	4/2013
JP	2013-73240	A	4/2013
JP	2013-513315	A	4/2013
JP	2013-080476	A	5/2013
JP	2013-517566	A	5/2013
JP	2013-134430	A	7/2013
JP	2013/140520	A	7/2013
JP	2013-527947	A	7/2013
JP	2013-528012	A	7/2013
JP	2013-156349	A	8/2013
JP	2013-200423	A	10/2013
JP	2013-205999	A	10/2013
JP	2013-238936	A	11/2013
JP	2014-10688	A	1/2014
JP	2014-026629	A	2/2014
JP	2014-60600	A	4/2014
JP	2014-72586	A	4/2014
JP	2014-077969	A	5/2014
JP	2014/109889	A	6/2014
JP	2014-124332	A	7/2014
JP	2014-145842	A	8/2014
JP	2014-150323	A	8/2014
JP	2014-222514	A	11/2014
JP	2015-8001	A	1/2015
JP	2015-501022	A	1/2015
JP	2015-41845	A	3/2015
JP	2015-94848	A	5/2015
JP	2015-519675	A	7/2015
JP	2015-524974	A	8/2015
JP	2015-526776	A	9/2015
JP	2015-528140	A	9/2015
JP	2015-528918	A	10/2015
JP	2016-119615	A	6/2016
KR	10-0801227	B1	2/2008
KR	10-0810500	B1	3/2008
KR	10-2008-0033070	A	4/2008
KR	10-0819928	B1	4/2008
KR	10-2008-0049647	A	6/2008
KR	10-2008-0059332	A	6/2008
KR	10-2008-0109322	A	12/2008
KR	10-2009-0001716	A	1/2009
KR	10-2009-0028464	A	3/2009
KR	10-2009-0030117	A	3/2009
KR	10-2009-0086805	A	8/2009
KR	10-0920267	B1	10/2009
KR	10-2009-0122944	A	12/2009
KR	10-2009-0127961	A	12/2009
KR	10-2009-0129192	A	12/2009
KR	10-2010-0015958	A	2/2010
KR	10-2010-0048571	A	5/2010
KR	10-2010-0053149	A	5/2010
KR	10-2010-0119519	A	11/2010
KR	10-2011-0043644	A	4/2011
KR	10-1032792	B1	5/2011
KR	10-2011-0068490	A	6/2011
KR	10-2011-0072847	A	6/2011
KR	10-2011-0086492	A	7/2011
KR	10-2011-0100620	A	9/2011
KR	10-2011-0113414	A	10/2011
KR	10-2011-0115134	A	10/2011
KR	10-2012-0020164	A	3/2012
KR	10-2012-0031722	A	4/2012
KR	10-1178310	B1	8/2012
KR	10-2012-0120316	A	11/2012
KR	10-2012-0137435	A	12/2012
KR	10-2012-0137440	A	12/2012
KR	10-2012-0138826	A	12/2012
KR	10-2012-0139827	A	12/2012
KR	10-1193668	B1	12/2012
KR	10-2013-0035983	A	4/2013
KR	10-2013-0108563	A	10/2013
KR	10-1334342	B1	11/2013
KR	10-2013-0131252	A	12/2013
KR	10-2013-0133629	A	12/2013
KR	10-2014-0031283	A	3/2014
KR	10-2014-0033574	A	3/2014
KR	10-2014-0147557	A	12/2014
KR	10-2015-0043512	A	4/2015
KR	10-2016-0010523	A	1/2016
RU	2349970	C2	3/2009
RU	2353068	C2	4/2009
RU	2364917	C2	8/2009
TW	200801988	A	1/2008
TW	I301373	B	9/2008
TW	M348993	U	1/2009
TW	200943903	A	10/2009
TW	201018258	A	5/2010
TW	201027515	A1	7/2010
TW	201028996	A1	8/2010
TW	201110108	A1	3/2011
TW	2011-42823	A1	12/2011
TW	201227715	A1	7/2012
TW	201245989	A1	11/2012
TW	201312548	A1	3/2013
WO	2008/030970	A2	3/2008
WO	2008/071231	A1	6/2008
WO	2008/085742	A2	7/2008
WO	2008/098900	A2	8/2008
WO	2008/109835	A2	8/2008
WO	2008/120036	A1	10/2008
WO	2008/130095	A1	10/2008
WO	2008/140236	A1	11/2008
WO	2008/142472	A1	11/2008
WO	2008/153639	A1	12/2008
WO	2009/009240	A2	1/2009
WO	2009/016631	A2	2/2009
WO	2009/017280	A1	2/2009
WO	2009/034686	A1	3/2009
WO	2009/075912	A1	6/2009
WO	2009/104126	A1	8/2009
WO	2009/156438	A1	12/2009

(56) **References Cited**

FOREIGN PATENT DOCUMENTS

WO	2009/156978	A1	12/2009
WO	2010/054373	A2	5/2010
WO	2010/075623	A1	7/2010
WO	2010/100937	A1	9/2010
WO	2010/141802	A1	12/2010
WO	2011/057346	A1	5/2011
WO	2011/060106	A1	5/2011
WO	2011/088053	A2	7/2011
WO	2011/093025	A1	8/2011
WO	2011/116309	A1	9/2011
WO	2011/133543	A1	10/2011
WO	2011/150730	A1	12/2011
WO	2011/163350	A1	12/2011
WO	2011/088053	A3	1/2012
WO	2012/019637	A1	2/2012
WO	2012/129231	A1	9/2012
WO	2012/135157	A2	10/2012
WO	2012/154317	A1	11/2012
WO	2012/155079	A2	11/2012
WO	2012/167168	A2	12/2012
WO	2013/009578	A2	1/2013
WO	2013/022135	A1	2/2013
WO	2013/022223	A2	2/2013
WO	2013/048880	A1	4/2013
WO	2013/049358	A1	4/2013
WO	2013/163113	A1	10/2013
WO	2013/169842	A2	11/2013
WO	2013/173504	A1	11/2013
WO	2013/173511	A2	11/2013
WO	2013/176847	A1	11/2013
WO	2013/184953	A1	12/2013
WO	2013/184990	A1	12/2013
WO	2014/003138	A1	1/2014
WO	2014/021967	A1	2/2014
WO	2014/022148	A1	2/2014
WO	2014/028797	A1	2/2014
WO	2014/031505	A1	2/2014
WO	2014/047047	A1	3/2014
WO	2014/066352	A1	5/2014
WO	2014/078965	A1	5/2014
WO	2014/096506	A1	6/2014
WO	2014/124332	A2	8/2014
WO	2014/137074	A1	9/2014
WO	2014/138604	A1	9/2014
WO	2014/143959	A2	9/2014
WO	2014/144579	A1	9/2014
WO	2014/159581	A1	10/2014
WO	2014/197336	A1	12/2014
WO	2014/200728	A1	12/2014
WO	2014/204659	A2	12/2014
WO	2015/018440	A1	2/2015
WO	2015/030796	A1	3/2015
WO	2015/041892	A1	3/2015
WO	2015/084659	A1	6/2015
WO	2015/092943	A1	6/2015
WO	2015/094169	A1	6/2015
WO	2015/094369	A1	6/2015
WO	2015/099939	A1	7/2015
WO	2015/116151	A1	8/2015
WO	2015/151133	A1	10/2015
WO	2015/157013	A1	10/2015
WO	2015/183401	A1	12/2015
WO	2015/183699	A1	12/2015
WO	2015/184186	A1	12/2015
WO	2015/200207	A1	12/2015
WO	2016/027933	A1	2/2016
WO	2016/028946	A1	2/2016
WO	2016/033257	A1	3/2016
WO	2016/054230	A1	4/2016
WO	2016/057268	A1	4/2016
WO	2016/075081	A1	5/2016
WO	2016/085775	A2	6/2016
WO	2016/100139	A1	6/2016
WO	2016/111881	A1	7/2016
WO	2016/144840	A1	9/2016
WO	2016/144982	A1	9/2016
WO	2016/175354	A1	11/2016
WO	2016/209444	A1	12/2016
WO	2017/044260	A1	3/2017
WO	2017/044629	A1	3/2017
WO	2017/053311	A1	3/2017

OTHER PUBLICATIONS

"Galaxy S7: How to Adjust Screen Timeout & Lock Screen Timeout", Available online at:—"https://ww.youtube.com/watch?v=n6e1WKUS2ww", Jun. 9, 2016, 1 page.

"Hey Google: How to Create a Shopping List with Your Google Assistant", Available online at:—https://www.youtube.com/watch?v=w9NCsElax1Y, May 25, 2018, 1 page.

"How to Enable Google Assistant on Galaxy 57 and other Android Phones (No Root)", Available online at:—"https://www.youtube.com/watch?v=HeklQbWyksE", Mar. 20, 2017, 1 page.

"How to Use Ok Google Assistant Even Phone is Locked", Available online at:—"https://www.youtube.com/watch?v=9B_gP4j_SP8", Mar. 12, 2018, 1 page.

"SmarThings +Amazon Echo", Smartthings Samsung [online], Available online at <https://web.archive.org/web/20160509231428/https://blog.smartthings.com/featured/alexa-turn-on-my-smartthings/>, Aug. 21, 2015, 3 pages.

"Ask Alexa—Things That Are Smart Wiki", Available online at <URL:http://thingsthataresmart.wiki/index.php?title=Ask_Alexa&oldid=4283>, [retrieved from internet on Aug. 2, 2017], Jun. 8, 2016, pp. 1-31.

"DIRECTV™ Voice", Now Part of the DIRECTTV Mobile App for Phones, Sep. 18, 2013, 5 pages.

"Northern Telecom", Meridian Mail PC User Guide, 1988, 17 Pages.

"The world of Virtual Assistants—more SemTech . . . ", End of Business as Usual—Glenn's External blog, Online Available at <https://web.archive.org/web/20091101840940/http://glennas.wordpress.com/2009/10/17/the-world-of-virtual-assistants-more-semtech/>, Oct. 17, 2009, 5 pages.

Adium, "AboutAdium—Adium X—Trac", available at <http://web.archive.org/web/20070819113247/http://trac.adiumx.com/wiki/AboutAdium>, retrieved on Nov. 25, 2011, 2 pages.

Alfred App, "Alfred", available at <http://www.alfredapp.com/>, retrieved on Feb. 8, 2012, 5 pages.

Anania, Peter, "Amazon Echo with Home Automation (Smartthings)", Available online at https://www.youtube.com/watch?v=LMW6aXmsWNE, Dec. 20, 2015, 1 page.

API.AI, "Android App Review—Speaktoit Assistant", Available at <https://www.youtube.com/watch?v=myE498nyfGw>, Mar. 30, 2011, 3 pages.

Apple Computer, "Knowledge Navigator", published by Apple Computer no later than 2008, as depicted in Exemplary Screenshots from video entitled 'Knowledge Navigator', 2008, 7 pages.

Apple, "VoiceOver", available at <http://www.apple.com/accessibility/voiceover/>, May 19, 2014, 3 pages.

Arons, Barry Michael., "The Audio-Graphical Interface to a Personal Integrated Telecommunications System", Thesis Submitted to the Department of Architecture at the Massachusetts Institute of Technology, Jun. 1984, 88 pages.

Asakura et al., "What LG thinks; How the TV should be in the Living Room", HiVi, vol. 31, No. 7 (Jul. 2013), Stereo Sound Publishing, Inc., Jun. 17, 2013, pages 68-71 (Official Copy Only). (See Communication under 37 CFR § 1.98(a) (3)).

Ashbrook, Daniel L.., "Enabling Mobile Microinteractions", Retrieved from the Internet: URL: "http://danielashbrook.com/wp-content/uploads/2012/06/2009-Ashbrook-Thesis.pdf", May 2010, 186 pages.

Ashingtondctech & Gaming, "SwipeStatusBar—Reveal the Status Bar in a Fullscreen App", Online Available at: <https://www.youtube.com/watch?v=wA_tT9lAreQ>, Jul. 1, 2013, 3 pages.

Berry et al., "PTIME: Personalized Assistance for Calendaring", ACM Transactions on Intelligent Systems and Technology, vol. 2, No. 4, Article 40, Jul. 2011, pp. 1-22.

(56) **References Cited**

OTHER PUBLICATIONS

Bertulucci, Jeff, "Google Adds Voice Search to Chrome Browser", PC World, Jun. 14, 2011, 5 pages.
Bocchieri et al., "Use of Geographical Meta-Data in ASR Language and Acoustic Models", IEEE International Conference on Acoustics Speech and Signal Processing, 2010, pp. 5118-5121.
Butcher, Mike, "EVI Arrives in Town to go Toe-to-Toe with Siri", TechCrunch, Jan. 23, 2012, 2 pages.
Cambria et al., "Jumping NLP Curves: A Review of Natural Language Processing Research", IEEE Computational Intelligence Magazine, 2014, vol. 9, May 2014, pp. 48-57.
Caraballo et al., "Language Identification Based on a Discriminative Text Categorization Technique", Iberspeech 2012—Vii Jornadas En Tecnologia Del Habla and Iii Iberiansl Tech Workshop, Nov. 21, 2012, pp. 1-10.
Castleos, "Whole House Voice Control Demonstration", available online at : https://www.youtube.com/watch?v=9SRCoxrZ_W4, Jun. 2, 2012, 26 pages.
Chamberlain, Kim, "Quick Start Guide Natural Reader", available online at <http://atrc.colostate.edu/files/quickstarts/Natural_Reader_Quick_Start_Guide.>, Apr. 2008, 5 pages.
Chen, Yi, "Multimedia Sin Finds and Plays Whatever You Ask for", PSFK Report, Feb. 9, 2012, 9 pages.
Cheyer, Adam, "About Adam Cheyer", available at <http://www.adam.cheyer.com/about.html>, retrieved on Sep. 17, 2012, 2 pages.
Choi et al., "Acoustic and Visual Signal based Context Awareness System for Mobile Application", IEEE Transactions on Consumer Electronics, vol. 57, No. 2, May 2011, pp. 738-746.
Coleman, David W., "Meridian Mail Voice Mail System Integrates Voice Processing and Personal Computing", Speech Technology, vol. 4, No. 2, Mar./Apr. 1988, pp. 84-87.
Colt, Sam, "Here's One Way Apple's Smartwatch Could Be Better Than Anything Else", Business Insider, Aug. 21, 2014, pp. 1-4.
Deedeevuu, "Amazon Echo Alarm Feature", Available online at https://www.youtube.com/watch?v=fdjU8eRLk7c, Feb. 16, 2015, 1 page.
EARTHLING1984, "Samsung Galaxy Smart Stay Feature Explained", Available online at:—"https://www.youtube.com/watch?v=RpjBNtSjupl", May 29, 2013, 1 page.
Elliott et al., "Annotation Suggestion and Search for Personal Multimedia Objects on the Web", CIVR, Jul. 7-9, 2008, pp. 75-84.
Erol et al., "Multimedia Clip Generation From Documents for Browsing on Mobile Devices", IEEE Transactions on Multimedia, vol. 10, No. 5, Aug. 2008, 13 pages.
Evi, "Meet Evi: The One Mobile Application that Provides Solutions for your Everyday Problems", Feb. 2012, 3 pages.
Exhibit 1, "Natural Language Interface Using Constrained Intermediate Dictionary of Results", List of Publications Manually Reviewed for the Search of U.S. Pat. No. 7,177,798, Mar. 22, 2013, 1 page.
Filipowicz, Luke, "How to use the Quick Type Keyboard in iOS 8", available online at <https://www.imore.com/comment/568232>, Oct. 11, 2014, pp. 1-17.
Findlater et al., "Beyond QWERTY: Augmenting Touch-Screen Keyboards with Multi-Touch Gestures for Non-Alphanumeric Input", CHI '12, Austin, Texas, USA, May 5-10,2012, 4 pages.
Finkel et al., "Joint Parsing and Named Entity Recognition", Human Language Technologies: The 2009 Annual Conference of the North American Chapter of the ACL, Jun. 2009, pp. 326-334.
Gannes, Liz, "Alfred App Gives Personalized Restaurant Recommendations", AllThingsD, Jul. 18, 2011, pp. 1-3.
Gomez et al., "Mouth Gesture and Voice Command Based Robot Command Interface", IEEE International Conference on Robotics and Automation, May 12-17, 2009, pp. 333-338.
Google Developers, "Voice Search in Your App", Available online at:- https://www.youtube.com/watch?v=PS1FbB5gWEI, Nov. 12, 2014, 1 page.
Gruber, Thomas R., et al., U.S. Appl. No. 61/186,414, filed Jun. 12, 2009 titled "System and Method for Semantic Auto-Completion" 13 pages (Copy Not Attached).
Gruber, Tom, "Big Think Small Screen: How Semantic Computing in the Cloud will Revolutionize the Consumer Experience on the Phone", Keynote Presentation at Web 3.0 Conference, Jan. 2010, 41 pages.
Gruber, Tom, "Despite Our Best Efforts, Ontologies are not the Problem", AAAI Spring Symposium, Available online at <http://tomgruber.org/writing/aaai-ss08.htm>, Mar. 2008, pp. 1-40.
Gruber, Tom, "Intelligence at the Interface: Semantic Technology and the Consumer Internet Experience", Presentation at Semantic Technologies Conference, Available online at <http://tomgruber.org/writing/semtech08.htm>, May 20, 2008, pp. 1-40.
Gruber, Tom, "Siri, A Virtual Personal Assistant—Bringing Intelligence to the Interface", Semantic Technologies Conference, Jun. 16, 2009, 21 pages.
Guay, Matthew, "Location-Driven Productivity with Task Ave", available at <http://iphone.appstorm.net/reviews/productivity/location-driven-productivity-with-task-ave/>, Feb. 19, 2011, 7 pages.
Guim, Mark, "How to Set a Person-Based Reminder with Cortana", available at <http://www.wpcentral.com/how-to-person-based-reminder-cortana>, Apr. 26, 2014, 15 pages.
Haga et al., "A Usability Survey of a Contents-Based Video Retrieval System by Combining Digital Video and an Electronic Bulletin Board", The Internet and Higher Education, vol. 8, 2005, pp. 251-262.
Hardwar, Devindra, "Driving App Waze Builds its own Siri for Hands-Free Voice Control", Available online at <http://venturebeat.com/2012/02/09/driving-app-waze-builds-its-own-siri-for-hands-free-voice-control/>, retrieved on Feb. 9, 2012, 4 pages.
Hashimoto, Yoshiyuki, "Simple Guide for iPhone Siri, Which Can Be Operated with Your Voice", Shuwa System Co., Ltd., vol. 1, Jul. 5, 2012, pp. 8, 130, 131.
Headset Button Controller v7.3 APK Full APP Download for Android, Blackberry, iPhone, Jan. 27, 2014, 11 pages.
Hear voice from Google translate, Available on URL:https://www.youtube.com/watch?v=18AvMhFqD28, Jan. 28, 2011, 1 page.
iD3.org, "id3v2.4.0-Frames", available at <http://id3.org/id3v2.4.0-frames?action=print>, retrieved on Jan. 22, 2015, 41 pages.
INews and Tech, "How to Use the QuickType Keyboard in iOS 8", Available online at:—"http://www.inewsandtech.com/how-to-use-the-quicktype-keyboard-in-ios-8/", Sep. 17, 2014, 6 pages.
Interactive Voice, available at <http://www.helloivee.com/company/>, retrieved on Feb. 10, 2014, 2 pages.
Iowegian International, "FIR Filter Properties, DSPGuru, Digital Signal Processing Central", available at <http://www.dspguru.com/dsp/faq/fir/properties> retrieved on Jul. 28, 2010, 6 pages.
Jawaid et al., "Machine Translation with Significant Word Reordering and Rich Target-Side Morphology", WDS'11 Proceedings of Contributed Papers, Part I, 2011, pp. 161-166.
Jiang et al., "A Syllable-based Name Transliteration System", Proc. of the 2009 Named Entities Workshop, Aug. 7, 2009, pp. 96-99.
Jonsson et al, "Proximity-based Reminders Using Bluetooth", 2014 IEEE International Conference on Pervasive Computing and Communications Demonstrations, 2014, pp. 151-153.
Jouvet et al., "Evaluating Grapheme-to-phoneme Converters in Automatic Speech Recognition Context", IEEE,, 2012,, pp. 4821-4824.
Kane et al., "Slide Rule: Making Mobile Touch Screens Accessible to Blind People Using Multi-Touch Interaction Techniques", ASSETS, Oct. 13-15, 2008, pp. 73-80.
Karn, Ujjwal, "An Intuitive Explanation of Convolutional Neural Networks", The Data Science Blog, Aug. 11, 2016, 23 pages.
Kazmucha, Allyson, "How to Send Map Locations Using iMessage", iMore.com, Available at <http://www.imore.com/how-use-imessage-share-your-location-your-iphone>, Aug. 2, 2012, 6 pages.
Kickstarter, "Ivee Sleek: Wi-Fi Voice-Activated Assistant", available at <https://www.kickstarter.com/projects/ivee/ivee-sleek-wi-fi-voice-activated-assistant>, retrieved on Feb. 10, 2014, 13 pages.
Knownav, "Knowledge Navigator", YouTube Video available at <http://www.youtube.com/watch?v=QRH8eimU_20>, Apr. 29, 2008, 1 page.
Lewis, Cameron, "Task Ave for iPhone Review", Mac Life, Available at <http://www.maclife.com/article/reviews/task_ave_iphone_review>, Mar. 3, 2011, 5 pages.

(56) **References Cited**

OTHER PUBLICATIONS

Liou et al., "Autoencoder for Words", Neurocomputing, vol. 139, Sep. 2014, pp. 84-96.
MACTECH, "KeyStrokes 3.5 for Mac OS X Boosts Word Prediction", available at <http://www.mactech.com/news/?p=1007129>, retrieved on Jan. 7, 2008, 3 pages.
Majerus, Wesley, "Cell Phone Accessibility for your Blind Child", Retrieved from the Internet <URL:https://web.archive.org/web/20100210001100/https://nfb.org/images/nfb/publications/fr/fr28/3/fr280314.htm>, 2010, pp. 1-5.
Manning et al., "Introduction to Information Retrieval", New York, Cambridge University Press, 2008, 504 pages.
Marketing Land, "Amazon Echo: Play Music", Online Available at: <https://www.youtube.com/watch?v=A7V5NPbsXi4>, Apr. 27, 2015, 3 pages.
Martins et al., "Extracting and Exploring the Geo-Temporal Semantics of Textual Resources", Semantic Computing, IEEE International Conference, 2008, pp. 1-9.
Meet Ivee, Your Wi-Fi Voice Activated Assistant, available at <http://www.helloivee.com/>, retrieved on Feb. 10, 2014, 8 pages.
Mel Scale, Wikipedia the Free Encyclopedia, Last modified on Oct. 13, 2009 and retrieved on Jul. 28, 2010, available at <http://en.wikipedia.org/wiki/Mel_scale>, 2 pages.
Mhatre et al., "Donna Interactive Chat-bot acting as a Personal Assistant", International Journal of Computer Applications (0975-8887), vol. 140, No. 10, Apr. 2016, 6 pages.
Microsoft, "Turn on and Use Magnifier", available at <http://www.microsoft.com/windowsxp/using/accessibility/magnifierturnon.mspx>, retrieved on Jun. 6, 2009.
Mikolov et al., "Linguistic Regularities in Continuous Space Word Representations", Proceedings of NAACL-HLT, Jun. 9-14, 2013, pp. 746-751.
Miller, Chance, "Google Keyboard Updated with New Personalized Suggestions Feature", available at <http://9to5google.com/2014/03/19/google-keyboard-updated-with-new-personalized-suggestions-feature/>, Mar. 19, 2014, 4 pages.
Minimum Phase, Wikipedia the free Encyclopedia, Last modified on Jan. 12, 2010 and retrieved on Jul. 28, 2010, available at <http://en.wikipedia.org/wiki/Minimum_phase>, 8 pages.
Mobile Speech Solutions, Mobile Accessibility, SVOX AG Product Information Sheet, available at <http://www.svox.com/site/bra840604/con782768/mob965831936.aSQ?osLang=1>, Sep. 27, 2012, 1 page.
Morrison, Jonathan, "iPhone 5 Siri Demo", Online Available at <https://www.youtube.com/watch?v=_wHWwG5lhWc>, Sep. 21, 2012, 3 pages.
Morton, Philip, "Checking If an Element Is Hidden", StackOverflow, Available at <http://stackoverflow.com/guestions/178325/checking-if-an-element-is-hidden>, Oct. 7, 2008, 12 pages.
My Cool Aids, "What's New", available at <http://www.mycoolaids.com/>, 2012, 1 page.
Myers, Brad A., "Shortcutter for Palm", available at <http://www.cs.cmu.edu/~pebbles/v5/shortcutter/palm/index.html>, retrieved on Jun. 18, 2014, 10 pages.
Nakamura, Satoshi, "Overcoming the Language Barrier with Speech Translation Technology, Science & Technology Trends", Quarterly Review No. 31, Apr. 2009, pp. 36-49.
Nakazawa et al., "Detection and Labeling of Significant Scenes from TV program based on Twitter Analysis", Proceedings of the 3rd Forum on Data Engineering and Information Management (deim 2011 proceedings), IEICE Data Engineering Technical Group. Available online at: http://db-event.jpn.org/deim2011/proceedings/pdf/f5-6.pdf, Feb. 28, 2011, 10 pages (Official Copy Only). (See Communication under 37 CFR § 1.98(a) (3)).
Naone, Erica, "TR10: Intelligent Software Assistant", Technology Review, Mar.-Apr. 2009, 2 pages.
Navigli, Roberto, "Word Sense Disambiguation: A Survey", ACM Computing Surveys, vol. 41, No. 2, Feb. 2009, 69 pages.
NDTV, "Sony SmartWatch 2 Launched in India for Rs. 14,990", available at <http://gadgets.ndtv.com/others/news/sony-smartwatch-2-launched-in-india-for-rs-14990-420319>, Sep. 18, 2013, 4 pages.
Ng, Simon, "Google's Task List Now Comes to Iphone", SimonBlog, Available at <http://www.simonblog.com/2009/02/04/googles-task-list-now-comes-to-iphone/>, Feb. 4, 2009, 3 pages.
Nozawa, Naoki et al., "iPhone 4S Perfect Manual", vol. 1, First Edition, Nov. 11, 2011, 5 pages (Official Copy Only) (See Communication under 37 CFR § 1.98(a) (3)).
Okuno et al., "System for Japanese Input Method based on the Internet", Technical Report of Information Processing Society of Japan, Natural Language Processing, Japan, Information Processing Society of Japan, vol. 2009, No. 36, Mar. 18, 2009, 8 pages (Official Copy Only) (See Communication under 37 CFR § 1.98(a) (3)).
Osxdaily, "Get a List of Siri Commands Directly from Siri", Available at <http://osxdaily.com/2013/02/05/list-siri-commands/>, Feb. 5, 2013, 15 pages.
Pan et al., "Natural Language Aided Visual Query Building for Complex Data Access", In proceeding of: Proceedings of the Twenty-Second Conference on Innovative Applications of Artificial Intelligence, XP055114607, Jul. 11, 2010, pp. 1821-1826.
Pathak et al., "Privacy-preserving Speech Processing: Cryptographic and String-matching Frameworks Show Promise", In: IEEE signal processing magazine, retrieved from <http://www.merl.com/publications/docs/TR2013-063.pdf>, Feb. 13, 2013, 16 pages.
Patra et al., "A Kernel-Based Approach for Biomedical Named Entity Recognition", Scientific World Journal, vol. 2013, 2013, pp. 1-7.
Pennington et al., "GloVe: Global Vectors for Word Representation", Proceedings of the Conference on Empirical Methods Natural Language Processing (EMNLP), Oct. 25-29, 2014, pp. 1532-1543.
Perlow, Jason, "Alexa Loop Mode With Playlist for Sleep Noise", Online Available at: <https://www.youtube.com/watch?v=nSkSuXziJSg>, Apr. 11, 2016, 3 pages.
Phoenix Solutions, Inc., "Declaration of Christopher Schmandt Regarding the MIT Galaxy System", West Interactive Corp., A Delaware Corporation, Document 40, Jul. 2, 2010, 162 pages.
Powell, Josh, "Now You See Me . . . Show/Hide Performance", available at http://www.learningjguery.com/2010/05/now-you-see-me-showhide-performance, May 4, 2010, 3 pages.
Rios, Mafe, "New bar search for Facebook", Youtube, available at "https://www.youtube.com/watch?v=vwgN1WbvCas", 1 page.
Routines, "SmartThings Support", Available online at <https://web.archive.org/web/20151207165701/https://support.smartthings.com/hc/en-us/articles/205380034-Routines>, 2015, 2 pages.
Samsung, "SGH-a885 Series—Portable Quad-Band Mobile Phone-User Manual", Retrieved from the Internet: URL: "http://web.archive.org/web/20100106113758/http://www.comparecellular.com/images/phones/userguide1896.pdf", Jan. 1, 2009, 144 pages.
Sarawagi, Sunita, "CRF Package Page", available at <http://crf.sourceforge.net/>, retrieved on Apr. 6, 2011, 2 pages.
Schmandt et al., "A Conversational Telephone Messaging System", IEEE Transactions on Consumer Electronics, vol. CE-30, Aug. 1984, pp. xxi-xxiv.
Schmandt et al., "Phone Slave: A Graphical Telecommunications Interface", Proceedings of the SID, vol. 26, No. 1, 1985, 4 pages.
Schmandt et al., "Phone Slave: A Graphical Telecommunications Interface", Society for Information Display, International Symposium Digest of Technical Papers, Jun. 1984, 4 pages.
Seehafer, Brent, "Activate google assistant on Galaxy S7 with screen off", Available online at:—"https://productforums.google.com/forum/#!topic/websearch/Ip3gIGBHLVI", Mar. 8, 2017, 4 pages.
Selfrifge et al., "Interact: Tightly-coupling Multimodal Dialog with an Interactive Virtual Assistant", International Conference on Multimodal Interaction, ACM, Nov. 9, 2015, pp. 381-382.
Simonite, Tom, "One Easy Way to Make Siri Smarter", Technology Review, Oct. 18, 2011, 2 pages.
Speaker Recognition, Wikipedia, The Free Enclyclopedia, Nov. 2, 2010, 4 pages.
Spivack, Nova, "Sneak Preview of Siri—Part Two—Technical Foundations—Interview with Tom Gruber, CTO of Siri", Online Available at <https://web.archive.org/web/20100114234454/http://www.twine.com/item/12vhy39k4-22m/interview-with-tom-gruber-of-siri>, Jan. 14, 2010, 5 pages.

(56) **References Cited**

OTHER PUBLICATIONS

SRI, "SRI Speech: Products: Software Development Kits: EduSpeak", available at <http://web.archive.org/web/20090828084033/http://www.speechatsri.com/products/eduspeak>shtml, retrieved on Jun. 20, 2013, 2 pages.
Stent et al., "Geo-Centric Language Models for Local Business Voice Search", AT&T Labs—Research, 2009, pp. 389-396.
Sullivan, Danny, "How Google Instant's Autocomplete Suggestions Work", available at <http://searchengineland.com/how-google-instant-autocomplete-suggestions-work-62592>, Apr. 6, 2011, 12 pages.
Sundaram et al., "Latent Perceptual Mapping with Data-Driven Variable-Length Acoustic Units for Template-Based Speech Recognition", ICASSP 2012, Mar. 2012, pp. 4125-4128.
Sundermeyer et al., "From Feedforward to Recurrent LSTM Neural Networks for Language Modeling", IEEE Transactions to Audio, Speech, and Language Processing, 2015, vol. 23, Mar. 2015, pp. 517-529.
Sundermeyer et al., "LSTM Neural Networks for Language Modeling", Interspeech 2012, ISCA's 13 Annual Conference, Sep. 9-13, 2012, pp. 194-197.
Tanaka, Tatsuo, "Next Generation IT Channel Strategy Through "Experience Technology"", Intellectual Resource Creation, Japan, Nomura Research Institute Ltd. vol. 19, No. 1, Dec. 20, 2010, 17 pages. (Official Copy only) (See Communication under 37 CFR § 1.98(a) (3)).
Textndrive, "Text'nDrive App Demo-Listen and Reply to your Messages by Voice while Driving!", YouTube Video available at <http://www.youtube.com/watch?v=WaGfzoHsAMw>, Apr. 27, 2010, 1 page.
Tofel, Kevin C., "SpeakTolt: A Personal Assistant for Older iPhones, iPads", Apple News, Tips and Reviews, Feb. 9, 2012, 7 pages.
Tucker, Joshua, "Too Lazy to Grab Your TV Remote? Use Siri Instead", Engadget, Nov. 30, 2011, 8 pages.
Tur et al., "The CALO Meeting Assistant System", IEEE Transactions on Audio, Speech and Language Processing, vol. 18, No. 6, Aug. 2010, pp. 1601-1611.
Tur et al., "The CALO Meeting Speech Recognition and Understanding System", Proc. IEEE Spoken Language Technology Workshop, 2008, 4 pages.
Vlingo Incar, "Distracted Driving Solution with Vlingo InCar", YouTube Video, Available online at <http://www.youtube.com/watch?v=Vgs8XfXxgz4>, Oct. 2010, 2 pages.
Vlingo, "Vlingo Launches Voice Enablement Application on Apple App Store", Press Release, Dec. 3, 2008, 2 pages.
Vodafone Deutschland, "Samsung Galaxy S3 Tastatur Spracheingabe", Available online at—"https://www.youtube.com/watch?v=6kOd6Gr8uFE", Aug. 22, 2012, 1 page.
Voiceassist, "Send Text, Listen to and Send E-Mail by Voice", YouTube Video, Available online at <http://www.youtube.com/watch?v=0tEU61nHHA4>, Jul. 30, 2009, 1 page.
Voiceonthego, "Voice on the Go (BlackBerry)", YouTube Video, available online at <http://www.youtube.com/watch?v=pJgpWgQS98w>, Jul. 27, 2009, 1 page.
Wikipedia, "Acoustic Model", available at <http://en.wikipedia.org/wiki/AcousticModel>, retrieved on Sep. 14, 2011, 2 pages.
Wikipedia, "Language Model", available at <http://en.wikipedia.org/wiki/Language_model>, retrieved on Sep. 14, 2011, 4 pages.
Wikipedia, "Speech Recognition", available at <http://en.wikipedia.org/wiki/Speech_recognition>, retrieved on Sep. 14, 2011, 12 pages.
Wilson, Mark, "New iPod Shuffle Moves Buttons to Headphones, Adds Text to Speech", available at <http://gizmodo.com/5167946/new-ipod-shuffle-moves-buttons-to-headphones-adds-text-to-speech>, Mar. 11, 2009, 12 pages.
X.AI, "How it Works", May 2016, 6 pages.
Xiang et al., "Correcting Phoneme Recognition Errors in Learning Word Pronunciation through Speech Interaction", Speech Communication, vol. 55, No. 1, Jan. 1, 2013, pp. 190-203.
Xu et al., "Speech-Based Interactive Games for Language Learning: Reading, Translation, and Question-Answering", Computational Linguistics and Chinese Language Processing, vol. 14, No. 2, Jun. 2009, pp. 133-160.
Xu, Yuhong, "Policy optimization of dialogue management in spoken dialogue system for out-of-domain utterances", 2016 International Conference on Asian Language Processing (IALP), IEEE, Nov. 21, 2016, pp. 10-13.
Yan et al., "A Scalable Approach to Using DNN-Derived Features in GMM-HMM Based Acoustic Modeling for LVCSR", InInterspeech, 2013, pp. 104-108.
Yates, Michael C., "How can I exit Google Assistant after i'm finished with it", Available online at:—"https://productforums.google.com/forum/#!msg/phone-by-google/faECnR2RJwA/gKNtOkQgAQAJ", Jan. 11, 2016, 2 pages.
Young et al., "The Hidden Information State model: A practical framework for POMDP-based spoken dialogue management", Computer Speech & Language, vol. 24, Issue 2, 2010, pp. 150-174.
Zainab, "Google Input Tools Shows Onscreen Keyboard in Multiple Languages [Chrome]", available at <http://www.addictivetips.com/internet-tips/google-input-tools-shows-multiple-language-onscreen-keyboards-chrome/>, Jan. 3, 2012, 3 pages.
Zangerle et al., "Recommending #-Tag in Twitter", Proceedings of the Workshop on Semantic Adaptive Socail Web, 2011, pp. 1-12.
Zhang et al., "Research of Text Classification Model Based on Latent Semantic Analysis and Improved HS-SVM", Intelligent Systems and Applications (ISA), 2010 2nd International Workshop, May 22-23, 2010, 5 pages.
Zhong et al., "JustSpeak: Enabling Universal Voice Control on Android", W4A'14, Proceedings of the 11th Web for All Conference, No. 36, Apr. 7-9, 2014, 8 pages.

* cited by examiner


System
100
108
Server System
106
Digital Assistant Server
116
Data &
Models
118
I/O Interface to External Services
114
Processing
Modules
112
I/O
Interface
to DA
Client
110
Network(s)
120
Navigation
Service(s)
Messaging
Service(s)
Information
Service(s)
Calendar
Service
Telephony
Service
External Services
122
102
DA
104

FIG. 1


Memory 202
Operating System 226
Communication Module 228
Contact/Motion Module 230
Graphics Module 232
Haptic Feedback Module 233
Text Input Module 234
GPS Module 235
Digital Assistant Client Module 229
User Data and Models 231
Applications 236
Contacts Module 237
Telephone Module 238
Video Conference Module 239
E-mail Client Module 240
Instant Messaging Module 241
Workout Support Module 242
Camera Module 243
Image Management Module 244
Video & Music Player Module 252
Notes Module 253
Portable Multifunction Device 200
Applications (continued) 236
Map Module 254
Browser Module 247
Calendar Module 248
Widget Modules 249
Weather Widget(s) 249-1
Stocks Widget 249-2
Calculator Widget 249-3
Alarm Clock Widget 249-4
Dictionary Widget 249-5
User-Created Widget(s) 249-6
Widget Creator Module 250
Search Module 251
Online Video Module 255
Device/Global Internal State 257
Power System 262
External Port 224
RF Circuitry 208
Speaker 211
Audio Circuitry 210
Microphone 213
Proximity Sensor 266
Accelerometer(s) 268
Controller 222
Processor(s) 220
Peripherals Interface
204
203
218
206
I/O Subsystem
Display Controller 256
Optical Sensor(s) Controller 258
Intensity Sensor(s) Controller 259
Haptic Feedback Controller 261
Other Input Controller(s) 260
Touch-Sensitive Display System 212
Optical Sensor(s) 264
Contact Intensity Sensor(s) 265
Tactile Output Generator(s) 267
Other Input Control Devices 216

FIG. 2A


Event Sorter
270
Event Monitor
271
Hit View Determination Module
272
Active Event Recognizer Determination Module
273
Event Dispatcher Module
274
Event Recognizer
280
Event Receiver
282
Event Comparator
284
Event Definitions
286
Event 1
287-1
Event 2
287-2
...
Metadata
283
Event Delivery
288
Event Recognizer 280
...
Event Recognizer 280
Event Data
279
Application 236-1
Application
Application View 291
...
Application View 291
Event Handler 290
Data Updater 276
Object Updater 277
GUI Updater 278
...
Event Handler 290
...
Application Internal State
292

FIG. 2B


Portable Multifunction Device 200
306
310
312
308
308
Speaker 211
Optical Sensor 264
Proximity Sensor 266
300
310 is SIM card slot
312 is headphone jack
302
Touch Screen 212
Contact Intensity Sensor(s) 265
Tactile Output Generator(s) 267
303
Microphone 213
Home 304
Accelerometer(s) 268
External Port 224

FIG. 3


Device 400
410
CPU(s)
420
430
I/O Interface
Display
440
Keyboard/Mouse
450
Touchpad
455
Tactile Output Generator(s)
457
Sensor(s)
459
460
Network Communications Interface
Memory 470
Operating System
226
Communication Module
228
Contact/Motion Module
230
Graphics Module
232
Haptic Feedback Module
233
Text Input Module
234
Digital Assistant Client Module
229
User Data and Models
231
Applications
236
Contacts Module
237
Telephone Module
238
Video Conference Module
239
E-mail Client Module
240
Instant Messaging Module
241
Workout Support Module
242
Camera Module
243
Image Management Module
244
Browser Module
247
Calendar Module
248
Widget Modules
249
Weather Widget
249-1
Stocks Widget
249-2
Calculator Widget
249-3
Alarm Clock Widget
249-4
Dictionary Widget
249-5
User-Created Widget(s)
249-6
Widget Creator Module
250
Search Module
251
Video & Music Player Module
252
Drawing Module
480
Presentation Module
482
Word Processing Module
484
Website Creation Module
486
Disk Authoring Module
488
Spreadsheet Module
490
Device/Global Internal State
257

FIG. 4


Portable Multifunction Device
200
306
Speaker 211
Optical Sensor 264
Proximity Sensor 266
500
308
308
505
502
Current Time 504
506
Tuesday
30
Messages 524
Calendar 526
Photos 528
Camera 530
Online Video 532
Stocks 534
280
101
Maps 536
73°
Weather 538
Clock 540
Workout Support 542
Notes 544
Settings 546
App Store
iTunes
Voice Memos
Utilities
514
510
4
6
N
W
E
S
Phone 516
Mail 518
Browser 520
iPod 522
508
Touch Screen 212
Microphone 213
Accelerometer(s) 268
304

FIG. 5A


550
568
570
553
551
560
562
Tactile Output Generator(s) 457
Contact Intensity Sensor(s) 459
552

FIG. 5B



FIG. 6A


600
604
DISPLAY
622
TOUCH
624
INTENSITY
606
608
INPUT
614
I/O
616
PROCESSOR(S)
618
MEMORY
612
BUS
630
COMMUNICATION
632
GPS SENSOR
634
ACCELEROMETER
636
GYROSCOPE
638
MOTION SENSOR
640
DIRECTIONAL SENSOR

FIG. 6B


Digital Assistant System
700
Memory 702
Operating System
Communication Module
User Interface Module
Applications
Digital Assistant Module
I/O Processing Module
STT Processing Module
ASR System(s)
Natural Language Processing Module
Ontology
Vocabulary
User Data
Dialogue Flow Processing Module
Task Flow Processing Module
Task Flow Models
Service Processing Module
Service Models
Speech Synthesis Module
718
720
722
724
726
728
730
731
732
760
744
748
734
736
754
738
756
740
704
Processor(s)
710
706
I/O Interface
I/O Devices
716
708
Network Communications Interface
712
Wired Communications Port
714
Wireless Circuitry

FIG. 7A


Digital Assistant
730
STT Processing Module
731
Phonetic Alphabet Conversion Module
Phonetic Representation
744
Vocabulary
748
User Data
Token Sequence
732
Natural Language Processing Module
760
Ontology
Structured Query
736
Task Flow Processing Module
754
Task Flow Models
738
Service Processing Module
756
Service Models
734
Dialogue Processing Module
740
Speech Synthesis Module
728
Speech
Text String
Context
Metadata
I/O Processing Module
Speech Input
Text String
726
Follow-Up
Responses
Delayed Responses

FIG. 7B


760
762
764
Restaurant Reservation Domain
Reminder Domain
Restaurant Reservation
Set Reminder
Subject
Date/Time
Party Size
Restaurant
Location
Phone#
Price Range
Cuisine

FIG. 7C


Text Corpus 802
800
Text to Speech Module
820
Text Normalizer
Normalized Text
822
840
Pronunciation Generator
842
Pronunciation Sequence

FIG. 8


802
... Between 1.7-2 million people were exterminated in these camps ...
... Jacksonville is located at 33 48'56.758 North, 85 45'37.681 West ...
... Science and Engineering Ethics vol 1, pp197-214 ...
... allowed by 1997's Barely Legal LP, and 1998's a.k.a. I.D.I.O.T. EP on the Swedish skate punk oriented record label Burning ...
... There are 298 housing units at an average density of 23.2/km. The racial makeup of the village is 98.18% White ...

FIG. 9


Text Corpus
802
820
Text Normalizer
1020
Tokenizer
1040
Feature Extractor
1060
Classifier
1080
Normalizer
822
Sequence of
Normalized Text

FIG. 10A


1010
1,300-kilometers → 1 , 300 - kilometers
$US3.2bn. → $ US 3 . 2 bn
9:30pm → 9 : 30 pm

FIG. 10B

1030

a	the of and in a to is are for was as with by from that on or at his an
Aa	The In American It For United This He As New States External See North John British
0	18 65 2000 100 25 24 1 2003 45 44 64 2 2005 2004 3 4 5 10 2002 6
A	A I II CDP US BC ISBN UK III TV C X V B BBC USA IV R G S
Aa.	St. Dr. States. No. County. Mr. Jr. War. England. America. France. Europe. York. River. Inc.
0.0%	0.00% 0.0% 0.03% 7.1% 6.3% 25.0% 6.7% 7.7% 0.06%
a-a	census-designated well-known so-called present-day
Aa'a	People's It's Don't King's God's
0.0	0.1 2.0 0.2 1.5 0.3 1.0 0.5
A	J.A.W.C.R.M.E.H.F.B.L.D.G.CDP. P. II. T. I. USA.
0a	20th 19th 1st 1960s 2nd 3rd 18th 1950s 4th 17th 5th 16th 1930s 6th 13th
a'a	world's don't it's city's didn't one's county's
0,0	1,000 10,000 100,000 2,000 20,000 3,000 5,000 5
Aa-Aa	African-American Anglo-Saxon Spider-Man
$0,0	$21,250 $26,250 $23,750 $28,750 $31,250
	Wisconsin According PlayStation McCarthy McCartney MacArthur
A.A.	U.S. D.C. F.C. A.D. B.C. U.K. L.A. U.N. J.J. M.D. B.A. J.D. G.I. M.A. A.J. S.A. A.C. E.T. J.P. A.M.
0.0/a	0.8/km 1.1/ft 1.3/m
0-0	15-64 1-0 2004-05 2-1 2-3 1-2 6-4 6-3 0-14 3-2 3166-1 2004-2005
A0	V8 MP3 F1 M1 CO2 U2 A1 VH1 M4 V6 L2 O2 A2 T1 A4 WW2 C64
A-0	F-16 V-2 SG-1 B-52 U-2 MPEG-4 UTF-8 K-121 I-95 TRS-80 PDP-11 MPEG-2 G-77 B-29
A'a	I'm I've I'll I'd UK's It's BBC's NASA's IBM's I's III's NBC's ABC's IV's VIII's NFL's MTV's Tai X's
0%	0% 30% 50% 40% 20% 5% 90% 1%
a0	census2 x86 km2 colspan2 x2 x0 a1 x1 d5
a/a	and/or km/h he/she kbits/s m/s singer/songwriter b/w persons/km n/a s/he barrel/day bit/s input/output mg/kg ft/s

1032 1034 1036 1033 1035 1037

FIG. 10C


1050
1053
1055
1057
1059
1052
1054
1056
1058
EXPAND_billion
SPLIT
SPELL
EXPAND_times
SPELL
EXPAND_times
DIGITS
CARDINAL
CARDINAL
EXPAND_degree
SPLIT
EXPAND_giga-byte
NONE
SPLIT
NONE
SPELL
EXPAND_west
a fall in exports and Won 2,300
Welcome to the typical mid-21
is the majority shareholder in
will be of the standard 6
was prepared to fly its
backstroke and the women's
will be available by calling
Aruba Wireless Network which is FIPS
BA wants to savee
be set higher than 60
. the AL had a 1,673-1
less , no bigger than 2
broadcaster HBO's "'24
kind of forgot about 1
our website at http:
Bonesman G.
on the ramp onto northbound I-35
bn
st
St
x
x
x
303
140
140
=
534
GB
/
/
/
W
W
($2bn) in
-century apartment.
1 which owns petrol distribution networks.
6 configuration for carrying personnel.
-37B reusable unmanned satellite.
200m freestyle relay
-590-3000 or 800-405-2236 using passcode 11128111
-2 compliant for their federal secured
m with its new deal
c / 140° F
advantage , according to STATS
along with your full name
7" program following Pacquiao
2 trillion dollars that needed
/ www.nhp.reit.com.
. Bush has murdered far more
to skip new bridge

FIG. 10D


1070
1072
- to dash minus through and of
. dot point to
/ per or over slash by and divided-by
03 zero-three march three third oh-three
b bytes byte b born billion board
E east eastern E example-given
X times per by X ten
WD wheel-drive W-D
SGD singapore singapore-dollar S-G-D
SAT Saturday S-A-T
ccTLD country-code-top-level-domain c-c-T-L-D

FIG. 10E


Sequence of Normalized Text
822
840
Pronunciation Generator
1120
Encoder
1140
Attention Layer
1160
Decoder
842
Pronunciation Sequence

FIG. 11A


840
Encoder
Attention Layer
Decoder
1140
1120
1122
1160
1162
1162A
h_i
h_1
h_2
h_3
a_i
d_i
y_i
o
x_1
x_2
x_3
x_z

FIG. 11B


1170
1172
Grapheme sequence
Project
1174
Character embedding matrix
1176
BLSTM(s)
1178
Attention layer
1180
LSTM(s)
1182
Phone embedding matrix
1184
Softmax layer
p r ah 1 - jh eh 0 k t
Syllabified and stress annotated phoneme sequence
1186

FIG. 11C


Process 1200
1202
Receive a text corpus comprising unstructured natural language text
1204
The unstructured natural language text comprises at least one non-standard word
1206
Generate, based on the received text corpus, a sequence of normalized text
1208
Generate one or more tokens based on the text corpus, wherein the tokens include at least one non-standard word
1210
1212
Extract features associated with the one or more tokens
Determine features associated with the one or more tokens
Determine features of a current token and a predetermined number of neighboring tokens of the current token
1214
1216
Perform word embedding of the tokens based on the determined features
1218
Map each token to a feature vector
A
B
C

FIG. 12A


A
B
C
1220
Classify the tokens based on the extracted features
1222
Determine a label for each token
1224
Associate the label and the corresponding token
1226
Store the association of the label and the corresponding token
1228
Generate a grapheme sequence of normalized text based on the classified tokens
1206
1230
Generate a pronunciation sequence representing the sequence of the normalized text
Generate one or more vectors representing encoded grapheme sequences, wherein the grapheme sequences correspond to the sequence of the normalized text
1234
Generate a character embedding matrix representing features of one or more grapheme sequences corresponding to the sequence of the normalized text
1236
Generate, based on the character embedding matrix, one or more vectors representing the encoded grapheme sequences
1232
D
E
F

FIG. 12B


D
E
F
1238
Provide an attention layer, wherein the attention layer indicates relations between one or more vectors representing the encoded grapheme sequences and one or more vectors representing the pronunciation sequence
1240
Generate the pronunciation sequence based on the attention layer
Processing, based on the attention layer, the one or more vectors representing the encoded grapheme sequences
1242
1244
Generate a phoneme embedding matrix based on the processing result
1246
Predict one or more phoneme sequences based on the phoneme embedding matrix
1230
1248
Cause an audio output to be provided to the user based on the pronunciation sequence, wherein at least one of the sequence of normalized text and the pronunciation sequence is generated based on a data-driven learning network

FIG. 12C

TEXT NORMALIZATION BASED ON A DATA-DRIVEN LEARNING NETWORK

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims priority to U.S. Provisional Patent Application Ser. No. 62/504,736, filed on May 11, 2017, entitled "TEXT NORMALIZATION BASED ON A DATA-DRIVEN LEARNING NETWORK," which is hereby incorporated by reference in its entirety for all purposes.

FIELD

This relates generally to text normalization and, more specifically, to text normalization using data-driven learning networks.

BACKGROUND

Intelligent automated assistants (or digital assistants) can provide a beneficial interface between human users and electronic devices. Such assistants can allow users to interact with devices or systems using natural language in spoken and/or text forms. For example, a user can provide a speech input containing a user request to a digital assistant operating on an electronic device. The digital assistant can interpret the user's intent from the speech input and operationalize the user's intent into tasks. The tasks can then be performed by executing one or more services of the electronic device, and a relevant output responsive to the user request can be returned to the user.

To provide a speech output to the user, text-to-speech conversion can be performed. Before the text-to-speech conversion, the digital assistant can normalize text to transform non-standard words to contextually appropriate ordinary words or sequence of ordinary words for pronunciation. For example, depending on the context, a symbol "-" may be transformed to "to," "dash," "minus," or "through" for pronunciation. To perform text normalization, pattern matching techniques may be used. However, the accuracy of text normalization using pattern matching techniques may not be satisfactory and may be error prone under especially when the text to-be-normalized contains different types of non-standard words used in various contexts. Moreover, a typical rule-based process of generating pronunciation of the normalized text may require several steps including phoneme generation, syllabification, and stress placement. This process may be cumbersome, slow, and inaccurate.

SUMMARY

Systems and processes for performing text-to-speech conversion are provided.

Example methods are disclosed herein. An example method includes, at an electronic device having one or more processors, receiving a text corpus comprising unstructured natural language text; generating a sequence of normalized text based on the received text corpus; generating a pronunciation sequence representing the sequence of the normalized text; and causing an audio output to be provided to the user based on the pronunciation sequence. At least one of the sequence of normalized text and the pronunciation sequence is generated based on a data-driven learning network.

Example non-transitory computer-readable media are disclosed herein. An example non-transitory computer-readable storage medium stores one or more programs. The one or more programs comprise instructions, which when executed by one or more processors of an electronic device, cause the electronic device to receive a text corpus comprising unstructured natural language text; generate a sequence of normalized text based on the received text corpus; generate a pronunciation sequence representing the sequence of the normalized text; and cause an audio output to be provided to the user based on the pronunciation sequence. At least one of the sequence of normalized text and the pronunciation sequence is generated based on a data-driven learning network.

Example electronic devices are disclosed herein. An example electronic device comprises one or more processors; a memory; and one or more programs, where the one or more programs are stored in the memory and configured to be executed by the one or more processors, the one or more programs including instructions for receiving a text corpus comprising unstructured natural language text; generating a sequence of normalized text based on the received text corpus; generating a pronunciation sequence representing the sequence of the normalized text; and causing an audio output to be provided to the user based on the pronunciation sequence. At least one of the sequence of normalized text and the pronunciation sequence is generated based on a data-driven learning network.

An example electronic device comprises means for receiving a text corpus comprising unstructured natural language text; means for generating a sequence of normalized text based on the received text corpus; means for generating a pronunciation sequence representing the sequence of the normalized text; and means for causing an audio output to be provided to the user based on the pronunciation sequence. At least one of the sequence of normalized text and the pronunciation sequence is generated based on a data-driven learning network.

Text normalization using data-driven learning networks improves the accuracy of text normalization in a text-to-speech process by, for example, transforming non-standard words more accurately to contextually appropriate ordinary words for pronunciation. Moreover, pronunciation generation based on data-driven learning networks reduces the cumbersomeness of a typical rule-based generation process, increases the speed and efficiency of generating pronunciations, and improves the accuracy of the generated pronunciations. Further, text normalization and pronunciation generation based on data-driven learning networks can be dynamically and continuously enhanced or improved as more data are provided to the networks. Furthermore, text normalization and pronunciation generation using data-driven learning networks enhances the operability of the device and makes the user-device interface more efficient (e.g., by reducing the requirements for the user to provide proper inputs for text-to-speech conversion and by reducing user mistakes when operating/interacting with the device) which, additionally, reduces power usage and improves battery life of the device by enabling the user to use the device more quickly and efficiently.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. **1** is a block diagram illustrating a system and environment for implementing a digital assistant, according to various examples.

FIG. **2**A is a block diagram illustrating a portable multifunction device implementing the client-side portion of a digital assistant, according to various examples.

FIG. 2B is a block diagram illustrating exemplary components for event handling, according to various examples.

FIG. 3 illustrates a portable multifunction device implementing the client-side portion of a digital assistant, according to various examples.

FIG. 4 is a block diagram of an exemplary multifunction device with a display and a touch-sensitive surface, according to various examples.

FIG. 5A illustrates an exemplary user interface for a menu of applications on a portable multifunction device, according to various examples.

FIG. 5B illustrates an exemplary user interface for a multifunction device with a touch-sensitive surface that is separate from the display, according to various examples.

FIG. 6A illustrates a personal electronic device, according to various examples.

FIG. 6B is a block diagram illustrating a personal electronic device, according to various examples.

FIG. 7A is a block diagram illustrating a digital assistant system or a server portion thereof, according to various examples.

FIG. 7B illustrates the functions of the digital assistant shown in FIG. 7A, according to various examples.

FIG. 7C illustrates a portion of an ontology, according to various examples.

FIG. 8 illustrates a block diagram of a text-to-speech module according to various examples.

FIG. 9 illustrates a text corpus comprising unstructured natural language text according to various examples.

FIG. 10A illustrates a block diagram of a text normalizer according to various examples.

FIG. 10B illustrates tokenization of a text corpus according to various examples.

FIG. 10C illustrates a pattern list according to various examples.

FIG. 10D illustrates classification of tokens according to various examples.

FIG. 10E illustrates various tokens of a text corpus and their corresponding pronunciation options, according to various examples.

FIGS. 11A-11C illustrate a pronunciation generator according to various examples.

FIGS. 12A-12C illustrate a process for performing text-to-speech conversion, according to various examples.

DETAILED DESCRIPTION

In the following description of examples, reference is made to the accompanying drawings in which are shown by way of illustration specific examples that can be practiced. It is to be understood that other examples can be used and structural changes can be made without departing from the scope of the various examples.

Text normalization can be required for performing text-to-speech conversion. As described above, text normalization can be performed using data-driven learning networks to improve the accuracy of generating sequences of normalized text for pronunciation. For example, text normalization of a text corpus comprising unstructured natural language text can include performing a plurality of steps such as tokenization, feature extraction, classification, and normalization. Using a data-driven learning network (e.g., a feed-forward deep learning network) in one or more of these steps can improve the accuracy of the normalized text over a typical rule-based pattern matching technique. Further, as the data-driven learning networks are trained or provided with more data over time, the text normalization process can be dynamically and continuously enhanced or improved. As a result, it becomes more and more efficient and accurate.

Moreover, data-driven learning networks can also be used in generating a pronunciation sequence based on the sequence of the normalized text. For example, using one or more recurrent learning networks (e.g., long short-term memory (LSTM) networks), pronunciation generation can be performed more efficiently to produce a syllabified and stress marked phoneme sequence in one step, rather than multiple steps typically required in a rule-based technique. Moreover, the data-driven learning networks can be trained with any desired amount of training data such that the accuracy of generating a proper pronunciation sequence can also be improved over the rule-based technique. Further, as the data-driven learning networks are trained or provided with more data over time, the pronunciation generation process can be dynamically and continuously enhanced or improved. As a result, it becomes more and more efficient and accurate.

Although the following description uses terms "first," "second," etc. to describe various elements, these elements should not be limited by the terms. These terms are only used to distinguish one element from another. For example, a first input could be termed a second input, and, similarly, a second input could be termed a first input, without departing from the scope of the various described examples. The first input and the second input are both inputs and, in some cases, are separate and different inputs.

The terminology used in the description of the various described examples herein is for the purpose of describing particular examples only and is not intended to be limiting. As used in the description of the various described examples and the appended claims, the singular forms "a," "an," and "the" are intended to include the plural forms as well, unless the context clearly indicates otherwise. It will also be understood that the term "and/or" as used herein refers to and encompasses any and all possible combinations of one or more of the associated listed items. It will be further understood that the terms "includes," "including," "comprises," and/or "comprising," when used in this specification, specify the presence of stated features, integers, steps, operations, elements, and/or components, but do not preclude the presence or addition of one or more other features, integers, steps, operations, elements, components, and/or groups thereof.

The term "if" may be construed to mean "when" or "upon" or "in response to determining" or "in response to detecting," depending on the context. Similarly, the phrase "if it is determined" or "if [a stated condition or event] is detected" may be construed to mean "upon determining" or "in response to determining" or "upon detecting [the stated condition or event]" or "in response to detecting [the stated condition or event]," depending on the context.

1. System and Environment

FIG. 1 illustrates a block diagram of system 100 according to various examples. In some examples, system 100 implements a digital assistant. The terms "digital assistant," "virtual assistant," "intelligent automated assistant," or "automatic digital assistant" refer to any information processing system that interprets natural language input in spoken and/or textual form to infer user intent, and performs actions based on the inferred user intent. For example, to act on an inferred user intent, the system performs one or more of the following: identifying a task flow with steps and parameters designed to accomplish the inferred user intent, inputting specific requirements from the inferred user intent into the task flow; executing the task flow by invoking

programs, methods, services, APIs, or the like; and generating output responses to the user in an audible (e.g., speech) and/or visual form.

Specifically, a digital assistant is capable of accepting a user request at least partially in the form of a natural language command, request, statement, narrative, and/or inquiry. Typically, the user request seeks either an informational answer or performance of a task by the digital assistant. A satisfactory response to the user request includes a provision of the requested informational answer, a performance of the requested task, or a combination of the two. For example, a user asks the digital assistant a question, such as "Where am I right now?" Based on the user's current location, the digital assistant answers, "You are in Central Park near the west gate." The user also requests the performance of a task, for example, "Please invite my friends to my girlfriend's birthday party next week." In response, the digital assistant can acknowledge the request by saying "Yes, right away," and then send a suitable calendar invite on behalf of the user to each of the user's friends listed in the user's electronic address book. During performance of a requested task, the digital assistant sometimes interacts with the user in a continuous dialogue involving multiple exchanges of information over an extended period of time. There are numerous other ways of interacting with a digital assistant to request information or performance of various tasks. In addition to providing verbal responses and taking programmed actions, the digital assistant also provides responses in other visual or audio forms, e.g., as text, alerts, music, videos, animations, etc.

As shown in FIG. **1**, in some examples, a digital assistant is implemented according to a client-server model. The digital assistant includes client-side portion **102** (hereafter "DA client **102**") executed on user device **104** and server-side portion **106** (hereafter "DA server **106**") executed on server system **108**. DA client **102** communicates with DA server **106** through one or more networks **110**. DA client **102** provides client-side functionalities such as user-facing input and output processing and communication with DA server **106**. DA server **106** provides server-side functionalities for any number of DA clients **102** each residing on a respective user device **104**.

In some examples, DA server **106** includes client-facing I/O interface **112**, one or more processing modules **114**, data and models **116**, and I/O interface to external services **118**. The client-facing I/O interface **112** facilitates the client-facing input and output processing for DA server **106**. One or more processing modules **114** utilize data and models **116** to process speech input and determine the user's intent based on natural language input. Further, one or more processing modules **114** perform task execution based on inferred user intent. In some examples, DA server **106** communicates with external services **120** through network(s) **110** for task completion or information acquisition. I/O interface to external services **118** facilitates such communications.

User device **104** can be any suitable electronic device. In some examples, user device is a portable multifunctional device (e.g., device **200**, described below with reference to FIG. **2**A), a multifunctional device (e.g., device **400**, described below with reference to FIG. **4**), or a personal electronic device (e.g., device **600**, described below with reference to FIG. **6**A-**6**B.) A portable multifunctional device is, for example, a mobile telephone that also contains other functions, such as PDA and/or music player functions. Specific examples of portable multifunction devices include the iPhone®, iPod Touch®, and iPad® devices from Apple Inc. of Cupertino, Calif. Other examples of portable multifunction devices include, without limitation, laptop or tablet computers. Further, in some examples, user device **104** is a non-portable multifunctional device. In particular, user device **104** is a desktop computer, a game console, a television, or a television set-top box. In some examples, user device **104** includes a touch-sensitive surface (e.g., touch screen displays and/or touchpads). Further, user device **104** optionally includes one or more other physical user-interface devices, such as a physical keyboard, a mouse, and/or a joystick. Various examples of electronic devices, such as multifunctional devices, are described below in greater detail.

Examples of communication network(s) **110** include local area networks (LAN) and wide area networks (WAN), e.g., the Internet. Communication network(s) **110** is implemented using any known network protocol, including various wired or wireless protocols, such as, for example, Ethernet, Universal Serial Bus (USB), FIREWIRE, Global System for Mobile Communications (GSM), Enhanced Data GSM Environment (EDGE), code division multiple access (CDMA), time division multiple access (TDMA), Bluetooth, Wi-Fi, voice over Internet Protocol (VoIP), Wi-MAX, or any other suitable communication protocol.

Server system **108** is implemented on one or more standalone data processing apparatus or a distributed network of computers. In some examples, server system **108** also employs various virtual devices and/or services of third-party service providers (e.g., third-party cloud service providers) to provide the underlying computing resources and/or infrastructure resources of server system **108**.

In some examples, user device **104** communicates with DA server **106** via second user device **122**. Second user device **122** is similar or identical to user device **104**. For example, second user device **122** is similar to devices **200**, **400**, or **600** described below with reference to FIGS. **2**A, **4**, and **6**A-**6**B. User device **104** is configured to communicatively couple to second user device **122** via a direct communication connection, such as Bluetooth, NFC, BTLE, or the like, or via a wired or wireless network, such as a local Wi-Fi network. In some examples, second user device **122** is configured to act as a proxy between user device **104** and DA server **106**. For example, DA client **102** of user device **104** is configured to transmit information (e.g., a user request received at user device **104**) to DA server **106** via second user device **122**. DA server **106** processes the information and return relevant data (e.g., data content responsive to the user request) to user device **104** via second user device **122**.

In some examples, user device **104** is configured to communicate abbreviated requests for data to second user device **122** to reduce the amount of information transmitted from user device **104**. Second user device **122** is configured to determine supplemental information to add to the abbreviated request to generate a complete request to transmit to DA server **106**. This system architecture can advantageously allow user device **104** having limited communication capabilities and/or limited battery power (e.g., a watch or a similar compact electronic device) to access services provided by DA server **106** by using second user device **122**, having greater communication capabilities and/or battery power (e.g., a mobile phone, laptop computer, tablet computer, or the like), as a proxy to DA server **106**. While only two user devices **104** and **122** are shown in FIG. **1**, it should be appreciated that system **100**, in some examples, includes any number and type of user devices configured in this proxy configuration to communicate with DA server system **106**.

Although the digital assistant shown in FIG. **1** includes both a client-side portion (e.g., DA client **102**) and a server-side portion (e.g., DA server **106**), in some examples, the functions of a digital assistant are implemented as a standalone application installed on a user device. In addition, the divisions of functionalities between the client and server portions of the digital assistant can vary in different implementations. For instance, in some examples, the DA client is a thin-client that provides only user-facing input and output processing functions, and delegates all other functionalities of the digital assistant to a backend server.

2. Electronic Devices

Attention is now directed toward embodiments of electronic devices for implementing the client-side portion of a digital assistant. FIG. **2**A is a block diagram illustrating portable multifunction device **200** with touch-sensitive display system **212** in accordance with some embodiments. Touch-sensitive display **212** is sometimes called a "touch screen" for convenience and is sometimes known as or called a "touch-sensitive display system." Device **200** includes memory **202** (which optionally includes one or more computer-readable storage mediums), memory controller **222**, one or more processing units (CPUs) **220**, peripherals interface **218**, RF circuitry **208**, audio circuitry **210**, speaker **211**, microphone **213**, input/output (I/O) subsystem **206**, other input control devices **216**, and external port **224**. Device **200** optionally includes one or more optical sensors **264**. Device **200** optionally includes one or more contact intensity sensors **265** for detecting intensity of contacts on device **200** (e.g., a touch-sensitive surface such as touch-sensitive display system **212** of device **200**). Device **200** optionally includes one or more tactile output generators **267** for generating tactile outputs on device **200** (e.g., generating tactile outputs on a touch-sensitive surface such as touch-sensitive display system **212** of device **200** or touchpad **455** of device **400**). These components optionally communicate over one or more communication buses or signal lines **203**.

As used in the specification and claims, the term "intensity" of a contact on a touch-sensitive surface refers to the force or pressure (force per unit area) of a contact (e.g., a finger contact) on the touch-sensitive surface, or to a substitute (proxy) for the force or pressure of a contact on the touch-sensitive surface. The intensity of a contact has a range of values that includes at least four distinct values and more typically includes hundreds of distinct values (e.g., at least 256). Intensity of a contact is, optionally, determined (or measured) using various approaches and various sensors or combinations of sensors. For example, one or more force sensors underneath or adjacent to the touch-sensitive surface are, optionally, used to measure force at various points on the touch-sensitive surface. In some implementations, force measurements from multiple force sensors are combined (e.g., a weighted average) to determine an estimated force of a contact. Similarly, a pressure-sensitive tip of a stylus is, optionally, used to determine a pressure of the stylus on the touch-sensitive surface. Alternatively, the size of the contact area detected on the touch-sensitive surface and/or changes thereto, the capacitance of the touch-sensitive surface proximate to the contact and/or changes thereto, and/or the resistance of the touch-sensitive surface proximate to the contact and/or changes thereto are, optionally, used as a substitute for the force or pressure of the contact on the touch-sensitive surface. In some implementations, the substitute measurements for contact force or pressure are used directly to determine whether an intensity threshold has been exceeded (e.g., the intensity threshold is described in units corresponding to the substitute measurements). In some implementations, the substitute measurements for contact force or pressure are converted to an estimated force or pressure, and the estimated force or pressure is used to determine whether an intensity threshold has been exceeded (e.g., the intensity threshold is a pressure threshold measured in units of pressure). Using the intensity of a contact as an attribute of a user input allows for user access to additional device functionality that may otherwise not be accessible by the user on a reduced-size device with limited real estate for displaying affordances (e.g., on a touch-sensitive display) and/or receiving user input (e.g., via a touch-sensitive display, a touch-sensitive surface, or a physical/mechanical control such as a knob or a button).

As used in the specification and claims, the term "tactile output" refers to physical displacement of a device relative to a previous position of the device, physical displacement of a component (e.g., a touch-sensitive surface) of a device relative to another component (e.g., housing) of the device, or displacement of the component relative to a center of mass of the device that will be detected by a user with the user's sense of touch. For example, in situations where the device or the component of the device is in contact with a surface of a user that is sensitive to touch (e.g., a finger, palm, or other part of a user's hand), the tactile output generated by the physical displacement will be interpreted by the user as a tactile sensation corresponding to a perceived change in physical characteristics of the device or the component of the device. For example, movement of a touch-sensitive surface (e.g., a touch-sensitive display or trackpad) is, optionally, interpreted by the user as a "down click" or "up click" of a physical actuator button. In some cases, a user will feel a tactile sensation such as an "down click" or "up click" even when there is no movement of a physical actuator button associated with the touch-sensitive surface that is physically pressed (e.g., displaced) by the user's movements. As another example, movement of the touch-sensitive surface is, optionally, interpreted or sensed by the user as "roughness" of the touch-sensitive surface, even when there is no change in smoothness of the touch-sensitive surface. While such interpretations of touch by a user will be subject to the individualized sensory perceptions of the user, there are many sensory perceptions of touch that are common to a large majority of users. Thus, when a tactile output is described as corresponding to a particular sensory perception of a user (e.g., an "up click," a "down click," "roughness"), unless otherwise stated, the generated tactile output corresponds to physical displacement of the device or a component thereof that will generate the described sensory perception for a typical (or average) user.

It should be appreciated that device **200** is only one example of a portable multifunction device, and that device **200** optionally has more or fewer components than shown, optionally combines two or more components, or optionally has a different configuration or arrangement of the components. The various components shown in FIG. **2**A are implemented in hardware, software, or a combination of both hardware and software, including one or more signal processing and/or application-specific integrated circuits.

Memory **202** includes one or more computer-readable storage mediums. The computer-readable storage mediums are, for example, tangible and non-transitory. Memory **202** includes high-speed random access memory and also includes non-volatile memory, such as one or more magnetic disk storage devices, flash memory devices, or other non-

volatile solid-state memory devices. Memory controller **222** controls access to memory **202** by other components of device **200**.

In some examples, a non-transitory computer-readable storage medium of memory **202** is used to store instructions (e.g., for performing aspects of processes described below) for use by or in connection with an instruction execution system, apparatus, or device, such as a computer-based system, processor-containing system, or other system that can fetch the instructions from the instruction execution system, apparatus, or device and execute the instructions. In other examples, the instructions (e.g., for performing aspects of the processes described below) are stored on a non-transitory computer-readable storage medium (not shown) of the server system **108** or are divided between the non-transitory computer-readable storage medium of memory **202** and the non-transitory computer-readable storage medium of server system **108**.

Peripherals interface **218** is used to couple input and output peripherals of the device to CPU **220** and memory **202**. The one or more processors **220** run or execute various software programs and/or sets of instructions stored in memory **202** to perform various functions for device **200** and to process data. In some embodiments, peripherals interface **218**, CPU **220**, and memory controller **222** are implemented on a single chip, such as chip **204**. In some other embodiments, they are implemented on separate chips.

RF (radio frequency) circuitry **208** receives and sends RF signals, also called electromagnetic signals. RF circuitry **208** converts electrical signals to/from electromagnetic signals and communicates with communications networks and other communications devices via the electromagnetic signals. RF circuitry **208** optionally includes well-known circuitry for performing these functions, including but not limited to an antenna system, an RF transceiver, one or more amplifiers, a tuner, one or more oscillators, a digital signal processor, a CODEC chipset, a subscriber identity module (SIM) card, memory, and so forth. RF circuitry **208** optionally communicates with networks, such as the Internet, also referred to as the World Wide Web (WWW), an intranet and/or a wireless network, such as a cellular telephone network, a wireless local area network (LAN) and/or a metropolitan area network (MAN), and other devices by wireless communication. The RF circuitry **208** optionally includes well-known circuitry for detecting near field communication (NFC) fields, such as by a short-range communication radio. The wireless communication optionally uses any of a plurality of communications standards, protocols, and technologies, including but not limited to Global System for Mobile Communications (GSM), Enhanced Data GSM Environment (EDGE), high-speed downlink packet access (HSDPA), high-speed uplink packet access (HSUPA), Evolution, Data-Only (EV-DO), HSPA, HSPA+, Dual-Cell HSPA (DC-HSPDA), long term evolution (LTE), near field communication (NFC), wideband code division multiple access (W-CDMA), code division multiple access (CDMA), time division multiple access (TDMA), Bluetooth, Bluetooth Low Energy (BTLE), Wireless Fidelity (Wi-Fi) (e.g., IEEE 802.11a, IEEE 802.11b, IEEE 802.11g, IEEE 802.1 in, and/or IEEE 802.11ac), voice over Internet Protocol (VoIP), Wi-MAX, a protocol for e mail (e.g., Internet message access protocol (IMAP) and/or post office protocol (POP)), instant messaging (e.g., extensible messaging and presence protocol (XMPP), Session Initiation Protocol for Instant Messaging and Presence Leveraging Extensions (SIMPLE), Instant Messaging and Presence Service (IMPS)), and/or Short Message Service (SMS), or any other suitable communication protocol, including communication protocols not yet developed as of the filing date of this document.

Audio circuitry **210**, speaker **211**, and microphone **213** provide an audio interface between a user and device **200**. Audio circuitry **210** receives audio data from peripherals interface **218**, converts the audio data to an electrical signal, and transmits the electrical signal to speaker **211**. Speaker **211** converts the electrical signal to human-audible sound waves. Audio circuitry **210** also receives electrical signals converted by microphone **213** from sound waves. Audio circuitry **210** converts the electrical signal to audio data and transmits the audio data to peripherals interface **218** for processing. Audio data are retrieved from and/or transmitted to memory **202** and/or RF circuitry **208** by peripherals interface **218**. In some embodiments, audio circuitry **210** also includes a headset jack (e.g., **312**, FIG. **3**). The headset jack provides an interface between audio circuitry **210** and removable audio input/output peripherals, such as output-only headphones or a headset with both output (e.g., a headphone for one or both ears) and input (e.g., a microphone).

I/O subsystem **206** couples input/output peripherals on device **200**, such as touch screen **212** and other input control devices **216**, to peripherals interface **218**. I/O subsystem **206** optionally includes display controller **256**, optical sensor controller **258**, intensity sensor controller **259**, haptic feedback controller **261**, and one or more input controllers **260** for other input or control devices. The one or more input controllers **260** receive/send electrical signals from/to other input control devices **216**. The other input control devices **216** optionally include physical buttons (e.g., push buttons, rocker buttons, etc.), dials, slider switches, joysticks, click wheels, and so forth. In some alternate embodiments, input controller(s) **260** are, optionally, coupled to any (or none) of the following: a keyboard, an infrared port, a USB port, and a pointer device such as a mouse. The one or more buttons (e.g., **308**, FIG. **3**) optionally include an up/down button for volume control of speaker **211** and/or microphone **213**. The one or more buttons optionally include a push button (e.g., **306**, FIG. **3**).

A quick press of the push button disengages a lock of touch screen **212** or begin a process that uses gestures on the touch screen to unlock the device, as described in U.S. patent application Ser. No. 11/322,549, "Unlocking a Device by Performing Gestures on an Unlock Image," filed Dec. 23, 2005, U.S. Pat. No. 7,657,849, which is hereby incorporated by reference in its entirety. A longer press of the push button (e.g., **306**) turns power to device **200** on or off. The user is able to customize a functionality of one or more of the buttons. Touch screen **212** is used to implement virtual or soft buttons and one or more soft keyboards.

Touch-sensitive display **212** provides an input interface and an output interface between the device and a user. Display controller **256** receives and/or sends electrical signals from/to touch screen **212**. Touch screen **212** displays visual output to the user. The visual output includes graphics, text, icons, video, and any combination thereof (collectively termed "graphics"). In some embodiments, some or all of the visual output correspond to user-interface objects.

Touch screen **212** has a touch-sensitive surface, sensor, or set of sensors that accepts input from the user based on haptic and/or tactile contact. Touch screen **212** and display controller **256** (along with any associated modules and/or sets of instructions in memory **202**) detect contact (and any movement or breaking of the contact) on touch screen **212** and convert the detected contact into interaction with user-interface objects (e.g., one or more soft keys, icons, web

pages, or images) that are displayed on touch screen **212**. In an exemplary embodiment, a point of contact between touch screen **212** and the user corresponds to a finger of the user.

Touch screen **212** uses LCD (liquid crystal display) technology, LPD (light emitting polymer display) technology, or LED (light emitting diode) technology, although other display technologies may be used in other embodiments. Touch screen **212** and display controller **256** detect contact and any movement or breaking thereof using any of a plurality of touch sensing technologies now known or later developed, including but not limited to capacitive, resistive, infrared, and surface acoustic wave technologies, as well as other proximity sensor arrays or other elements for determining one or more points of contact with touch screen **212**. In an exemplary embodiment, projected mutual capacitance sensing technology is used, such as that found in the iPhone® and iPod Touch® from Apple Inc. of Cupertino, Calif.

A touch-sensitive display in some embodiments of touch screen **212** is analogous to the multi-touch sensitive touchpads described in the following U.S. Pat. No. 6,323,846 (Westerman et al.), U.S. Pat. No. 6,570,557 (Westerman et al.), and/or U.S. Pat. No. 6,677,932 (Westerman), and/or U.S. Patent Publication 2002/0015024A1, each of which is hereby incorporated by reference in its entirety. However, touch screen **212** displays visual output from device **200**, whereas touch-sensitive touchpads do not provide visual output.

A touch-sensitive display in some embodiments of touch screen **212** is as described in the following applications: (1) U.S. patent application Ser. No. 11/381,313, "Multipoint Touch Surface Controller," filed May 2, 2006; (2) U.S. patent application Ser. No. 10/840,862, "Multipoint Touchscreen," filed May 6, 2004; (3) U.S. patent application Ser. No. 10/903,964, "Gestures For Touch Sensitive Input Devices," filed Jul. 30, 2004; (4) U.S. patent application Ser. No. 11/048,264, "Gestures For Touch Sensitive Input Devices," filed Jan. 31, 2005; (5) U.S. patent application Ser. No. 11/038,590, "Mode-Based Graphical User Interfaces For Touch Sensitive Input Devices," filed Jan. 18, 2005; (6) U.S. patent application Ser. No. 11/228,758, "Virtual Input Device Placement On A Touch Screen User Interface," filed Sep. 16, 2005; (7) U.S. patent application Ser. No. 11/228,700, "Operation Of A Computer With A Touch Screen Interface," filed Sep. 16, 2005; (8) U.S. patent application Ser. No. 11/228,737, "Activating Virtual Keys Of A Touch-Screen Virtual Keyboard," filed Sep. 16, 2005; and (9) U.S. patent application Ser. No. 11/367,749, "Multi-Functional Hand-Held Device," filed Mar. 3, 2006. All of these applications are incorporated by reference herein in their entirety.

Touch screen **212** has, for example, a video resolution in excess of 100 dpi. In some embodiments, the touch screen has a video resolution of approximately 160 dpi. The user makes contact with touch screen **212** using any suitable object or appendage, such as a stylus, a finger, and so forth. In some embodiments, the user interface is designed to work primarily with finger-based contacts and gestures, which can be less precise than stylus-based input due to the larger area of contact of a finger on the touch screen. In some embodiments, the device translates the rough finger-based input into a precise pointer/cursor position or command for performing the actions desired by the user.

In some embodiments, in addition to the touch screen, device **200** includes a touchpad (not shown) for activating or deactivating particular functions. In some embodiments, the touchpad is a touch-sensitive area of the device that, unlike the touch screen, does not display visual output. The touchpad is a touch-sensitive surface that is separate from touch screen **212** or an extension of the touch-sensitive surface formed by the touch screen.

Device **200** also includes power system **262** for powering the various components. Power system **262** includes a power management system, one or more power sources (e.g., battery, alternating current (AC)), a recharging system, a power failure detection circuit, a power converter or inverter, a power status indicator (e.g., a light-emitting diode (LED)) and any other components associated with the generation, management and distribution of power in portable devices.

Device **200** also includes one or more optical sensors **264**. FIG. **2**A shows an optical sensor coupled to optical sensor controller **258** in I/O subsystem **206**. Optical sensor **264** includes charge-coupled device (CCD) or complementary metal-oxide semiconductor (CMOS) phototransistors. Optical sensor **264** receives light from the environment, projected through one or more lenses, and converts the light to data representing an image. In conjunction with imaging module **243** (also called a camera module), optical sensor **264** captures still images or video. In some embodiments, an optical sensor is located on the back of device **200**, opposite touch screen display **212** on the front of the device so that the touch screen display is used as a viewfinder for still and/or video image acquisition. In some embodiments, an optical sensor is located on the front of the device so that the user's image is obtained for video conferencing while the user views the other video conference participants on the touch screen display. In some embodiments, the position of optical sensor **264** can be changed by the user (e.g., by rotating the lens and the sensor in the device housing) so that a single optical sensor **264** is used along with the touch screen display for both video conferencing and still and/or video image acquisition.

Device **200** optionally also includes one or more contact intensity sensors **265**. FIG. **2**A shows a contact intensity sensor coupled to intensity sensor controller **259** in I/O subsystem **206**. Contact intensity sensor **265** optionally includes one or more piezoresistive strain gauges, capacitive force sensors, electric force sensors, piezoelectric force sensors, optical force sensors, capacitive touch-sensitive surfaces, or other intensity sensors (e.g., sensors used to measure the force (or pressure) of a contact on a touch-sensitive surface). Contact intensity sensor **265** receives contact intensity information (e.g., pressure information or a proxy for pressure information) from the environment. In some embodiments, at least one contact intensity sensor is collocated with, or proximate to, a touch-sensitive surface (e.g., touch-sensitive display system **212**). In some embodiments, at least one contact intensity sensor is located on the back of device **200**, opposite touch screen display **212**, which is located on the front of device **200**.

Device **200** also includes one or more proximity sensors **266**. FIG. **2**A shows proximity sensor **266** coupled to peripherals interface **218**. Alternately, proximity sensor **266** is coupled to input controller **260** in I/O subsystem **206**. Proximity sensor **266** is performed as described in U.S. patent application Ser. No. 11/241,839, "Proximity Detector In Handheld Device"; Ser. No. 11/240,788, "Proximity Detector In Handheld Device"; Ser. No. 11/620,702, "Using Ambient Light Sensor To Augment Proximity Sensor Output"; Ser. No. 11/586,862, "Automated Response To And Sensing Of User Activity In Portable Devices"; and Ser. No. 11/638,251, "Methods And Systems For Automatic Configuration Of Peripherals," which are hereby incorporated by reference in their entirety. In some embodiments, the prox-

imity sensor turns off and disables touch screen **212** when the multifunction device is placed near the user's ear (e.g., when the user is making a phone call).

Device **200** optionally also includes one or more tactile output generators **267**. FIG. **2**A shows a tactile output generator coupled to haptic feedback controller **261** in I/O subsystem **206**. Tactile output generator **267** optionally includes one or more electroacoustic devices such as speakers or other audio components and/or electromechanical devices that convert energy into linear motion such as a motor, solenoid, electroactive polymer, piezoelectric actuator, electrostatic actuator, or other tactile output generating component (e.g., a component that converts electrical signals into tactile outputs on the device). Contact intensity sensor **265** receives tactile feedback generation instructions from haptic feedback module **233** and generates tactile outputs on device **200** that are capable of being sensed by a user of device **200**. In some embodiments, at least one tactile output generator is collocated with, or proximate to, a touch-sensitive surface (e.g., touch-sensitive display system **212**) and, optionally, generates a tactile output by moving the touch-sensitive surface vertically (e.g., in/out of a surface of device **200**) or laterally (e.g., back and forth in the same plane as a surface of device **200**). In some embodiments, at least one tactile output generator sensor is located on the back of device **200**, opposite touch screen display **212**, which is located on the front of device **200**.

Device **200** also includes one or more accelerometers **268**. FIG. **2**A shows accelerometer **268** coupled to peripherals interface **218**. Alternately, accelerometer **268** is coupled to an input controller **260** in I/O subsystem **206**. Accelerometer **268** performs, for example, as described in U.S. Patent Publication No. 20050190059, "Acceleration-based Theft Detection System for Portable Electronic Devices," and U.S. Patent Publication No. 20060017692, "Methods And Apparatuses For Operating A Portable Device Based On An Accelerometer," both of which are incorporated by reference herein in their entirety. In some embodiments, information is displayed on the touch screen display in a portrait view or a landscape view based on an analysis of data received from the one or more accelerometers. Device **200** optionally includes, in addition to accelerometer(s) **268**, a magnetometer (not shown) and a GPS (or GLONASS or other global navigation system) receiver (not shown) for obtaining information concerning the location and orientation (e.g., portrait or landscape) of device **200**.

In some embodiments, the software components stored in memory **202** include operating system **226**, communication module (or set of instructions) **228**, contact/motion module (or set of instructions) **230**, graphics module (or set of instructions) **232**, text input module (or set of instructions) **234**, Global Positioning System (GPS) module (or set of instructions) **235**, Digital Assistant Client Module **229**, and applications (or sets of instructions) **236**. Further, memory **202** stores data and models, such as user data and models **231**. Furthermore, in some embodiments, memory **202** (FIG. **2**A) or **470** (FIG. **4**) stores device/global internal state **257**, as shown in FIGS. **2**A and **4**. Device/global internal state **257** includes one or more of: active application state, indicating which applications, if any, are currently active; display state, indicating what applications, views or other information occupy various regions of touch screen display **212**; sensor state, including information obtained from the device's various sensors and input control devices **216**; and location information concerning the device's location and/or attitude.

Operating system **226** (e.g., Darwin, RTXC, LINUX, UNIX, OS X, iOS, WINDOWS, or an embedded operating system such as VxWorks) includes various software components and/or drivers for controlling and managing general system tasks (e.g., memory management, storage device control, power management, etc.) and facilitates communication between various hardware and software components.

Communication module **228** facilitates communication with other devices over one or more external ports **224** and also includes various software components for handling data received by RF circuitry **208** and/or external port **224**. External port **224** (e.g., Universal Serial Bus (USB), FIREWIRE, etc.) is adapted for coupling directly to other devices or indirectly over a network (e.g., the Internet, wireless LAN, etc.). In some embodiments, the external port is a multi-pin (e.g., 30-pin) connector that is the same as, or similar to and/or compatible with, the 30-pin connector used on iPod® (trademark of Apple Inc.) devices.

Contact/motion module **230** optionally detects contact with touch screen **212** (in conjunction with display controller **256**) and other touch-sensitive devices (e.g., a touchpad or physical click wheel). Contact/motion module **230** includes various software components for performing various operations related to detection of contact, such as determining if contact has occurred (e.g., detecting a finger-down event), determining an intensity of the contact (e.g., the force or pressure of the contact or a substitute for the force or pressure of the contact), determining if there is movement of the contact and tracking the movement across the touch-sensitive surface (e.g., detecting one or more finger-dragging events), and determining if the contact has ceased (e.g., detecting a finger-up event or a break in contact). Contact/motion module **230** receives contact data from the touch-sensitive surface. Determining movement of the point of contact, which is represented by a series of contact data, optionally includes determining speed (magnitude), velocity (magnitude and direction), and/or an acceleration (a change in magnitude and/or direction) of the point of contact. These operations are, optionally, applied to single contacts (e.g., one finger contacts) or to multiple simultaneous contacts (e.g., "multitouch"/multiple finger contacts). In some embodiments, contact/motion module **230** and display controller **256** detect contact on a touchpad.

In some embodiments, contact/motion module **230** uses a set of one or more intensity thresholds to determine whether an operation has been performed by a user (e.g., to determine whether a user has "clicked" on an icon). In some embodiments, at least a subset of the intensity thresholds are determined in accordance with software parameters (e.g., the intensity thresholds are not determined by the activation thresholds of particular physical actuators and can be adjusted without changing the physical hardware of device **200**). For example, a mouse "click" threshold of a trackpad or touch screen display can be set to any of a large range of predefined threshold values without changing the trackpad or touch screen display hardware. Additionally, in some implementations, a user of the device is provided with software settings for adjusting one or more of the set of intensity thresholds (e.g., by adjusting individual intensity thresholds and/or by adjusting a plurality of intensity thresholds at once with a system-level click "intensity" parameter).

Contact/motion module **230** optionally detects a gesture input by a user. Different gestures on the touch-sensitive surface have different contact patterns (e.g., different motions, timings, and/or intensities of detected contacts). Thus, a gesture is, optionally, detected by detecting a particular contact pattern. For example, detecting a finger tap gesture includes detecting a finger-down event followed by detecting a finger-up (liftoff) event at the same position (or

substantially the same position) as the finger-down event (e.g., at the position of an icon). As another example, detecting a finger swipe gesture on the touch-sensitive surface includes detecting a finger-down event followed by detecting one or more finger-dragging events, and subsequently followed by detecting a finger-up (liftoff) event.

Graphics module **232** includes various known software components for rendering and displaying graphics on touch screen **212** or other display, including components for changing the visual impact (e.g., brightness, transparency, saturation, contrast, or other visual property) of graphics that are displayed. As used herein, the term "graphics" includes any object that can be displayed to a user, including, without limitation, text, web pages, icons (such as user-interface objects including soft keys), digital images, videos, animations, and the like.

In some embodiments, graphics module **232** stores data representing graphics to be used. Each graphic is, optionally, assigned a corresponding code. Graphics module **232** receives, from applications etc., one or more codes specifying graphics to be displayed along with, if necessary, coordinate data and other graphic property data, and then generates screen image data to output to display controller **256**.

Haptic feedback module **233** includes various software components for generating instructions used by tactile output generator(s) **267** to produce tactile outputs at one or more locations on device **200** in response to user interactions with device **200**.

Text input module **234**, which is, in some examples, a component of graphics module **232**, provides soft keyboards for entering text in various applications (e.g., contacts **237**, email **240**, IM **241**, browser **247**, and any other application that needs text input).

GPS module **235** determines the location of the device and provides this information for use in various applications (e.g., to telephone **238** for use in location-based dialing; to camera **243** as picture/video metadata; and to applications that provide location-based services such as weather widgets, local yellow page widgets, and map/navigation widgets).

Digital assistant client module **229** includes various client-side digital assistant instructions to provide the client-side functionalities of the digital assistant. For example, digital assistant client module **229** is capable of accepting voice input (e.g., speech input), text input, touch input, and/or gestural input through various user interfaces (e.g., microphone **213**, accelerometer(s) **268**, touch-sensitive display system **212**, optical sensor(s) **229**, other input control devices **216**, etc.) of portable multifunction device **200**. Digital assistant client module **229** is also capable of providing output in audio (e.g., speech output), visual, and/or tactile forms through various output interfaces (e.g., speaker **211**, touch-sensitive display system **212**, tactile output generator(s) **267**, etc.) of portable multifunction device **200**. For example, output is provided as voice, sound, alerts, text messages, menus, graphics, videos, animations, vibrations, and/or combinations of two or more of the above. During operation, digital assistant client module **229** communicates with DA server **106** using RF circuitry **208**.

User data and models **231** include various data associated with the user (e.g., user-specific vocabulary data, user preference data, user-specified name pronunciations, data from the user's electronic address book, to-do lists, shopping lists, etc.) to provide the client-side functionalities of the digital assistant. Further, user data and models **231** include various models (e.g., speech recognition models, statistical language models, natural language processing models, ontology, task flow models, service models, etc.) for processing user input and determining user intent.

In some examples, digital assistant client module **229** utilizes the various sensors, subsystems, and peripheral devices of portable multifunction device **200** to gather additional information from the surrounding environment of the portable multifunction device **200** to establish a context associated with a user, the current user interaction, and/or the current user input. In some examples, digital assistant client module **229** provides the contextual information or a subset thereof with the user input to DA server **106** to help infer the user's intent. In some examples, the digital assistant also uses the contextual information to determine how to prepare and deliver outputs to the user. Contextual information is referred to as context data.

In some examples, the contextual information that accompanies the user input includes sensor information, e.g., lighting, ambient noise, ambient temperature, images or videos of the surrounding environment, etc. In some examples, the contextual information can also includes the physical state of the device, e.g., device orientation, device location, device temperature, power level, speed, acceleration, motion patterns, cellular signals strength, etc. In some examples, information related to the software state of DA server **106**, e.g., running processes, installed programs, past and present network activities, background services, error logs, resources usage, etc., and of portable multifunction device **200** is provided to DA server **106** as contextual information associated with a user input.

In some examples, the digital assistant client module **229** selectively provides information (e.g., user data **231**) stored on the portable multifunction device **200** in response to requests from DA server **106**. In some examples, digital assistant client module **229** also elicits additional input from the user via a natural language dialogue or other user interfaces upon request by DA server **106**. Digital assistant client module **229** passes the additional input to DA server **106** to help DA server **106** in intent deduction and/or fulfillment of the user's intent expressed in the user request.

A more detailed description of a digital assistant is described below with reference to FIGS. **7A-7C**. It should be recognized that digital assistant client module **229** can include any number of the sub-modules of digital assistant module **726** described below.

Applications **236** include the following modules (or sets of instructions), or a subset or superset thereof:

- Contacts module **237** (sometimes called an address book or contact list);
- Telephone module **238**;
- Video conference module **239**;
- E-mail client module **240**;
- Instant messaging (IM) module **241**;
- Workout support module **242**;
- Camera module **243** for still and/or video images;
- Image management module **244**;
- Video player module;
- Music player module;
- Browser module **247**;
- Calendar module **248**;
- Widget modules **249**, which includes, in some examples, one or more of: weather widget **249-1**, stocks widget **249-2**, calculator widget **249-3**, alarm clock widget **249-4**, dictionary widget **249-5**, and other widgets obtained by the user, as well as user-created widgets **249-6**;

Widget creator module **250** for making user-created widgets **249-6**;

Search module **251**;

Video and music player module **252**, which merges video player module and music player module;

Notes module **253**;

Map module **254**; and/or

Online video module **255**.

Examples of other applications **236** that are stored in memory **202** include other word processing applications, other image editing applications, drawing applications, presentation applications, JAVA-enabled applications, encryption, digital rights management, voice recognition, and voice replication.

In conjunction with touch screen **212**, display controller **256**, contact/motion module **230**, graphics module **232**, and text input module **234**, contacts module **237** are used to manage an address book or contact list (e.g., stored in application internal state **292** of contacts module **237** in memory **202** or memory **470**), including: adding name(s) to the address book; deleting name(s) from the address book; associating telephone number(s), e-mail address(es), physical address(es) or other information with a name; associating an image with a name; categorizing and sorting names; providing telephone numbers or e-mail addresses to initiate and/or facilitate communications by telephone **238**, video conference module **239**, e-mail **240**, or IM **241**; and so forth.

In conjunction with RF circuitry **208**, audio circuitry **210**, speaker **211**, microphone **213**, touch screen **212**, display controller **256**, contact/motion module **230**, graphics module **232**, and text input module **234**, telephone module **238** are used to enter a sequence of characters corresponding to a telephone number, access one or more telephone numbers in contacts module **237**, modify a telephone number that has been entered, dial a respective telephone number, conduct a conversation, and disconnect or hang up when the conversation is completed. As noted above, the wireless communication uses any of a plurality of communications standards, protocols, and technologies.

In conjunction with RF circuitry **208**, audio circuitry **210**, speaker **211**, microphone **213**, touch screen **212**, display controller **256**, optical sensor **264**, optical sensor controller **258**, contact/motion module **230**, graphics module **232**, text input module **234**, contacts module **237**, and telephone module **238**, video conference module **239** includes executable instructions to initiate, conduct, and terminate a video conference between a user and one or more other participants in accordance with user instructions.

In conjunction with RF circuitry **208**, touch screen **212**, display controller **256**, contact/motion module **230**, graphics module **232**, and text input module **234**, e-mail client module **240** includes executable instructions to create, send, receive, and manage e-mail in response to user instructions. In conjunction with image management module **244**, e-mail client module **240** makes it very easy to create and send e-mails with still or video images taken with camera module **243**.

In conjunction with RF circuitry **208**, touch screen **212**, display controller **256**, contact/motion module **230**, graphics module **232**, and text input module **234**, the instant messaging module **241** includes executable instructions to enter a sequence of characters corresponding to an instant message, to modify previously entered characters, to transmit a respective instant message (for example, using a Short Message Service (SMS) or Multimedia Message Service (MMS) protocol for telephony-based instant messages or using XMPP, SIMPLE, or IMPS for Internet-based instant messages), to receive instant messages, and to view received instant messages. In some embodiments, transmitted and/or received instant messages include graphics, photos, audio files, video files and/or other attachments as are supported in an MMS and/or an Enhanced Messaging Service (EMS). As used herein, "instant messaging" refers to both telephony-based messages (e.g., messages sent using SMS or MMS) and Internet-based messages (e.g., messages sent using XMPP, SIMPLE, or IMPS).

In conjunction with RF circuitry **208**, touch screen **212**, display controller **256**, contact/motion module **230**, graphics module **232**, text input module **234**, GPS module **235**, map module **254**, and music player module, workout support module **242** includes executable instructions to create workouts (e.g., with time, distance, and/or calorie burning goals); communicate with workout sensors (sports devices); receive workout sensor data; calibrate sensors used to monitor a workout; select and play music for a workout; and display, store, and transmit workout data.

In conjunction with touch screen **212**, display controller **256**, optical sensor(s) **264**, optical sensor controller **258**, contact/motion module **230**, graphics module **232**, and image management module **244**, camera module **243** includes executable instructions to capture still images or video (including a video stream) and store them into memory **202**, modify characteristics of a still image or video, or delete a still image or video from memory **202**.

In conjunction with touch screen **212**, display controller **256**, contact/motion module **230**, graphics module **232**, text input module **234**, and camera module **243**, image management module **244** includes executable instructions to arrange, modify (e.g., edit), or otherwise manipulate, label, delete, present (e.g., in a digital slide show or album), and store still and/or video images.

In conjunction with RF circuitry **208**, touch screen **212**, display controller **256**, contact/motion module **230**, graphics module **232**, and text input module **234**, browser module **247** includes executable instructions to browse the Internet in accordance with user instructions, including searching, linking to, receiving, and displaying web pages or portions thereof, as well as attachments and other files linked to web pages.

In conjunction with RF circuitry **208**, touch screen **212**, display controller **256**, contact/motion module **230**, graphics module **232**, text input module **234**, e-mail client module **240**, and browser module **247**, calendar module **248** includes executable instructions to create, display, modify, and store calendars and data associated with calendars (e.g., calendar entries, to-do lists, etc.) in accordance with user instructions.

In conjunction with RF circuitry **208**, touch screen **212**, display controller **256**, contact/motion module **230**, graphics module **232**, text input module **234**, and browser module **247**, widget modules **249** are mini-applications that can be downloaded and used by a user (e.g., weather widget **249-1**, stocks widget **249-2**, calculator widget **249-3**, alarm clock widget **249-4**, and dictionary widget **249-5**) or created by the user (e.g., user-created widget **249-6**). In some embodiments, a widget includes an HTML (Hypertext Markup Language) file, a CSS (Cascading Style Sheets) file, and a JavaScript file. In some embodiments, a widget includes an XML (Extensible Markup Language) file and a JavaScript file (e.g., Yahoo! Widgets).

In conjunction with RF circuitry **208**, touch screen **212**, display controller **256**, contact/motion module **230**, graphics module **232**, text input module **234**, and browser module

247, the widget creator module 250 are used by a user to create widgets (e.g., turning a user-specified portion of a web page into a widget).

In conjunction with touch screen 212, display controller 256, contact/motion module 230, graphics module 232, and text input module 234, search module 251 includes executable instructions to search for text, music, sound, image, video, and/or other files in memory 202 that match one or more search criteria (e.g., one or more user-specified search terms) in accordance with user instructions.

In conjunction with touch screen 212, display controller 256, contact/motion module 230, graphics module 232, audio circuitry 210, speaker 211, RF circuitry 208, and browser module 247, video and music player module 252 includes executable instructions that allow the user to download and play back recorded music and other sound files stored in one or more file formats, such as MP3 or AAC files, and executable instructions to display, present, or otherwise play back videos (e.g., on touch screen 212 or on an external, connected display via external port 224). In some embodiments, device 200 optionally includes the functionality of an MP3 player, such as an iPod (trademark of Apple Inc.).

In conjunction with touch screen 212, display controller 256, contact/motion module 230, graphics module 232, and text input module 234, notes module 253 includes executable instructions to create and manage notes, to-do lists, and the like in accordance with user instructions.

In conjunction with RF circuitry 208, touch screen 212, display controller 256, contact/motion module 230, graphics module 232, text input module 234, GPS module 235, and browser module 247, map module 254 are used to receive, display, modify, and store maps and data associated with maps (e.g., driving directions, data on stores and other points of interest at or near a particular location, and other location-based data) in accordance with user instructions.

In conjunction with touch screen 212, display controller 256, contact/motion module 230, graphics module 232, audio circuitry 210, speaker 211, RF circuitry 208, text input module 234, e-mail client module 240, and browser module 247, online video module 255 includes instructions that allow the user to access, browse, receive (e.g., by streaming and/or download), play back (e.g., on the touch screen or on an external, connected display via external port 224), send an e-mail with a link to a particular online video, and otherwise manage online videos in one or more file formats, such as H.264. In some embodiments, instant messaging module 241, rather than e-mail client module 240, is used to send a link to a particular online video. Additional description of the online video application can be found in U.S. Provisional Patent Application No. 60/936,562, "Portable Multifunction Device, Method, and Graphical User Interface for Playing Online Videos," filed Jun. 20, 2007, and U.S. patent application Ser. No. 11/968,067, "Portable Multifunction Device, Method, and Graphical User Interface for Playing Online Videos," filed Dec. 31, 2007, the contents of which are hereby incorporated by reference in their entirety.

Each of the above-identified modules and applications corresponds to a set of executable instructions for performing one or more functions described above and the methods described in this application (e.g., the computer-implemented methods and other information processing methods described herein). These modules (e.g., sets of instructions) need not be implemented as separate software programs, procedures, or modules, and thus various subsets of these modules can be combined or otherwise rearranged in various embodiments. For example, video player module can be combined with music player module into a single module (e.g., video and music player module 252, FIG. 2A). In some embodiments, memory 202 stores a subset of the modules and data structures identified above. Furthermore, memory 202 stores additional modules and data structures not described above.

In some embodiments, device 200 is a device where operation of a predefined set of functions on the device is performed exclusively through a touch screen and/or a touchpad. By using a touch screen and/or a touchpad as the primary input control device for operation of device 200, the number of physical input control devices (such as push buttons, dials, and the like) on device 200 is reduced.

The predefined set of functions that are performed exclusively through a touch screen and/or a touchpad optionally include navigation between user interfaces. In some embodiments, the touchpad, when touched by the user, navigates device 200 to a main, home, or root menu from any user interface that is displayed on device 200. In such embodiments, a "menu button" is implemented using a touchpad. In some other embodiments, the menu button is a physical push button or other physical input control device instead of a touchpad.

FIG. 2B is a block diagram illustrating exemplary components for event handling in accordance with some embodiments. In some embodiments, memory 202 (FIG. 2A) or 470 (FIG. 4) includes event sorter 270 (e.g., in operating system 226) and a respective application 236-1 (e.g., any of the aforementioned applications 237-251, 255, 480-490).

Event sorter 270 receives event information and determines the application 236-1 and application view 291 of application 236-1 to which to deliver the event information. Event sorter 270 includes event monitor 271 and event dispatcher module 274. In some embodiments, application 236-1 includes application internal state 292, which indicates the current application view(s) displayed on touch-sensitive display 212 when the application is active or executing. In some embodiments, device/global internal state 257 is used by event sorter 270 to determine which application(s) is (are) currently active, and application internal state 292 is used by event sorter 270 to determine application views 291 to which to deliver event information.

In some embodiments, application internal state 292 includes additional information, such as one or more of: resume information to be used when application 236-1 resumes execution, user interface state information that indicates information being displayed or that is ready for display by application 236-1, a state queue for enabling the user to go back to a prior state or view of application 236-1, and a redo/undo queue of previous actions taken by the user.

Event monitor 271 receives event information from peripherals interface 218. Event information includes information about a sub-event (e.g., a user touch on touch-sensitive display 212, as part of a multi-touch gesture). Peripherals interface 218 transmits information it receives from I/O subsystem 206 or a sensor, such as proximity sensor 266, accelerometer(s) 268, and/or microphone 213 (through audio circuitry 210). Information that peripherals interface 218 receives from I/O subsystem 206 includes information from touch-sensitive display 212 or a touch-sensitive surface.

In some embodiments, event monitor 271 sends requests to the peripherals interface 218 at predetermined intervals. In response, peripherals interface 218 transmits event information. In other embodiments, peripherals interface 218 transmits event information only when there is a significant

event (e.g., receiving an input above a predetermined noise threshold and/or for more than a predetermined duration).

In some embodiments, event sorter **270** also includes a hit view determination module **272** and/or an active event recognizer determination module **273**.

Hit view determination module **272** provides software procedures for determining where a sub-event has taken place within one or more views when touch-sensitive display **212** displays more than one view. Views are made up of controls and other elements that a user can see on the display.

Another aspect of the user interface associated with an application is a set of views, sometimes herein called application views or user interface windows, in which information is displayed and touch-based gestures occur. The application views (of a respective application) in which a touch is detected correspond to programmatic levels within a programmatic or view hierarchy of the application. For example, the lowest level view in which a touch is detected is called the hit view, and the set of events that are recognized as proper inputs is determined based, at least in part, on the hit view of the initial touch that begins a touch-based gesture.

Hit view determination module **272** receives information related to sub events of a touch-based gesture. When an application has multiple views organized in a hierarchy, hit view determination module **272** identifies a hit view as the lowest view in the hierarchy which should handle the sub-event. In most circumstances, the hit view is the lowest level view in which an initiating sub-event occurs (e.g., the first sub-event in the sequence of sub-events that form an event or potential event). Once the hit view is identified by the hit view determination module **272**, the hit view typically receives all sub-events related to the same touch or input source for which it was identified as the hit view.

Active event recognizer determination module **273** determines which view or views within a view hierarchy should receive a particular sequence of sub-events. In some embodiments, active event recognizer determination module **273** determines that only the hit view should receive a particular sequence of sub-events. In other embodiments, active event recognizer determination module **273** determines that all views that include the physical location of a sub-event are actively involved views, and therefore determines that all actively involved views should receive a particular sequence of sub-events. In other embodiments, even if touch sub-events were entirely confined to the area associated with one particular view, views higher in the hierarchy would still remain as actively involved views.

Event dispatcher module **274** dispatches the event information to an event recognizer (e.g., event recognizer **280**). In embodiments including active event recognizer determination module **273**, event dispatcher module **274** delivers the event information to an event recognizer determined by active event recognizer determination module **273**. In some embodiments, event dispatcher module **274** stores in an event queue the event information, which is retrieved by a respective event receiver **282**.

In some embodiments, operating system **226** includes event sorter **270**. Alternatively, application **236-1** includes event sorter **270**. In yet other embodiments, event sorter **270** is a stand-alone module, or a part of another module stored in memory **202**, such as contact/motion module **230**.

In some embodiments, application **236-1** includes a plurality of event handlers **290** and one or more application views **291**, each of which includes instructions for handling touch events that occur within a respective view of the application's user interface. Each application view **291** of the application **236-1** includes one or more event recognizers **280**. Typically, a respective application view **291** includes a plurality of event recognizers **280**. In other embodiments, one or more of event recognizers **280** are part of a separate module, such as a user interface kit (not shown) or a higher level object from which application **236-1** inherits methods and other properties. In some embodiments, a respective event handler **290** includes one or more of: data updater **276**, object updater **277**, GUI updater **278**, and/or event data **279** received from event sorter **270**. Event handler **290** utilizes or calls data updater **276**, object updater **277**, or GUI updater **278** to update the application internal state **292**. Alternatively, one or more of the application views **291** include one or more respective event handlers **290**. Also, in some embodiments, one or more of data updater **276**, object updater **277**, and GUI updater **278** are included in a respective application view **291**.

A respective event recognizer **280** receives event information (e.g., event data **279**) from event sorter **270** and identifies an event from the event information. Event recognizer **280** includes event receiver **282** and event comparator **284**. In some embodiments, event recognizer **280** also includes at least a subset of: metadata **283**, and event delivery instructions **288** (which include sub-event delivery instructions).

Event receiver **282** receives event information from event sorter **270**. The event information includes information about a sub-event, for example, a touch or a touch movement. Depending on the sub-event, the event information also includes additional information, such as location of the sub-event. When the sub-event concerns motion of a touch, the event information also includes speed and direction of the sub-event. In some embodiments, events include rotation of the device from one orientation to another (e.g., from a portrait orientation to a landscape orientation, or vice versa), and the event information includes corresponding information about the current orientation (also called device attitude) of the device.

Event comparator **284** compares the event information to predefined event or sub-event definitions and, based on the comparison, determines an event or sub event, or determines or updates the state of an event or sub-event. In some embodiments, event comparator **284** includes event definitions **286**. Event definitions **286** contain definitions of events (e.g., predefined sequences of sub-events), for example, event **1** (**287-1**), event **2** (**287-2**), and others. In some embodiments, sub-events in an event (**287**) include, for example, touch begin, touch end, touch movement, touch cancellation, and multiple touching. In one example, the definition for event **1** (**287-1**) is a double tap on a displayed object. The double tap, for example, comprises a first touch (touch begin) on the displayed object for a predetermined phase, a first liftoff (touch end) for a predetermined phase, a second touch (touch begin) on the displayed object for a predetermined phase, and a second liftoff (touch end) for a predetermined phase. In another example, the definition for event **2** (**287-2**) is a dragging on a displayed object. The dragging, for example, comprises a touch (or contact) on the displayed object for a predetermined phase, a movement of the touch across touch-sensitive display **212**, and liftoff of the touch (touch end). In some embodiments, the event also includes information for one or more associated event handlers **290**.

In some embodiments, event definition **287** includes a definition of an event for a respective user-interface object. In some embodiments, event comparator **284** performs a hit

test to determine which user-interface object is associated with a sub-event. For example, in an application view in which three user-interface objects are displayed on touch-sensitive display **212**, when a touch is detected on touch-sensitive display **212**, event comparator **284** performs a hit test to determine which of the three user-interface objects is associated with the touch (sub-event). If each displayed object is associated with a respective event handler **290**, the event comparator uses the result of the hit test to determine which event handler **290** should be activated. For example, event comparator **284** selects an event handler associated with the sub-event and the object triggering the hit test.

In some embodiments, the definition for a respective event (**287**) also includes delayed actions that delay delivery of the event information until after it has been determined whether the sequence of sub-events does or does not correspond to the event recognizer's event type.

When a respective event recognizer **280** determines that the series of sub-events do not match any of the events in event definitions **286**, the respective event recognizer **280** enters an event impossible, event failed, or event ended state, after which it disregards subsequent sub-events of the touch-based gesture. In this situation, other event recognizers, if any, that remain active for the hit view continue to track and process sub-events of an ongoing touch-based gesture.

In some embodiments, a respective event recognizer **280** includes metadata **283** with configurable properties, flags, and/or lists that indicate how the event delivery system should perform sub-event delivery to actively involved event recognizers. In some embodiments, metadata **283** includes configurable properties, flags, and/or lists that indicate how event recognizers interact, or are enabled to interact, with one another. In some embodiments, metadata **283** includes configurable properties, flags, and/or lists that indicate whether sub-events are delivered to varying levels in the view or programmatic hierarchy.

In some embodiments, a respective event recognizer **280** activates event handler **290** associated with an event when one or more particular sub-events of an event are recognized. In some embodiments, a respective event recognizer **280** delivers event information associated with the event to event handler **290**. Activating an event handler **290** is distinct from sending (and deferred sending) sub-events to a respective hit view. In some embodiments, event recognizer **280** throws a flag associated with the recognized event, and event handler **290** associated with the flag catches the flag and performs a predefined process.

In some embodiments, event delivery instructions **288** include sub-event delivery instructions that deliver event information about a sub-event without activating an event handler. Instead, the sub-event delivery instructions deliver event information to event handlers associated with the series of sub-events or to actively involved views. Event handlers associated with the series of sub-events or with actively involved views receive the event information and perform a predetermined process.

In some embodiments, data updater **276** creates and updates data used in application **236-1**. For example, data updater **276** updates the telephone number used in contacts module **237**, or stores a video file used in video player module. In some embodiments, object updater **277** creates and updates objects used in application **236-1**. For example, object updater **277** creates a new user-interface object or updates the position of a user-interface object. GUI updater **278** updates the GUI. For example, GUI updater **278** prepares display information and sends it to graphics module **232** for display on a touch-sensitive display.

In some embodiments, event handler(s) **290** includes or has access to data updater **276**, object updater **277**, and GUI updater **278**. In some embodiments, data updater **276**, object updater **277**, and GUI updater **278** are included in a single module of a respective application **236-1** or application view **291**. In other embodiments, they are included in two or more software modules.

It shall be understood that the foregoing discussion regarding event handling of user touches on touch-sensitive displays also applies to other forms of user inputs to operate multifunction devices **200** with input devices, not all of which are initiated on touch screens. For example, mouse movement and mouse button presses, optionally coordinated with single or multiple keyboard presses or holds; contact movements such as taps, drags, scrolls, etc. on touchpads; pen stylus inputs; movement of the device; oral instructions; detected eye movements; biometric inputs; and/or any combination thereof are optionally utilized as inputs corresponding to sub-events which define an event to be recognized.

FIG. **3** illustrates a portable multifunction device **200** having a touch screen **212** in accordance with some embodiments. The touch screen optionally displays one or more graphics within user interface (UI) **300**. In this embodiment, as well as others described below, a user is enabled to select one or more of the graphics by making a gesture on the graphics, for example, with one or more fingers **302** (not drawn to scale in the figure) or one or more styluses **303** (not drawn to scale in the figure). In some embodiments, selection of one or more graphics occurs when the user breaks contact with the one or more graphics. In some embodiments, the gesture optionally includes one or more taps, one or more swipes (from left to right, right to left, upward and/or downward), and/or a rolling of a finger (from right to left, left to right, upward and/or downward) that has made contact with device **200**. In some implementations or circumstances, inadvertent contact with a graphic does not select the graphic. For example, a swipe gesture that sweeps over an application icon optionally does not select the corresponding application when the gesture corresponding to selection is a tap.

Device **200** also includes one or more physical buttons, such as "home" or menu button **304**. As described previously, menu button **304** is used to navigate to any application **236** in a set of applications that is executed on device **200**. Alternatively, in some embodiments, the menu button is implemented as a soft key in a GUI displayed on touch screen **212**.

In one embodiment, device **200** includes touch screen **212**, menu button **304**, push button **306** for powering the device on/off and locking the device, volume adjustment button(s) **308**, subscriber identity module (SIM) card slot **310**, headset jack **312**, and docking/charging external port **224**. Push button **306** is, optionally, used to turn the power on/off on the device by depressing the button and holding the button in the depressed state for a predefined time interval; to lock the device by depressing the button and releasing the button before the predefined time interval has elapsed; and/or to unlock the device or initiate an unlock process. In an alternative embodiment, device **200** also accepts verbal input for activation or deactivation of some functions through microphone **213**. Device **200** also, optionally, includes one or more contact intensity sensors **265** for detecting intensity of contacts on touch screen **212** and/or one or more tactile output generators **267** for generating tactile outputs for a user of device **200**.

FIG. **4** is a block diagram of an exemplary multifunction device with a display and a touch-sensitive surface in accordance with some embodiments. Device **400** need not be portable. In some embodiments, device **400** is a laptop computer, a desktop computer, a tablet computer, a multimedia player device, a navigation device, an educational device (such as a child's learning toy), a gaming system, or a control device (e.g., a home or industrial controller). Device **400** typically includes one or more processing units (CPUs) **410**, one or more network or other communications interfaces **460**, memory **470**, and one or more communication buses **420** for interconnecting these components. Communication buses **420** optionally include circuitry (sometimes called a chipset) that interconnects and controls communications between system components. Device **400** includes input/output (I/O) interface **430** comprising display **440**, which is typically a touch screen display. I/O interface **430** also optionally includes a keyboard and/or mouse (or other pointing device) **450** and touchpad **455**, tactile output generator **457** for generating tactile outputs on device **400** (e.g., similar to tactile output generator(s) **267** described above with reference to FIG. **2**A), sensors **459** (e.g., optical, acceleration, proximity, touch-sensitive, and/or contact intensity sensors similar to contact intensity sensor(s) **265** described above with reference to FIG. **2**A). Memory **470** includes high-speed random access memory, such as DRAM, SRAM, DDR RAM, or other random access solid state memory devices; and optionally includes non-volatile memory, such as one or more magnetic disk storage devices, optical disk storage devices, flash memory devices, or other non-volatile solid state storage devices. Memory **470** optionally includes one or more storage devices remotely located from CPU(s) **410**. In some embodiments, memory **470** stores programs, modules, and data structures analogous to the programs, modules, and data structures stored in memory **202** of portable multifunction device **200** (FIG. **2**A), or a subset thereof. Furthermore, memory **470** optionally stores additional programs, modules, and data structures not present in memory **202** of portable multifunction device **200**. For example, memory **470** of device **400** optionally stores drawing module **480**, presentation module **482**, word processing module **484**, website creation module **486**, disk authoring module **488**, and/or spreadsheet module **490**, while memory **202** of portable multifunction device **200** (FIG. **2**A) optionally does not store these modules.

Each of the above-identified elements in FIG. **4** is, in some examples, stored in one or more of the previously mentioned memory devices. Each of the above-identified modules corresponds to a set of instructions for performing a function described above. The above-identified modules or programs (e.g., sets of instructions) need not be implemented as separate software programs, procedures, or modules, and thus various subsets of these modules are combined or otherwise rearranged in various embodiments. In some embodiments, memory **470** stores a subset of the modules and data structures identified above. Furthermore, memory **470** stores additional modules and data structures not described above.

Attention is now directed towards embodiments of user interfaces that can be implemented on, for example, portable multifunction device **200**.

FIG. **5**A illustrates an exemplary user interface for a menu of applications on portable multifunction device **200** in accordance with some embodiments. Similar user interfaces are implemented on device **400**. In some embodiments, user interface **500** includes the following elements, or a subset or superset thereof:

Signal strength indicator(s) **502** for wireless communication(s), such as cellular and Wi-Fi signals;
- Time **504**;
- Bluetooth indicator **505**;
- Battery status indicator **506**;
- Tray **508** with icons for frequently used applications, such as:
  - Icon **516** for telephone module **238**, labeled "Phone," which optionally includes an indicator **514** of the number of missed calls or voicemail messages;
  - Icon **518** for e-mail client module **240**, labeled "Mail," which optionally includes an indicator **510** of the number of unread e-mails;
  - Icon **520** for browser module **247**, labeled "Browser;" and
  - Icon **522** for video and music player module **252**, also referred to as iPod (trademark of Apple Inc.) module **252**, labeled "iPod;" and
- Icons for other applications, such as:
  - Icon **524** for IM module **241**, labeled "Messages;"
  - Icon **526** for calendar module **248**, labeled "Calendar;"
  - Icon **528** for image management module **244**, labeled "Photos;"
  - Icon **530** for camera module **243**, labeled "Camera;"
  - Icon **532** for online video module **255**, labeled "Online Video;"
  - Icon **534** for stocks widget **249-2**, labeled "Stocks;"
  - Icon **536** for map module **254**, labeled "Maps;"
  - Icon **538** for weather widget **249-1**, labeled "Weather;"
  - Icon **540** for alarm clock widget **249-4**, labeled "Clock;"
  - Icon **542** for workout support module **242**, labeled "Workout Support;"
  - Icon **544** for notes module **253**, labeled "Notes;" and
  - Icon **546** for a settings application or module, labeled "Settings," which provides access to settings for device **200** and its various applications **236**.

It should be noted that the icon labels illustrated in FIG. **5**A are merely exemplary. For example, icon **522** for video and music player module **252** is optionally labeled "Music" or "Music Player." Other labels are, optionally, used for various application icons. In some embodiments, a label for a respective application icon includes a name of an application corresponding to the respective application icon. In some embodiments, a label for a particular application icon is distinct from a name of an application corresponding to the particular application icon.

FIG. **5**B illustrates an exemplary user interface on a device (e.g., device **400**, FIG. **4**) with a touch-sensitive surface **551** (e.g., a tablet or touchpad **455**, FIG. **4**) that is separate from the display **550** (e.g., touch screen display **212**). Device **400** also, optionally, includes one or more contact intensity sensors (e.g., one or more of sensors **457**) for detecting intensity of contacts on touch-sensitive surface **551** and/or one or more tactile output generators **459** for generating tactile outputs for a user of device **400**.

Although some of the examples which follow will be given with reference to inputs on touch screen display **212** (where the touch-sensitive surface and the display are combined), in some embodiments, the device detects inputs on a touch-sensitive surface that is separate from the display, as shown in FIG. **5**B. In some embodiments, the touch-sensitive surface (e.g., **551** in FIG. **5**B) has a primary axis (e.g., **552** in FIG. **5**B) that corresponds to a primary axis (e.g., **553** in FIG. **5**B) on the display (e.g., **550**). In accordance with these embodiments, the device detects contacts (e.g., **560** and **562** in FIG. **5**B) with the touch-sensitive surface **551** at

locations that correspond to respective locations on the display (e.g., in FIG. **5**B, **560** corresponds to **568** and **562** corresponds to **570**). In this way, user inputs (e.g., contacts **560** and **562**, and movements thereof) detected by the device on the touch-sensitive surface (e.g., **551** in FIG. **5**B) are used by the device to manipulate the user interface on the display (e.g., **550** in FIG. **5**B) of the multifunction device when the touch-sensitive surface is separate from the display. It should be understood that similar methods are, optionally, used for other user interfaces described herein.

Additionally, while the following examples are given primarily with reference to finger inputs (e.g., finger contacts, finger tap gestures, finger swipe gestures), it should be understood that, in some embodiments, one or more of the finger inputs are replaced with input from another input device (e.g., a mouse-based input or stylus input). For example, a swipe gesture is, optionally, replaced with a mouse click (e.g., instead of a contact) followed by movement of the cursor along the path of the swipe (e.g., instead of movement of the contact). As another example, a tap gesture is, optionally, replaced with a mouse click while the cursor is located over the location of the tap gesture (e.g., instead of detection of the contact followed by ceasing to detect the contact). Similarly, when multiple user inputs are simultaneously detected, it should be understood that multiple computer mice are, optionally, used simultaneously, or a mouse and finger contacts are, optionally, used simultaneously.

FIG. **6**A illustrates exemplary personal electronic device **600**. Device **600** includes body **602**. In some embodiments, device **600** includes some or all of the features described with respect to devices **200** and **400** (e.g., FIGS. **2**A-**4**). In some embodiments, device **600** has touch-sensitive display screen **604**, hereafter touch screen **604**. Alternatively, or in addition to touch screen **604**, device **600** has a display and a touch-sensitive surface. As with devices **200** and **400**, in some embodiments, touch screen **604** (or the touch-sensitive surface) has one or more intensity sensors for detecting intensity of contacts (e.g., touches) being applied. The one or more intensity sensors of touch screen **604** (or the touch-sensitive surface) provide output data that represents the intensity of touches. The user interface of device **600** responds to touches based on their intensity, meaning that touches of different intensities can invoke different user interface operations on device **600**.

Techniques for detecting and processing touch intensity are found, for example, in related applications: International Patent Application Serial No. PCT/US2013/040061, titled "Device, Method, and Graphical User Interface for Displaying User Interface Objects Corresponding to an Application," filed May 8, 2013, and International Patent Application Serial No. PCT/US2013/069483, titled "Device, Method, and Graphical User Interface for Transitioning Between Touch Input to Display Output Relationships," filed Nov. 11, 2013, each of which is hereby incorporated by reference in their entirety.

In some embodiments, device **600** has one or more input mechanisms **606** and **608**. Input mechanisms **606** and **608**, if included, are physical. Examples of physical input mechanisms include push buttons and rotatable mechanisms. In some embodiments, device **600** has one or more attachment mechanisms. Such attachment mechanisms, if included, can permit attachment of device **600** with, for example, hats, eyewear, earrings, necklaces, shirts, jackets, bracelets, watch straps, chains, trousers, belts, shoes, purses, backpacks, and so forth. These attachment mechanisms permit device **600** to be worn by a user.

FIG. **6**B depicts exemplary personal electronic device **600**. In some embodiments, device **600** includes some or all of the components described with respect to FIGS. **2**A, **2**B, and **4**. Device **600** has bus **612** that operatively couples I/O section **614** with one or more computer processors **616** and memory **618**. I/O section **614** is connected to display **604**, which can have touch-sensitive component **622** and, optionally, touch-intensity sensitive component **624**. In addition, I/O section **614** is connected with communication unit **630** for receiving application and operating system data, using Wi-Fi, Bluetooth, near field communication (NFC), cellular, and/or other wireless communication techniques. Device **600** includes input mechanisms **606** and/or **608**. Input mechanism **606** is a rotatable input device or a depressible and rotatable input device, for example. Input mechanism **608** is a button, in some examples.

Input mechanism **608** is a microphone, in some examples. Personal electronic device **600** includes, for example, various sensors, such as GPS sensor **632**, accelerometer **634**, directional sensor **640** (e.g., compass), gyroscope **636**, motion sensor **638**, and/or a combination thereof, all of which are operatively connected to I/O section **614**.

Memory **618** of personal electronic device **600** is a non-transitory computer-readable storage medium, for storing computer-executable instructions, which, when executed by one or more computer processors **616**, for example, cause the computer processors to perform the techniques and processes described below. The computer-executable instructions, for example, are also stored and/or transported within any non-transitory computer-readable storage medium for use by or in connection with an instruction execution system, apparatus, or device, such as a computer-based system, processor-containing system, or other system that can fetch the instructions from the instruction execution system, apparatus, or device and execute the instructions. Personal electronic device **600** is not limited to the components and configuration of FIG. **6**B, but can include other or additional components in multiple configurations.

As used here, the term "affordance" refers to a user-interactive graphical user interface object that is, for example, displayed on the display screen of devices **200**, **400**, and/or **600** (FIGS. **2**A-**2**B, **4**, and **6**). For example, an image (e.g., icon), a button, and text (e.g., hyperlink) each constitutes an affordance.

As used herein, the term "focus selector" refers to an input element that indicates a current part of a user interface with which a user is interacting. In some implementations that include a cursor or other location marker, the cursor acts as a "focus selector" so that when an input (e.g., a press input) is detected on a touch-sensitive surface (e.g., touchpad **455** in FIG. **4** or touch-sensitive surface **551** in FIG. **5**B) while the cursor is over a particular user interface element (e.g., a button, window, slider or other user interface element), the particular user interface element is adjusted in accordance with the detected input. In some implementations that include a touch screen display (e.g., touch-sensitive display system **212** in FIG. **2**A or touch screen **212** in FIG. **5**A) that enables direct interaction with user interface elements on the touch screen display, a detected contact on the touch screen acts as a "focus selector" so that when an input (e.g., a press input by the contact) is detected on the touch screen display at a location of a particular user interface element (e.g., a button, window, slider, or other user interface element), the particular user interface element is adjusted in accordance with the detected input. In some implementations, focus is moved from one region of a user interface to another region of the user interface without corresponding movement of a

cursor or movement of a contact on a touch screen display (e.g., by using a tab key or arrow keys to move focus from one button to another button); in these implementations, the focus selector moves in accordance with movement of focus between different regions of the user interface. Without regard to the specific form taken by the focus selector, the focus selector is generally the user interface element (or contact on a touch screen display) that is controlled by the user so as to communicate the user's intended interaction with the user interface (e.g., by indicating, to the device, the element of the user interface with which the user is intending to interact). For example, the location of a focus selector (e.g., a cursor, a contact, or a selection box) over a respective button while a press input is detected on the touch-sensitive surface (e.g., a touchpad or touch screen) will indicate that the user is intending to activate the respective button (as opposed to other user interface elements shown on a display of the device).

As used in the specification and claims, the term "characteristic intensity" of a contact refers to a characteristic of the contact based on one or more intensities of the contact. In some embodiments, the characteristic intensity is based on multiple intensity samples. The characteristic intensity is, optionally, based on a predefined number of intensity samples, or a set of intensity samples collected during a predetermined time period (e.g., 0.05, 0.1, 0.2, 0.5, 1, 2, 5, 10 seconds) relative to a predefined event (e.g., after detecting the contact, prior to detecting liftoff of the contact, before or after detecting a start of movement of the contact, prior to detecting an end of the contact, before or after detecting an increase in intensity of the contact, and/or before or after detecting a decrease in intensity of the contact). A characteristic intensity of a contact is, optionally based on one or more of: a maximum value of the intensities of the contact, a mean value of the intensities of the contact, an average value of the intensities of the contact, a top 10 percentile value of the intensities of the contact, a value at the half maximum of the intensities of the contact, a value at the 90 percent maximum of the intensities of the contact, or the like. In some embodiments, the duration of the contact is used in determining the characteristic intensity (e.g., when the characteristic intensity is an average of the intensity of the contact over time). In some embodiments, the characteristic intensity is compared to a set of one or more intensity thresholds to determine whether an operation has been performed by a user. For example, the set of one or more intensity thresholds includes a first intensity threshold and a second intensity threshold. In this example, a contact with a characteristic intensity that does not exceed the first threshold results in a first operation, a contact with a characteristic intensity that exceeds the first intensity threshold and does not exceed the second intensity threshold results in a second operation, and a contact with a characteristic intensity that exceeds the second threshold results in a third operation. In some embodiments, a comparison between the characteristic intensity and one or more thresholds is used to determine whether or not to perform one or more operations (e.g., whether to perform a respective operation or forgo performing the respective operation) rather than being used to determine whether to perform a first operation or a second operation.

In some embodiments, a portion of a gesture is identified for purposes of determining a characteristic intensity. For example, a touch-sensitive surface receives a continuous swipe contact transitioning from a start location and reaching an end location, at which point the intensity of the contact increases. In this example, the characteristic intensity of the contact at the end location is based on only a portion of the continuous swipe contact, and not the entire swipe contact (e.g., only the portion of the swipe contact at the end location). In some embodiments, a smoothing algorithm is applied to the intensities of the swipe contact prior to determining the characteristic intensity of the contact. For example, the smoothing algorithm optionally includes one or more of: an unweighted sliding-average smoothing algorithm, a triangular smoothing algorithm, a median filter smoothing algorithm, and/or an exponential smoothing algorithm. In some circumstances, these smoothing algorithms eliminate narrow spikes or dips in the intensities of the swipe contact for purposes of determining a characteristic intensity.

The intensity of a contact on the touch-sensitive surface is characterized relative to one or more intensity thresholds, such as a contact-detection intensity threshold, a light press intensity threshold, a deep press intensity threshold, and/or one or more other intensity thresholds. In some embodiments, the light press intensity threshold corresponds to an intensity at which the device will perform operations typically associated with clicking a button of a physical mouse or a trackpad. In some embodiments, the deep press intensity threshold corresponds to an intensity at which the device will perform operations that are different from operations typically associated with clicking a button of a physical mouse or a trackpad. In some embodiments, when a contact is detected with a characteristic intensity below the light press intensity threshold (e.g., and above a nominal contact-detection intensity threshold below which the contact is no longer detected), the device will move a focus selector in accordance with movement of the contact on the touch-sensitive surface without performing an operation associated with the light press intensity threshold or the deep press intensity threshold. Generally, unless otherwise stated, these intensity thresholds are consistent between different sets of user interface figures.

An increase of characteristic intensity of the contact from an intensity below the light press intensity threshold to an intensity between the light press intensity threshold and the deep press intensity threshold is sometimes referred to as a "light press" input. An increase of characteristic intensity of the contact from an intensity below the deep press intensity threshold to an intensity above the deep press intensity threshold is sometimes referred to as a "deep press" input. An increase of characteristic intensity of the contact from an intensity below the contact-detection intensity threshold to an intensity between the contact-detection intensity threshold and the light press intensity threshold is sometimes referred to as detecting the contact on the touch-surface. A decrease of characteristic intensity of the contact from an intensity above the contact-detection intensity threshold to an intensity below the contact-detection intensity threshold is sometimes referred to as detecting liftoff of the contact from the touch-surface. In some embodiments, the contact-detection intensity threshold is zero. In some embodiments, the contact-detection intensity threshold is greater than zero.

In some embodiments described herein, one or more operations are performed in response to detecting a gesture that includes a respective press input or in response to detecting the respective press input performed with a respective contact (or a plurality of contacts), where the respective press input is detected based at least in part on detecting an increase in intensity of the contact (or plurality of contacts) above a press-input intensity threshold. In some embodiments, the respective operation is performed in response to detecting the increase in intensity of the respective contact

above the press-input intensity threshold (e.g., a "down stroke" of the respective press input). In some embodiments, the press input includes an increase in intensity of the respective contact above the press-input intensity threshold and a subsequent decrease in intensity of the contact below the press-input intensity threshold, and the respective operation is performed in response to detecting the subsequent decrease in intensity of the respective contact below the press-input threshold (e.g., an "up stroke" of the respective press input).

In some embodiments, the device employs intensity hysteresis to avoid accidental inputs sometimes termed "jitter," where the device defines or selects a hysteresis intensity threshold with a predefined relationship to the press-input intensity threshold (e.g., the hysteresis intensity threshold is X intensity units lower than the press-input intensity threshold or the hysteresis intensity threshold is 75%, 90%, or some reasonable proportion of the press-input intensity threshold). Thus, in some embodiments, the press input includes an increase in intensity of the respective contact above the press-input intensity threshold and a subsequent decrease in intensity of the contact below the hysteresis intensity threshold that corresponds to the press-input intensity threshold, and the respective operation is performed in response to detecting the subsequent decrease in intensity of the respective contact below the hysteresis intensity threshold (e.g., an "up stroke" of the respective press input). Similarly, in some embodiments, the press input is detected only when the device detects an increase in intensity of the contact from an intensity at or below the hysteresis intensity threshold to an intensity at or above the press-input intensity threshold and, optionally, a subsequent decrease in intensity of the contact to an intensity at or below the hysteresis intensity, and the respective operation is performed in response to detecting the press input (e.g., the increase in intensity of the contact or the decrease in intensity of the contact, depending on the circumstances).

For ease of explanation, the descriptions of operations performed in response to a press input associated with a press-input intensity threshold or in response to a gesture including the press input are, optionally, triggered in response to detecting either: an increase in intensity of a contact above the press-input intensity threshold, an increase in intensity of a contact from an intensity below the hysteresis intensity threshold to an intensity above the press-input intensity threshold, a decrease in intensity of the contact below the press-input intensity threshold, and/or a decrease in intensity of the contact below the hysteresis intensity threshold corresponding to the press-input intensity threshold. Additionally, in examples where an operation is described as being performed in response to detecting a decrease in intensity of a contact below the press-input intensity threshold, the operation is, optionally, performed in response to detecting a decrease in intensity of the contact below a hysteresis intensity threshold corresponding to, and lower than, the press-input intensity threshold.

3. Digital Assistant System

FIG. **7**A illustrates a block diagram of digital assistant system **700** in accordance with various examples. In some examples, digital assistant system **700** is implemented on a standalone computer system. In some examples, digital assistant system **700** is distributed across multiple computers. In some examples, some of the modules and functions of the digital assistant are divided into a server portion and a client portion, where the client portion resides on one or more user devices (e.g., devices **104**, **122**, **200**, **400**, or **600**) and communicates with the server portion (e.g., server system **108**) through one or more networks, e.g., as shown in FIG. **1**. In some examples, digital assistant system **700** is an implementation of server system **108** (and/or DA server **106**) shown in FIG. **1**. It should be noted that digital assistant system **700** is only one example of a digital assistant system, and that digital assistant system **700** can have more or fewer components than shown, can combine two or more components, or can have a different configuration or arrangement of the components. The various components shown in FIG. **7**A are implemented in hardware, software instructions for execution by one or more processors, firmware, including one or more signal processing and/or application specific integrated circuits, or a combination thereof.

Digital assistant system **700** includes memory **702**, one or more processors **704**, input/output (I/O) interface **706**, and network communications interface **708**. These components can communicate with one another over one or more communication buses or signal lines **710**.

In some examples, memory **702** includes a non-transitory computer-readable medium, such as high-speed random access memory and/or a non-volatile computer-readable storage medium (e.g., one or more magnetic disk storage devices, flash memory devices, or other non-volatile solid-state memory devices).

In some examples, I/O interface **706** couples input/output devices **716** of digital assistant system **700**, such as displays, keyboards, touch screens, and microphones, to user interface module **722**. I/O interface **706**, in conjunction with user interface module **722**, receives user inputs (e.g., voice input, keyboard inputs, touch inputs, etc.) and processes them accordingly. In some examples, e.g., when the digital assistant is implemented on a standalone user device, digital assistant system **700** includes any of the components and IO communication interfaces described with respect to devices **200**, **400**, or **600** in FIGS. **2**A, **4**, **6**A-**6**B, respectively. In some examples, digital assistant system **700** represents the server portion of a digital assistant implementation, and can interact with the user through a client-side portion residing on a user device (e.g., devices **104**, **200**, **400**, or **600**).

In some examples, the network communications interface **708** includes wired communication port(s) **712** and/or wireless transmission and reception circuitry **714**. The wired communication port(s) receives and send communication signals via one or more wired interfaces, e.g., Ethernet, Universal Serial Bus (USB), FIREWIRE, etc. The wireless circuitry **714** receives and sends RF signals and/or optical signals from/to communications networks and other communications devices. The wireless communications use any of a plurality of communications standards, protocols, and technologies, such as GSM, EDGE, CDMA, TDMA, Bluetooth, Wi-Fi, VoIP, Wi-MAX, or any other suitable communication protocol. Network communications interface **708** enables communication between digital assistant system **700** with networks, such as the Internet, an intranet, and/or a wireless network, such as a cellular telephone network, a wireless local area network (LAN), and/or a metropolitan area network (MAN), and other devices.

In some examples, memory **702**, or the computer-readable storage media of memory **702**, stores programs, modules, instructions, and data structures including all or a subset of: operating system **718**, communications module **720**, user interface module **722**, one or more applications **724**, and digital assistant module **726**. In particular, memory **702**, or the computer-readable storage media of memory **702**, stores instructions for performing the processes described below.

One or more processors **704** execute these programs, modules, and instructions, and reads/writes from/to the data structures.

Operating system **718** (e.g., Darwin, RTXC, LINUX, UNIX, iOS, OS X, WINDOWS, or an embedded operating system such as VxWorks) includes various software components and/or drivers for controlling and managing general system tasks (e.g., memory management, storage device control, power management, etc.) and facilitates communications between various hardware, firmware, and software components.

Communications module **720** facilitates communications between digital assistant system **700** with other devices over network communications interface **708**. For example, communications module **720** communicates with RF circuitry **208** of electronic devices such as devices **200**, **400**, and **600** shown in FIG. **2**A, **4**, **6**A-**6**B, respectively. Communications module **720** also includes various components for handling data received by wireless circuitry **714** and/or wired communications port **712**.

User interface module **722** receives commands and/or inputs from a user via I/O interface **706** (e.g., from a keyboard, touch screen, pointing device, controller, and/or microphone), and generate user interface objects on a display. User interface module **722** also prepares and delivers outputs (e.g., speech, sound, animation, text, icons, vibrations, haptic feedback, light, etc.) to the user via the I/O interface **706** (e.g., through displays, audio channels, speakers, touch-pads, etc.).

Applications **724** include programs and/or modules that are configured to be executed by one or more processors **704**. For example, if the digital assistant system is implemented on a standalone user device, applications **724** include user applications, such as games, a calendar application, a navigation application, or an email application. If digital assistant system **700** is implemented on a server, applications **724** include resource management applications, diagnostic applications, or scheduling applications, for example.

Memory **702** also stores digital assistant module **726** (or the server portion of a digital assistant). In some examples, digital assistant module **726** includes the following submodules, or a subset or superset thereof: input/output processing module **728**, speech-to-text (STT) processing module **730**, natural language processing module **732**, dialogue flow processing module **734**, task flow processing module **736**, service processing module **738**, and speech synthesis module **740**. Each of these modules has access to one or more of the following systems or data and models of the digital assistant module **726**, or a subset or superset thereof: ontology **760**, vocabulary index **744**, user data **748**, task flow models **754**, service models **756**, and ASR systems.

In some examples, using the processing modules, data, and models implemented in digital assistant module **726**, the digital assistant can perform at least some of the following: converting speech input into text; identifying a user's intent expressed in a natural language input received from the user; actively eliciting and obtaining information needed to fully infer the user's intent (e.g., by disambiguating words, games, intentions, etc.); determining the task flow for fulfilling the inferred intent; and executing the task flow to fulfill the inferred intent.

In some examples, as shown in FIG. **7**B, I/O processing module **728** interacts with the user through I/O devices **716** in FIG. **7**A or with a user device (e.g., devices **104**, **200**, **400**, or **600**) through network communications interface **708** in FIG. **7**A to obtain user input (e.g., a speech input) and to provide responses (e.g., as speech outputs) to the user input. I/O processing module **728** optionally obtains contextual information associated with the user input from the user device, along with or shortly after the receipt of the user input. The contextual information includes user-specific data, vocabulary, and/or preferences relevant to the user input. In some examples, the contextual information also includes software and hardware states of the user device at the time the user request is received, and/or information related to the surrounding environment of the user at the time that the user request was received. In some examples, I/O processing module **728** also sends follow-up questions to, and receives answers from, the user regarding the user request. When a user request is received by I/O processing module **728** and the user request includes speech input, I/O processing module **728** forwards the speech input to STT processing module **730** (or speech recognizer) for speech-to-text conversions.

STT processing module **730** includes one or more ASR systems. The one or more ASR systems can process the speech input that is received through I/O processing module **728** to produce a recognition result. Each ASR system includes a front-end speech pre-processor. The front-end speech pre-processor extracts representative features from the speech input. For example, the front-end speech pre-processor performs a Fourier transform on the speech input to extract spectral features that characterize the speech input as a sequence of representative multi-dimensional vectors. Further, each ASR system includes one or more speech recognition models (e.g., acoustic models and/or language models) and implements one or more speech recognition engines. Examples of speech recognition models include Hidden Markov Models, Gaussian-Mixture Models, Deep Neural Network Models, n-gram language models, and other statistical models. Examples of speech recognition engines include the dynamic time warping based engines and weighted finite-state transducers (WFST) based engines. The one or more speech recognition models and the one or more speech recognition engines are used to process the extracted representative features of the front-end speech pre-processor to produce intermediate recognitions results (e.g., phonemes, phonemic strings, and sub-words), and ultimately, text recognition results (e.g., words, word strings, or sequence of tokens). In some examples, the speech input is processed at least partially by a third-party service or on the user's device (e.g., device **104**, **200**, **400**, or **600**) to produce the recognition result. Once STT processing module **730** produces recognition results containing a text string (e.g., words, or sequence of words, or sequence of tokens), the recognition result is passed to natural language processing module **732** for intent deduction. In some examples, STT processing module **730** produces multiple candidate text representations of the speech input. Each candidate text representation is a sequence of words or tokens corresponding to the speech input. In some examples, each candidate text representation is associated with a speech recognition confidence score. Based on the speech recognition confidence scores, STT processing module **730** ranks the candidate text representations and provides the n-best (e.g., n highest ranked) candidate text representation(s) to natural language processing module **732** for intent deduction, where n is a predetermined integer greater than zero. For example, in one example, only the highest ranked (n=1) candidate text representation is passed to natural language processing module **732** for intent deduction. In another example, the

five highest ranked (n=5) candidate text representations are passed to natural language processing module **732** for intent deduction.

More details on the speech-to-text processing are described in U.S. Utility application Ser. No. 13/236,942 for "Consolidating Speech Recognition Results," filed on Sep. 20, 2011, the entire disclosure of which is incorporated herein by reference.

In some examples, STT processing module **730** includes and/or accesses a vocabulary of recognizable words via phonetic alphabet conversion module **731**. Each vocabulary word is associated with one or more candidate pronunciations of the word represented in a speech recognition phonetic alphabet. In particular, the vocabulary of recognizable words includes a word that is associated with a plurality of candidate pronunciations. For example, the vocabulary includes the word "tomato" that is associated with the candidate pronunciations of/ tə'meɪroʊ/ and / tə'mɑtoʊ /. Further, vocabulary words are associated with custom candidate pronunciations that are based on previous speech inputs from the user. Such custom candidate pronunciations are stored in STT processing module **730** and are associated with a particular user via the user's profile on the device. In some examples, the candidate pronunciations for words are determined based on the spelling of the word and one or more linguistic and/or phonetic rules. In some examples, the candidate pronunciations are manually generated, e.g., based on known canonical pronunciations.

In some examples, the candidate pronunciations are ranked based on the commonness of the candidate pronunciation. For example, the candidate pronunciation / tə'meɪroʊ/ is ranked higher than / tə'mɑtoʊ /, because the former is a more commonly used pronunciation (e.g., among all users, for users in a particular geographical region, or for any other appropriate subset of users). In some examples, candidate pronunciations are ranked based on whether the candidate pronunciation is a custom candidate pronunciation associated with the user. For example, custom candidate pronunciations are ranked higher than canonical candidate pronunciations. This can be useful for recognizing proper nouns having a unique pronunciation that deviates from canonical pronunciation. In some examples, candidate pronunciations are associated with one or more speech characteristics, such as geographic origin, nationality, or ethnicity. For example, the candidate pronunciation / tə'meɪroʊ/ is associated with the United States, whereas the candidate pronunciation / tə'mɑtoʊ / is associated with Great Britain. Further, the rank of the candidate pronunciation is based on one or more characteristics (e.g., geographic origin, nationality, ethnicity, etc.) of the user stored in the user's profile on the device. For example, it can be determined from the user's profile that the user is associated with the United States. Based on the user being associated with the United States, the candidate pronunciation / tə'meɪroʊ/ (associated with the United States) is ranked higher than the candidate pronunciation / tə'mɑtoʊ / (associated with Great Britain). In some examples, one of the ranked candidate pronunciations is selected as a predicted pronunciation (e.g., the most likely pronunciation).

When a speech input is received, STT processing module **730** is used to determine the phonemes corresponding to the speech input (e.g., using an acoustic model), and then attempt to determine words that match the phonemes (e.g., using a language model). For example, if STT processing module **730** first identifies the sequence of phonemes / tə'meɪroʊ/ corresponding to a portion of the speech input, it can then determine, based on vocabulary index **744**, that this sequence corresponds to the word "tomato."

In some examples, STT processing module **730** uses approximate matching techniques to determine words in an utterance. Thus, for example, the STT processing module **730** determines that the sequence of phonemes / tə'meɪroʊ/ corresponds to the word "tomato," even if that particular sequence of phonemes is not one of the candidate sequence of phonemes for that word.

Natural language processing module **732** ("natural language processor") of the digital assistant takes the n-best candidate text representation(s) ("word sequence(s)" or "token sequence(s)") generated by STT processing module **730**, and attempts to associate each of the candidate text representations with one or more "actionable intents" recognized by the digital assistant. An "actionable intent" (or "user intent") represents a task that can be performed by the digital assistant, and can have an associated task flow implemented in task flow models **754**. The associated task flow is a series of programmed actions and steps that the digital assistant takes in order to perform the task. The scope of a digital assistant's capabilities is dependent on the number and variety of task flows that have been implemented and stored in task flow models **754**, or in other words, on the number and variety of "actionable intents" that the digital assistant recognizes. The effectiveness of the digital assistant, however, also dependents on the assistant's ability to infer the correct "actionable intent(s)" from the user request expressed in natural language.

In some examples, in addition to the sequence of words or tokens obtained from STT processing module **730**, natural language processing module **732** also receives contextual information associated with the user request, e.g., from I/O processing module **728**. The natural language processing module **732** optionally uses the contextual information to clarify, supplement, and/or further define the information contained in the candidate text representations received from STT processing module **730**. The contextual information includes, for example, user preferences, hardware, and/or software states of the user device, sensor information collected before, during, or shortly after the user request, prior interactions (e.g., dialogue) between the digital assistant and the user, and the like. As described herein, contextual information is, in some examples, dynamic, and changes with time, location, content of the dialogue, and other factors.

In some examples, the natural language processing is based on, e.g., ontology **760**. Ontology **760** is a hierarchical structure containing many nodes, each node representing either an "actionable intent" or a "property" relevant to one or more of the "actionable intents" or other "properties." As noted above, an "actionable intent" represents a task that the digital assistant is capable of performing, i.e., it is "actionable" or can be acted on. A "property" represents a parameter associated with an actionable intent or a sub-aspect of another property. A linkage between an actionable intent node and a property node in ontology **760** defines how a parameter represented by the property node pertains to the task represented by the actionable intent node.

In some examples, ontology **760** is made up of actionable intent nodes and property nodes. Within ontology **760**, each actionable intent node is linked to one or more property nodes either directly or through one or more intermediate property nodes. Similarly, each property node is linked to one or more actionable intent nodes either directly or through one or more intermediate property nodes. For example, as shown in FIG. **7**C, ontology **760** includes a

"restaurant reservation" node (i.e., an actionable intent node). Property nodes "restaurant," "date/time" (for the reservation), and "party size" are each directly linked to the actionable intent node (i.e., the "restaurant reservation" node).

In addition, property nodes "cuisine," "price range," "phone number," and "location" are sub-nodes of the property node "restaurant," and are each linked to the "restaurant reservation" node (i.e., the actionable intent node) through the intermediate property node "restaurant." For another example, as shown in FIG. **7**C, ontology **760** also includes a "set reminder" node (i.e., another actionable intent node). Property nodes "date/time" (for setting the reminder) and "subject" (for the reminder) are each linked to the "set reminder" node. Since the property "date/time" is relevant to both the task of making a restaurant reservation and the task of setting a reminder, the property node "date/time" is linked to both the "restaurant reservation" node and the "set reminder" node in ontology **760**.

An actionable intent node, along with its linked concept nodes, is described as a "domain." In the present discussion, each domain is associated with a respective actionable intent, and refers to the group of nodes (and the relationships there between) associated with the particular actionable intent. For example, ontology **760** shown in FIG. **7**C includes an example of restaurant reservation domain **762** and an example of reminder domain **764** within ontology **760**. The restaurant reservation domain includes the actionable intent node "restaurant reservation," property nodes "restaurant," "date/time," and "party size," and sub-property nodes "cuisine," "price range," "phone number," and "location." Reminder domain **764** includes the actionable intent node "set reminder," and property nodes "subject" and "date/time." In some examples, ontology **760** is made up of many domains. Each domain shares one or more property nodes with one or more other domains. For example, the "date/time" property node is associated with many different domains (e.g., a scheduling domain, a travel reservation domain, a movie ticket domain, etc.), in addition to restaurant reservation domain **762** and reminder domain **764**.

While FIG. **7**C illustrates two example domains within ontology **760**, other domains include, for example, "find a movie," "initiate a phone call," "find directions," "schedule a meeting," "send a message," and "provide an answer to a question," "read a list," "providing navigation instructions," "provide instructions for a task" and so on. A "send a message" domain is associated with a "send a message" actionable intent node, and further includes property nodes such as "recipient(s)," "message type," and "message body." The property node "recipient" is further defined, for example, by the sub-property nodes such as "recipient name" and "message address."

In some examples, ontology **760** includes all the domains (and hence actionable intents) that the digital assistant is capable of understanding and acting upon. In some examples, ontology **760** is modified, such as by adding or removing entire domains or nodes, or by modifying relationships between the nodes within the ontology **760**.

In some examples, nodes associated with multiple related actionable intents are clustered under a "super domain" in ontology **760**. For example, a "travel" super-domain includes a cluster of property nodes and actionable intent nodes related to travel. The actionable intent nodes related to travel includes "airline reservation," "hotel reservation," "car rental," "get directions," "find points of interest," and so on. The actionable intent nodes under the same super domain (e.g., the "travel" super domain) have many property nodes in common. For example, the actionable intent nodes for "airline reservation," "hotel reservation," "car rental," "get directions," and "find points of interest" share one or more of the property nodes "start location," "destination," "departure date/time," "arrival date/time," and "party size."

In some examples, each node in ontology **760** is associated with a set of words and/or phrases that are relevant to the property or actionable intent represented by the node. The respective set of words and/or phrases associated with each node are the so-called "vocabulary" associated with the node. The respective set of words and/or phrases associated with each node are stored in vocabulary index **744** in association with the property or actionable intent represented by the node. For example, returning to FIG. **7**B, the vocabulary associated with the node for the property of "restaurant" includes words such as "food," "drinks," "cuisine," "hungry," "eat," "pizza," "fast food," "meal," and so on. For another example, the vocabulary associated with the node for the actionable intent of "initiate a phone call" includes words and phrases such as "call," "phone," "dial," "ring," "call this number," "make a call to," and so on. The vocabulary index **744** optionally includes words and phrases in different languages.

Natural language processing module **732** receives the candidate text representations (e.g., text string(s) or token sequence(s)) from STT processing module **730**, and for each candidate representation, determines what nodes are implicated by the words in the candidate text representation. In some examples, if a word or phrase in the candidate text representation is found to be associated with one or more nodes in ontology **760** (via vocabulary index **744**), the word or phrase "triggers" or "activates" those nodes. Based on the quantity and/or relative importance of the activated nodes, natural language processing module **732** selects one of the actionable intents as the task that the user intended the digital assistant to perform. In some examples, the domain that has the most "triggered" nodes is selected. In some examples, the domain having the highest confidence value (e.g., based on the relative importance of its various triggered nodes) is selected. In some examples, the domain is selected based on a combination of the number and the importance of the triggered nodes. In some examples, additional factors are considered in selecting the node as well, such as whether the digital assistant has previously correctly interpreted a similar request from a user.

User data **748** includes user-specific information, such as user-specific vocabulary, user preferences, user address, user's default and secondary languages, user's contact list, and other short-term or long-term information for each user. In some examples, natural language processing module **732** uses the user-specific information to supplement the information contained in the user input to further define the user intent. For example, for a user request "invite my friends to my birthday party," natural language processing module **732** is able to access user data **748** to determine who the "friends" are and when and where the "birthday party" would be held, rather than requiring the user to provide such information explicitly in his/her request.

It should be recognized that in some examples, natural language processing module **732** is implemented using one or more machine learning mechanisms (e.g., neural networks). In particular, the one or more machine learning mechanisms are configured to receive a candidate text representation and contextual information associated with the candidate text representation. Based on the candidate text representation and the associated contextual informa-

tion, the one or more machine learning mechanism are configured to determine intent confidence scores over a set of candidate actionable intents. Natural language processing module **732** can select one or more candidate actionable intents from the set of candidate actionable intents based on the determined intent confidence scores. In some examples, an ontology (e.g., ontology **760**) is also used to select the one or more candidate actionable intents from the set of candidate actionable intents.

Other details of searching an ontology based on a token string is described in U.S. Utility application Ser. No. 12/341,743 for "Method and Apparatus for Searching Using An Active Ontology," filed Dec. 22, 2008, the entire disclosure of which is incorporated herein by reference.

In some examples, once natural language processing module **732** identifies an actionable intent (or domain) based on the user request, natural language processing module **732** generates a structured query to represent the identified actionable intent. In some examples, the structured query includes parameters for one or more nodes within the domain for the actionable intent, and at least some of the parameters are populated with the specific information and requirements specified in the user request. For example, the user says "Make me a dinner reservation at a sushi place at 7." In this case, natural language processing module **732** is able to correctly identify the actionable intent to be "restaurant reservation" based on the user input. According to the ontology, a structured query for a "restaurant reservation" domain includes parameters such as {Cuisine}, {Time}, {Date}, {Party Size}, and the like. In some examples, based on the speech input and the text derived from the speech input using STT processing module **730**, natural language processing module **732** generates a partial structured query for the restaurant reservation domain, where the partial structured query includes the parameters {Cuisine="Sushi" } and {Time="7 pm" }. However, in this example, the user's utterance contains insufficient information to complete the structured query associated with the domain. Therefore, other necessary parameters such as {Party Size} and {Date} is not specified in the structured query based on the information currently available. In some examples, natural language processing module **732** populates some parameters of the structured query with received contextual information. For example, in some examples, if the user requested a sushi restaurant "near me," natural language processing module **732** populates a {location} parameter in the structured query with GPS coordinates from the user device.

In some examples, natural language processing module **732** identifies multiple candidate actionable intents for each candidate text representation received from STT processing module **730**. Further, in some examples, a respective structured query (partial or complete) is generated for each identified candidate actionable intent. Natural language processing module **732** determines an intent confidence score for each candidate actionable intent and ranks the candidate actionable intents based on the intent confidence scores. In some examples, natural language processing module **732** passes the generated structured query (or queries), including any completed parameters, to task flow processing module **736** ("task flow processor"). In some examples, the structured query (or queries) for the m-best (e.g., m highest ranked) candidate actionable intents are provided to task flow processing module **736**, where m is a predetermined integer greater than zero. In some examples, the structured query (or queries) for the m-best candidate actionable intents are provided to task flow processing module **736** with the corresponding candidate text representation(s).

Other details of inferring a user intent based on multiple candidate actionable intents determined from multiple candidate text representations of a speech input are described in U.S. Utility application Ser. No. 14/298,725 for "System and Method for Inferring User Intent From Speech Inputs," filed Jun. 6, 2014, the entire disclosure of which is incorporated herein by reference.

Task flow processing module **736** is configured to receive the structured query (or queries) from natural language processing module **732**, complete the structured query, if necessary, and perform the actions required to "complete" the user's ultimate request. In some examples, the various procedures necessary to complete these tasks are provided in task flow models **754**. In some examples, task flow models **754** include procedures for obtaining additional information from the user and task flows for performing actions associated with the actionable intent.

As described above, in order to complete a structured query, task flow processing module **736** needs to initiate additional dialogue with the user in order to obtain additional information, and/or disambiguate potentially ambiguous utterances. When such interactions are necessary, task flow processing module **736** invokes dialogue flow processing module **734** to engage in a dialogue with the user. In some examples, dialogue flow processing module **734** determines how (and/or when) to ask the user for the additional information and receives and processes the user responses. The questions are provided to and answers are received from the users through I/O processing module **728**. In some examples, dialogue flow processing module **734** presents dialogue output to the user via audio and/or visual output, and receives input from the user via spoken or physical (e.g., clicking) responses. Continuing with the example above, when task flow processing module **736** invokes dialogue flow processing module **734** to determine the "party size" and "date" information for the structured query associated with the domain "restaurant reservation," dialogue flow processing module **734** generates questions such as "For how many people?" and "On which day?" to pass to the user. Once answers are received from the user, dialogue flow processing module **734** then populates the structured query with the missing information, or pass the information to task flow processing module **736** to complete the missing information from the structured query.

Once task flow processing module **736** has completed the structured query for an actionable intent, task flow processing module **736** proceeds to perform the ultimate task associated with the actionable intent. Accordingly, task flow processing module **736** executes the steps and instructions in the task flow model according to the specific parameters contained in the structured query. For example, the task flow model for the actionable intent of "restaurant reservation" includes steps and instructions for contacting a restaurant and actually requesting a reservation for a particular party size at a particular time. For example, using a structured query such as: {restaurant reservation, restaurant=ABC Café, date=Mar. 12, 2012, time=7 pm, party size=5}, task flow processing module **736** performs the steps of: (1) logging onto a server of the ABC Café or a restaurant reservation system such as OPENTABLE®, (2) entering the date, time, and party size information in a form on the website, (3) submitting the form, and (4) making a calendar entry for the reservation in the user's calendar.

In some examples, task flow processing module **736** employs the assistance of service processing module **738** ("service processing module") to complete a task requested in the user input or to provide an informational answer

requested in the user input. For example, service processing module **738** acts on behalf of task flow processing module **736** to make a phone call, set a calendar entry, invoke a map search, invoke or interact with other user applications installed on the user device, and invoke or interact with third-party services (e.g., a restaurant reservation portal, a social networking website, a banking portal, etc.). In some examples, the protocols and application programming interfaces (API) required by each service are specified by a respective service model among service models **756**. Service processing module **738** accesses the appropriate service model for a service and generate requests for the service in accordance with the protocols and APIs required by the service according to the service model.

For example, if a restaurant has enabled an online reservation service, the restaurant submits a service model specifying the necessary parameters for making a reservation and the APIs for communicating the values of the necessary parameter to the online reservation service. When requested by task flow processing module **736**, service processing module **738** establishes a network connection with the online reservation service using the web address stored in the service model, and send the necessary parameters of the reservation (e.g., time, date, party size) to the online reservation interface in a format according to the API of the online reservation service.

In some examples, natural language processing module **732**, dialogue flow processing module **734**, and task flow processing module **736** are used collectively and iteratively to infer and define the user's intent, obtain information to further clarify and refine the user intent, and finally generate a response (i.e., an output to the user, or the completion of a task) to fulfill the user's intent. The generated response is a dialogue response to the speech input that at least partially fulfills the user's intent. Further, in some examples, the generated response is output as a speech output. In these examples, the generated response is sent to speech synthesis module **740** (e.g., speech synthesizer) where it can be processed to synthesize the dialogue response in speech form. In yet other examples, the generated response is data content relevant to satisfying a user request in the speech input.

In examples where task flow processing module **736** receives multiple structured queries from natural language processing module **732**, task flow processing module **736** initially processes the first structured query of the received structured queries to attempt to complete the first structured query and/or execute one or more tasks or actions represented by the first structured query. In some examples, the first structured query corresponds to the highest ranked actionable intent. In other examples, the first structured query is selected from the received structured queries based on a combination of the corresponding speech recognition confidence scores and the corresponding intent confidence scores. In some examples, if task flow processing module **736** encounters an error during processing of the first structured query (e.g., due to an inability to determine a necessary parameter), the task flow processing module **736** can proceed to select and process a second structured query of the received structured queries that corresponds to a lower ranked actionable intent. The second structured query is selected, for example, based on the speech recognition confidence score of the corresponding candidate text representation, the intent confidence score of the corresponding candidate actionable intent, a missing necessary parameter in the first structured query, or any combination thereof.

Speech synthesis module **740** is configured to synthesize speech outputs for presentation to the user. Speech synthesis module **740** synthesizes speech outputs based on text provided by the digital assistant. For example, the generated dialogue response is in the form of a text string. Speech synthesis module **740** converts the text string to an audible speech output. Speech synthesis module **740** uses any appropriate speech synthesis technique in order to generate speech outputs from text, including, but not limited, to concatenative synthesis, unit selection synthesis, diphone synthesis, domain-specific synthesis, formant synthesis, articulatory synthesis, hidden Markov model (HMM) based synthesis, and sinewave synthesis. In some examples, speech synthesis module **740** is configured to synthesize individual words based on phonemic strings corresponding to the words. For example, a phonemic string is associated with a word in the generated dialogue response. The phonemic string is stored in metadata associated with the word. Speech synthesis model **740** is configured to directly process the phonemic string in the metadata to synthesize the word in speech form.

In some examples, instead of (or in addition to) using speech synthesis module **740**, speech synthesis is performed on a remote device (e.g., the server system **108**), and the synthesized speech is sent to the user device for output to the user. For example, this can occur in some implementations where outputs for a digital assistant are generated at a server system. And because server systems generally have more processing power or resources than a user device, it is possible to obtain higher quality speech outputs than would be practical with client-side synthesis.

Additional details on digital assistants can be found in the U.S. Utility application Ser. No. 12/987,982, entitled "Intelligent Automated Assistant," filed Jan. 10, 2011, and U.S. Utility application Ser. No. 13/251,088, entitled "Generating and Processing Task Items That Represent Tasks to Perform," filed Sep. 30, 2011, the entire disclosures of which are incorporated herein by reference.

4. Exemplary Architecture and Functions of a Digital Assistant

FIG. **8** illustrates a block diagram of a text-to-speech (TTS) module **800** according to various examples. Text-to-speech module **800** can be, for example, integrated with or included in speech synthesis module **740** of a digital assistant system **700** as illustrated in FIGS. **7**A and **7**B. In some examples, TTS module **800** can include a text normalizer **820** and a pronunciation generator **840**. Text normalizer **820** can receive a text corpus **802** that includes unstructured natural language text. In some embodiments, unstructured natural language text includes text that does not have a pre-defined model or is not organized in a pre-defined manner. For example, unstructured natural language text can include the body of a text message, the body of email, the text associated with a speech input, the text in a news article, or the like. For example, text corpus **802** can include one or more documents (e.g., a newspaper article or a scientific paper), one or more emails, one or more text messages, or the like. In some embodiments, text corpus **802** can be used for training a data-driven learning network (e.g., a feedforward deep learning network) for text normalization.

An exemplary text corpus **802** is illustrated in FIG. **9**. As illustrated in FIG. **9**, text corpus **802** may include one or more standard or ordinary words (e.g., "between," "million," "people") and one or more non-standard words (e.g., "1.7-2," "33 48'56.758," "pp 197-214," "1997"). Non-standard words may have different pronunciations depending on the context and may not be pronounced by an application of "letter-to-sound" rules. As a result, non-standard words can

be ambiguous with respect to their pronunciations and thus require text normalization. In some embodiments, text normalization can adapt or transform non-standard words to a contextually appropriate form (e.g., an ordinary word) for pronunciation, as described in more detail below.

In some examples, one or more non-standard words can include an abbreviation of a word or a sequence of words. As an example shown in FIG. **9**, an abbreviation of the word "kilometer" can be "km." In other examples, an abbreviation of the word "billion" can be "bn;" an abbreviation of the sequence of words "New York" can be "N.Y.;" an abbreviation of the sequence of words "mile per hour" can be "mph." In some embodiments, an abbreviation can be normalized such that the corresponding standard words or sequence of standard words can be pronounced. For example, the abbreviation "bn" can be normalized such that the standard word "billion" can be pronounced.

In some examples, one or more non-standard words can include at least one of a letter sequence or a letter-and-symbol sequence. For example, a letter sequence corresponding to the sequence of words "Central Intelligence Agency" is "CIA." As another example, a letter-and-symbol sequence corresponding to the sequence of words "District of Columbia" can be "D.C." In some embodiments, a letter sequence can be normalized such that the letters, rather than the corresponding standard words or sequence of standard words, are pronounced. For example, the letter sequence "CIA" may be normalized such that it is pronounced as "C I A," not "Central Intelligence Agency." Similarly, a letter-and-symbol sequence can be normalized such that the letters are pronounced, but the symbols are omitted. For example, the letter-and-symbol sequence "D.C." may be normalized such that it is pronounced as "D C," not "D dot C dot."

In some examples, one or more non-standard words can include a cardinal number. As shown in FIG. **9**, a cardinal number may be "197," "214," or the like. In some embodiments, a cardinal number can be normalized for proper pronunciation. For example, the cardinal number "197" may be normalized such that the pronunciation is "one hundred and ninety seven."

In some examples, one or more non-standard words can include an ordinal number. For example, an ordinal number may be "3rd" or "21st." In some embodiments, an ordinal number can be normalized for proper pronunciation. For example, the ordinal number "21st" may be normalized such that the pronunciation is "twenty first."

In some examples, one or more non-standard words can include a number as digits. For example, a number as digits may be "123" in the context of "room 123." In some embodiments, a number as digits can be normalized for proper pronunciation. For example, the number as digits "123" in the context of "room 123" may be normalized such that the pronunciation is "one two three" rather than "one hundred and twenty-three."

In some examples, one or more non-standard words can include a number and an associated address. For example, a number and an associated address may be "1234 Pennsylvania Street." In some embodiments, a number and an associated address can be normalized for proper pronunciation. For example, the number and its associated address "1234 Pennsylvania Street" may be normalized such that the pronunciation is "twelve thirty-four Pennsylvania Street," not "one thousand two hundred and thirty-four Pennsylvania Street."

In some examples, one or more non-standard words can include a date. For example, a date may be "May 7, 1998" or "5/7/1998." In some embodiments, a date can be normalized for proper pronunciation. For example, the date "May 7, 1998" or "5/7/1998" may be normalized such that the pronunciation is "May seventh nineteen ninety eight."

In some example, one or more non-standard words can include a time. For example, a time may be "3:20 p.m." In some embodiments, a time can be normalized for proper pronunciation. For example, the time "3:20 p.m." may be normalized such that the pronunciation is "three twenty p m."

In some examples, one or more non-standard words can include a telephone number. For example, a telephone number may be "1-800-456-7890." In some embodiments, a telephone number can be normalized for proper pronunciation. For example, the telephone number "1-800-456-7890" may be normalized such that the pronunciation is "one eight hundred four five six seven eight nine zero."

In some examples, one or more non-standard words can include a currency. For example, a currency may be "$200.45." In some embodiments, a currency can be normalized for proper pronunciation. For example, the current "$200.45" may be normalized such that the pronunciation is "two hundred dollars and forty five cents."

In some example, one or more non-standard words can include a symbol. As shown in FIG. **9**, a symbol may be "%" in the context of "98.18%." A symbol may also be, for example, "/", "x", "*", or "&". In some embodiments, a symbol can be normalized for proper pronunciation. For example, the symbol "%" in the context of "98.18%" may be normalized such that the pronunciation is "percent." As another example, depending on the context, the symbol "/" may be normalized such that the pronunciation is "divided by" or "slash."

In some examples, one or more non-standard words can include a punctuation mark. As shown in FIG. **9**, a punctuation mark can include, for example, ",", ".", or " . . . ". In some embodiments, a punctuation mark can be normalized for proper pronunciation. For example, the punctuation mark "," may be normalized such that the pronunciation is "comma."

In some examples, one or more non-standard words can include a silent word or a silent sequence of letters and/or symbols. For example, a silent sequence of letters and symbols may be "http://" in the context of "http://www.website name.com." In some embodiments, a silent word or a silent sequence of letters and/or symbols can be normalized for proper pronunciation. For example, "http://" in the context of "http://www.websitename.com" may not be pronounced. Instead, the pronunciation may only include "www dot website name dot com."

FIG. **10**A illustrates a block diagram of a text normalizer **820** according to various examples. In some embodiments, text normalizer **820** receives text corpus **802** that includes unstructured natural language text. Based on the received text corpus **802**, text normalizer **820** can generate a sequence of normalized text **822**. As described above, text normalization adapts or transforms non-standard words to a contextually appropriate form (e.g., ordinary words) for pronunciation. In some embodiments, a sequence of normalized text can include a grapheme sequence adapted or transformed in a contextually appropriate form for pronunciation. For example, a grapheme sequence of a text "$200" can be "two hundred dollars."

As shown in FIG. **10**A, in some embodiments, text normalizer **820** can include a tokenizer **1020**, a feature extractor **1040**, a classifier **1060**, and a normalizer **1080**. Tokenizer **1020** can generate tokens by processing the received text corpus **802** that includes unstructured natural

language text. In some examples, tokenizer **1020** can perform syntax and/or semantic analysis of the received text corpus **802**; recognize characters including words, sequences of letters, symbols, punctuation marks, numbers, digits, or the like; and generate one or more sequences of tokens based on the recognized characters. A token can be a structure representing one or more characters. A token can form an atomic or basic unit for normalization.

FIG. **10**B illustrates tokenization of a text corpus **1010** according to various examples. As shown in FIGS. **10**A and **10**B, tokenizer **1020** can analyze the syntax and/or semantics of text corpus **1010**. Based on such analysis, tokenizer **1020** can generate tokens. For example, to tokenize a text corpus, tokenizer **1020** can recognize whitespaces separating words as well as characters such as symbols, punctuation marks, or the like. As shown in FIG. **10**B, with respect to the text "1,300-kilometers," tokenizer **1020** can generate tokens "1", ",", "300", "-", and "kilometers". Similarly, with respect to text "$US3.2bn," tokenizer **1020** can generate tokens "$", "US", "3", ".", "2", "and "bn". With respect to text "9:30 pm," tokenizer **1020** can generate tokens "9", ":", "30", and "pm".

With reference to back to FIG. **10**A, feature extractor **1040** of text normalizer **820** can extract features associated with one or more tokens generated by tokenizer **1020**. In some embodiments, feature extractor **1040** can determine features associated with the tokens and perform word embedding of the tokens based on the determined features. For example, feature extractor **1040** can determine morphological features, categorical features, and/or lexical and semantic features associated with the tokens. With respect to the morphological features, feature extractor **1040** can analyze the structure of the one or more tokens to recognize stems, root words, prefixes, and/or suffixes. With respect to the categorical features, feature extractor **1040** can also determine features such as part-of-speech (POS) tags (e.g., whether a token includes a word that is a noun, a verb, an adjective, a pronoun, or the like); the case of a token (e.g., whether the token include upper case characters or lower case characters); the lengths of the tokens (e.g., the number of characters included in the token); the shape of a token (e.g., a token containing lower case characters may have different shapes while tokens containing only upper case characters may have the same or similar shape); the person of a pronoun (e.g., the first person, second person, third person) included in the token; and/or whether the tokens include singular form words and/or plural form words. In some embodiments, feature extractor **1040** can also extract lexical and/or semantic features such as one or more semantic interpretations of a word in the context.

In some embodiments, in determining the features associated with the tokens, feature extractor **1040** can generate a pattern list based on the tokens provided by tokenizer **1020**. FIG. **10**C illustrates a pattern list **1030** according to various examples. As shown in FIG. **10**C, feature extractor **1040** can analyze tokens to determine one or more patterns associated with the tokens. For example, the patterns may indicate that a token includes all lower case letters (e.g., a pattern **1032** represented by a character "a" in pattern list **1030**); a token that includes an upper case letter followed by one or more lower case letters (e.g., a pattern **1034** represented by characters "Aa" in pattern list **1030**); a token that includes digits (e.g., a pattern **1036** represented by a character "0" in pattern list **1030**), or the like. It is appreciated that feature extractor **1040** can determine any type of patterns associated with one or more tokens, as illustrated by, but not limited to, pattern list **1030**.

In some embodiments, feature extractor **1040** can determine one or more tokens corresponding to each pattern in pattern list **1030**. For example, as shown in FIG. **10**C, feature extractor **1040** can determine one or more tokens **1033** corresponding to pattern **1032** (e.g., represented by a character "a"); one or more tokens **1035** corresponding to pattern **1034** (e.g., represented by characters "Aa"); one or more tokens **1047** corresponding to pattern **1036** (e.g., represented by a character "0"); or the like. As illustrated in FIG. **10**C, corresponding to pattern **1032**, tokens **1033** may include words that have all lower case letters. Corresponding to pattern **1034**, tokens **1035** may include words that have an upper case letter followed by one or more lower case letters. And corresponding to pattern **1036**, tokens **1037** may include only numbers. In some examples, tokens in a pattern list (e.g., tokens **1033**, **1035**, **1037**) can include words that are frequently present in a text corpus (e.g., most-frequent words in text corpus **802**).

In some embodiments, feature extractor **1040** can determine features of a current token and a predetermined number of neighboring tokens of the current token. For example, feature extractor **1040** can determine features of a window of tokens, which can include n left tokens (e.g., 3 left tokens), the current token, and m right tokens (e.g., 3 right tokens) in a sequence of tokens. The number of left tokens may or may not be the same of the number of right tokens (e.g., n=3, m=4). Determining the features of neighboring tokens along with the features of the current token can enable more accurate determination of a normalization task associated with the current token, and thus the classification of the current token, as described in more detail below.

In some embodiments, based on the determined features associated with the tokens, feature extractor **1040** can perform word embedding of the tokens. In some examples, word embedding can map each token to a vector (e.g., an n-dimensional feature vector, where n is an integer number that is greater than or equal 1). For example, each feature extracted from a token can be mapped to one or more dimensions of a feature vector. A feature vector can be a real-valued vector. Vectors associated with multiple tokens can form one or more vector spaces or matrixes. In some examples, tokens that have similar contexts (e.g., tokens that are associated with similar semantic features and/or similar patterns) can be mapped into one or more similar vector spaces. As such, tokens that have similar contexts may have corresponding vectors that are close in distance in a vector space. In some examples, feature extractor **1040** can perform word embedding using data-driven learning networks such as a deep neural network (e.g., recurrent neural works, long short-term memory (LSTM)), probabilistic models, and/or dimensionality reduction techniques on a word co-occurrence matrix.

Referring back to FIG. **10**A, in some embodiments, a classifier **1060** of text normalizer **820** can classify the tokens based on the extracted features. As described above, text normalizer **820** receives text corpus **802**, which may include one or more non-standard words. Therefore, tokens generated based on text corpus **802** may include one or more non-standard words, such as an abbreviation, a letter-and-symbol sequence, a cardinal number, an ordinal number, a number as digits, a date, a time, etc. Different types of non-standard words can require different normalization tasks for pronunciation. For example, normalizing an abbreviation "bn" for a pronunciation of the word "billion" may require a task of expanding the abbreviation "bn." In some examples, classifier **1060** can determine different types of

tasks for normalizing the tokens based on the extracted features and classify the tokens for indicating such normalization tasks.

FIG. **10**D illustrates classification of tokens according to various examples. As shown in FIGS. **10**A and **10**D, in classifying the tokens, classifier **1060** can determine a label of each token (e.g., token **1052**, **1054**, **1056**, etc.) and associate the label and the corresponding token. As an example, token **1052** includes an abbreviation "bn." Based on the extracted features associated with token **1052** (e.g., a pattern, morphological, and/or semantic features of token **1052**) and optionally its neighboring tokens, classifier **1060** can determine that the normalization task for proper pronunciation of token **1052** is to expand the abbreviation "bn" to the standard or ordinary word "billon." Accordingly, classifier **1060** can determine the label for such normalization task to be "EXPAND" (e.g., label **1053**) and associate label **1053** with the token **1052**.

As another example, token **1054** includes characters "st." Based on the extracted features associated with token **1054** and optionally its neighboring tokens, classifier **1060** can determine that the normalization task for proper pronunciation of token **1054** is a split task, for which more than one token is required. In this example, token **1054** (e.g., "st") and its preceding token "21" may be required for a pronunciation of the sequence of words "twenty first." Thus, classifier **1060** can determine the label for such normalization task to be "SPLIT" (e.g., label **1055**) and associate label **1055** with token **1054**.

As another example, token **1056** includes characters "St." Based on the extracted features associated with token **1056** and optionally its neighboring tokens, classifier **1060** can determine that the normalization task for proper pronunciation of token **1056** is to spell out the characters in token **1056**. In this example, classifier **1060** determines that characters "St" in the context of "is the majority shareholder in St**1** which owns petrol distribution networks" is associated with an entity (e.g., a company), and therefore determines the label of for such normalization task to be "SPELL" (e.g., label **1057**). For example, the characters "St" in token **1056** can be normalized to pronounce as "s t." Classifier **1060** can thus associate label **1057** with token **1056**.

As another example, token **1058** includes characters "303." Based on the extracted features associated with token **1058** and optionally its neighboring tokens, classifier **1060** can determine that the normalization task for proper pronunciation of token **1058** is to pronounce each character in token **1058**. In this example, classifier **1060** determines that the characters "303" in the context of "will be available by calling 303-590-3000 . . . " is associated with a telephone number, and therefore determines the label for such normalization task to be "DIGITS" (e.g., label **1059**). Classifier **1060** can thus associate label **1059** with token **1058**.

It is appreciated that classifier **1060** can also determine other types of normalization tasks associated with various tokens (e.g., as illustrated in FIG. **10**D), determine corresponding labels (e.g., a label "ASWORD" indicating pronunciation as an ordinary word, a label "CARDINAL" indicating pronunciation as a cardinal number, or a label "NONE" indicating no pronunciation is needed) for the normalization tasks, and associate the labels with the respective tokens.

In some embodiments, tokens that include the same or similar characters may correspond to different pronunciation options, depending on the context. Classifier **1060** can determine additional label information to distinguish different pronunciation options. FIG. **10**E illustrates a plurality of tokens of a text corpus and their corresponding pronunciation options, according to various examples. For example, a token **1072** may include a symbol "-" Depending on the context, token **1072** may be pronounced as the word "to," "dash," "minus," "through," "and," or "of." As a result, in addition to determining the label for token **1072** to be, for example, "EXPAND," classifier **1060** can determine additional information to distinguish various pronunciation options. For instance, for token **1072**, classifier **1060** can determine the label to "EXPAND_to," "EXPAND_dash," "EXPAND_minus," "EXPAND_through," "EXPAND_and," or "EXPAND_of."

In some embodiments, classifier **1060** can classify tokens using data-driven learning networks such as machine learning techniques. For example, as described above and shown in FIG. **8**, text normalizer **820** can receive a text corpus, which can be a training text corpus comprising a large amount of training data. The training data can include various types of non-standard words and standard words. Using the training data, text normalizer **820** can generate a large quantity of tokens (e.g., tokenizer **1020** can generate **218**,**000** tokens for training) including these various types of non-standard words, extract features of these tokens (e.g., by feature extractor **1040**), and classify these tokens (e.g., by classifier **1060**) using machine learning techniques. As an example, one or more vector spaces representing the word embedding of the tokens generated from the training text corpus can be provided to a deep-learning recurrent neural network (e.g., a long short-term memory (LSTM) network) or a feed-forward deep learning network.

In some embodiments, a deep-learning network can include an input layer, an output layer, and one or more hidden layers. Each layer of the deep-learning network can include a plurality of unit interconnected by connections. In some examples, each connection can be associated with a weight value and/or a bias followed by a nonlinear activation function. In some embodiments, the units of the input layer can receive one or more vectors (e.g., the feature vectors) representing the word embedding of the current token and neighboring tokens (e.g., a window of 3 left tokens, the current token, and 3 right tokens). The deep-learning recurrent neural networks with one or more hidden layers can process the vectors in a context sensitive manner, and can output labels associated with the tokens. Thus, using deep-learning recurrent neural networks, the classifier can classify the tokens for text normalization. The classification based on data-driven learning network can have an improved accuracy than a typical rule-based classification. Moreover, as more training data are provided to a classifier based on data-driven learning networks, the classifier (e.g., classifier **1060**) can learn to recognize more context-sensitive natural languages, and thus further improve the accuracy of the labels associated with the tokens.

In some examples, a classifier based on data-driven learning networks can classify tokens more efficiently by using a limited or restricted set of possible types of labels. For example, text normalization for a particular user may be associated with a particular area of the user's expertise (e.g., the in the medical area if the user is a doctor, in the legal area if the user is a lawyer). Thus, text corpuses provided by the user may frequently include texts related to a particular area and are thus limited in the types of non-standard words. As such, the classifier may be frequently trained or provided with data that are associated with a limited number of (e.g., 10) types of labels, rather than all types of labels (e.g.,

100-200). The classifier can thus classify a token more efficiently among the limited number types of labels, with relatively high confidence.

In some embodiments, after determining the labels and associating the labels with their corresponding tokens, classifier **1060** can store the association of the labels and corresponding tokens for performing subsequent normalization tasks. With reference to back to FIG. **10**A, for example, after classifier **1060** classifies the tokens associated with a training text corpus, a normalizer **1080** can normalize a current input text corpus that is to-be-converted to speech based on the classification of the training text corpus and based on the tokens of the current input text corpus. For example, after receiving a current input text corpus, tokenizer **1020** can tokenize the current input text corpus; and feature extractor **1040** can extract features associated with the tokens of the current input text corpus. Based on the extracted features of the tokens of the current input text corpus (e.g., feature vectors), classifier **1060** can determine the labels of the tokens based on the previous classification of a training text corpus. Accordingly, text normalizer **820** can normalize text in a data-driven manner by using, for example, machine learning networks. In some examples, normalizer **1080** of text normalizer **820** can generate a sequence of normalized text **822** (e.g., a grapheme sequence of the normalized text) for the current input text corpus that is to-be-converted to speech. For instance, for a non-standard word "$200" in the current input text corpus, normalizer **1080** can generate a grapheme sequence of "two hundred dollars" based on the classification of the tokens containing the non-standard word $200. Next, normalizer **1080** can provide the sequence of normalized text **822** to a pronunciation generator to generate a speech.

FIGS. **11**A-**11**C illustrate a pronunciation generator **840** according to various examples. In some embodiments, as illustrated in FIGS. **8** and **11**A, pronunciation generator **840** can generate a pronunciation sequence **842** representing sequence of normalized text **822**. In some embodiments, sequence of normalized text **822** can represent a normalized training text corpus. As described in more detail below, pronunciation generator **840** can include one or more data-driven learning networks (e.g., deep learning RNN) and can thus be trained using the sequence of normalized text representing a normalized training text corpus. After training of pronunciation generator **840**, a current sequence of normalized text that is to-be-converted to speech can be provided to pronunciation generator **840** for generating the speech. In some examples, as more sequences of normalized text representing training text corpuses are provided to pronunciation generator **840**, pronunciation generator **840** can learn to generate more context-sensitive pronunciations, and thus improve the accuracy of pronunciation. Further, using data-driven learning networks, pronunciation generator **840** can produce a syllabified and stress marked phoneme sequence in one step, rather than multiple steps typically required in a rule-based technique. Thus, a pronunciation generator that is based on data-driven learning networks can perform text-to-speech conversion more efficiently.

In some embodiments, a pronunciation sequence generated by pronunciation generator **840** can include, for example, a phoneme sequence representing the corresponding grapheme sequence. For example, a grapheme sequence of a word "checked" can be "c h e c k e d." Based on this grapheme sequence, pronunciation generator **840** can generate a phoneme sequence of"ch eh k t." In some examples, a phoneme sequence can be annotated with syllabification and stress placement. Syllabification is the separation of a word into syllables. For example, a phoneme sequence of a word "project" annotated with syllabification can be represented by "p r aa-jh eh k t." Stress placement is placing relative emphasis or prominence to one or more syllables in a word for pronunciation. Continue the above example, a phoneme sequence annotated with stress placement of the phoneme sequence of the word "project" may be "p r aa 0-jh eh 1 k t" or "p r ah 1-jh eh 0 k t," in which "0" indicates that the associated syllable is unstressed and "1" indicates that the associated syllable is stressed.

With reference to FIGS. **11**A and **11**B, in some embodiments, pronunciation generator **840** can include an encoder **1120**, an attention layer **1140**, and a decoder **1160**. Encoder **1120** can generate one or more vectors representing encoded grapheme sequences. For example, as shown in FIGS. **11**A-**11**C, encoder **1120** can receive one or more grapheme sequences (e.g., a grapheme sequence **1172** such as "p r o j e c t") representing sequence of normalized text **822**. A grapheme sequence can include one or more graphemes. A grapheme can include a character such as a letter (e.g., English letter or Chinese character). Based on the received one or more grapheme sequences, encoder **1120** can generate a character embedding matrix representing features of the grapheme sequences. In some embodiments, character embedding can map each grapheme (e.g., a character) in a grapheme sequence to a vector (e.g., an n-dimensional feature vector). For example, encoder **1120** can determine features of one or more characters in a grapheme sequence. Features of a character can include, for example, the case of the character (e.g., upper case, lower case), the position of the character in the grapheme sequence (e.g., beginning or end of a word), the shape of the character, whether the character is an English letter or a foreign language letter, or the like. Each feature associated with a character can be mapped to one or more dimensions of a feature vector. A feature vector can be a real-valued vector. Vectors associated with multiple characters can form one or more vector spaces or character embedding matrix.

In some examples, encoder **1120** can determine features of neighboring graphemes of a current grapheme in a grapheme sequence and generate feature vectors of a window of graphemes, which can include n left graphemes (e.g., 3 left characters), the current grapheme, and n right graphemes (e.g., 3 right characters) in a grapheme sequence. It is appreciated that the number of left graphemes and number of right graphemes may or may not be the same (e.g., 2 left characters, 1 right characters). Features of neighboring graphemes can enable more accurate determination of at least one of a phoneme sequence, a syllabification, and a stress placement, by taking into account the contextual information surrounding the current grapheme.

In some examples, encoder **1120** can generate, based on the character embedding matrix, one or more vectors representing the encoded grapheme sequences. As shown in FIGS. **11**B-**11**C, for example, based on character embedding matrix **1174**, encoder **1120** can generate output vectors using a data-driven learning network (e.g., one or more bi-directional RNN such as bi-directional LSTM networks **1176**). In some examples, a bi-directional RNN can include multiple layers such as an input layer, one or more hidden layers, and an output layer. Each layer may include a plurality of units interconnected by connections. In some examples, each connection can be associated with a weight value and/or a bias followed by a nonlinear activation function. In some embodiments, the units of the input layer can receive one or more vectors (e.g., the feature vectors of the character embedding matrix) representing the character embedding

matrix. The bi-directional RNN can process the vectors based on one or more hidden layers in a context sensitive manner. For example, a bi-directional LSTM network **1176** includes a plurality of LSTM units that are capable of remembering data for either long or short durations of time. In some embodiments, an input unit of the input layer is represented as a vector (e.g., using a vector from the character embedding matrix). The input layer can also include or receive a plurality of preceding and following context units associated with a current input unit. The preceding and following context units can be provided from one or more hidden layers. In some examples, the output layer can be generated based on the input layer, the hidden layers, and one or more weight values associated with the connections. The output layer can include output units represented as an output vector (e.g., vectors representing the encoded grapheme sequences).

With reference to FIGS. **11**A-**11**C, in some examples, pronunciation generator **840** can provide an attention layer, which indicates relations between one or more vectors representing the encoded grapheme sequences and one or more vectors representing the pronunciation sequence. With reference to FIG. **11**B, an attention layer **1140** can include mappings from a particular vector generated by decoder **1160** (e.g., vector **1162**A) to one or more vectors generated by encoder **1120** (e.g., vectors **1122**). An attention layer **1140** can provide, for example, a weight matrix such that a vector generated by decoder **1160** depends on a weighted combination of various vectors generated by encoder **1120**. As described above and illustrated in FIG. **11**B, vectors **1122** generated by encoder **1120** can include vectors associated with a current grapheme and neighboring graphemes. Thus, vectors **1122** can represent various contextual information of the current grapheme. In some examples, attention layer **1140** can assign weights to various contextual information for the purpose of generating a phoneme sequence with syllabification and stress placement annotations.

With reference to FIGS. **11**A-**11**C, in some embodiments, decoder **1160** can generate the pronunciation sequence based on the attention layer **1140**. As shown in FIGS. **11**B-**11**C, in some examples, based on the vectors representing the encoded grapheme sequences (e.g., output vectors of a bi-directional RNN such as bi-directional LSTM(s) **1176**), the attention layer, and vectors representing previously predicted phonemes, decoder **1160** can generate vectors representing phonemes corresponding to grapheme sequence **1172**. For example, decoder **1160** can include a data-driven learning network (e.g., one or more uni-directional RNNs such as uni-directional LSTM network(s) **1180**). In some examples, a uni-directional RNN can include multiple layers such as an input layer, one or more hidden layers, and an output layer. Each layer may include a plurality of units. Uni-directional LSTM network **1180** includes, for instance, a plurality of LSTM units that are capable of remembering data for either long or short durations of time. In some embodiments, an input unit of the input layer is represented as a vector (e.g., a vector representing a previously predicted phoneme and/or a vector representing the encoded grapheme sequence). The input layer can also include or receive a plurality of preceding context units associated with a current input unit. The preceding context units can be provided from one or more hidden layers. In some examples, the output layer can be generated based on the input layer, the hidden layers, and one or more weight matrix. The output layer can include output units represented as an output vector (e.g., vectors representing phonemes corresponding to the grapheme sequence **1172**). In some embodiments, decoder **1160** can generate a phoneme embedding matrix **1182**, which includes vectors representing phonemes corresponding to the grapheme sequence **1172**.

As shown in FIG. **11**C, in some examples, based on phoneme embedding matrix **1182**, decoder **1160** can predict one or more phoneme sequences with annotations of syllabification and stress placement. For example, for an input grapheme sequence of "p r o j e c t," decoder **1160** can predict that the pronunciation sequence to be "p r ah 1-jh eh 0 k t," where "-" indicates the syllabification, "1" indicates stressed syllable, and "0" indicates unstressed syllable. In some examples, decoder **1160** can further provide a softmax layer **1184**, which can normalize the vectors of phoneme embedding matrix **1182**.

As described above and with reference to FIGS. **11**A-**11**C, pronunciation generator **840** can include one or more data-driven learning networks (e.g., bi-directional LSTM(s) **1176** and uni-directional LSTM(s) **1180**) for generating a pronunciation sequence **842**. The data-driven learning networks can be trained with training data. Training data can include, for example, grapheme sequences with corresponding previously predicted pronunciation sequences (e.g., phoneme sequences with annotations of syllabification and stress placements). Thus, by using data-driven learning networks, a phoneme sequences with annotations of syllabification and stress placements can be generated more efficiently and more accurately than rule-based models or n-gram language models). In addition, as more training data is provided to train the data-driven learning networks in pronunciation generator **840**, the accuracy and efficiency of predicting a pronunciation sequence improves.

5. Process for Performing Text-to-Speech Conversion

FIGS. **12**A-**12**C illustrates a process **1200** for performing text-to-speech conversion, according to various examples. Process **1200** is performed, for example, using one or more electronic devices implementing a digital assistant. In some examples, process **1200** is performed using a client-server system (e.g., system **100**), and the blocks of process **1200** are divided up in any manner between the server (e.g., DA server **106**) and a client device. In other examples, the blocks of process **1200** are divided up between the server and multiple client devices (e.g., a mobile phone and a smart watch). Thus, while portions of process **1200** are described herein as being performed by particular devices of a client-server system, it will be appreciated that process **1200** is not so limited. In other examples, process **1200** is performed using only a client device (e.g., user device **104**) or only multiple client devices. In process **1200**, some blocks are, optionally, combined, the order of some blocks is, optionally, changed, and some blocks are, optionally, omitted. In some examples, additional steps may be performed in combination with the process **1200**.

With reference to FIG. **12**A, at block **1202**, a text corpus comprising unstructured natural language text is received. At block **1204**, in some examples, the unstructured natural language text includes one or more non-standard words. As described above, non-standard words may have different pronunciations depending on the context and may not be pronounced by an application of "letter-to-sound" rules. As a result, non-standard words can be ambiguous with respect to their pronunciations and thus require text normalization. For example, a non-stand word includes an abbreviation, at least one of a letter sequence or a letter-and-symbol sequence, a cardinal number, an ordinary number, a number as digits, a number and an associated address, a date, a time,

a telephone number, a currency, a symbol, a punctuation mark, or a silent word or a silent sequence of letters and/or symbols.

At block **1206**, a sequence of normalized text is generated based on the received text corpus. At block **1208**, to generate the sequence of normalized text, one or more tokens are generated based on the text corpus. In some examples, the tokens include at least one non-standard word.

At block **1208**, features associated with the one or more tokens are extracted. Features include, for example, morphological features, categorical features, lexical features, semantic features, and/or one or more patterns associated with the tokens. At block **1212**, to extract features, features associated with the one or more tokens are determined. At block **1214**, features of a current token and a predetermined number of neighboring tokens of the current token are determined.

At block **1216**, word embedding of the tokens is performed based on the determined features. At block **1218**, to perform word embedding, each token is mapped to a feature vector (e.g., an n-dimensional feature vector, where n is an integer number that is greater than or equal 1).

With reference to FIG. **12**B, at block **1220**, tokens can be classified based on the extracted features. At block **1222**, to classify tokens, a label for each token can be determined. In some examples, as described above, determining the label for each token can be performed by data-driven learning networks. A label indicates the normalization task (e.g., expand, split, spell, etc.) associated to be performed for a particular token. At block **1224**, the label and the corresponding token are associated. At block **1226**, the association of the label and the corresponding token can be stored. At block **1228**, a grapheme sequence of normalized text is generated based on the classified tokens.

At block **1230**, a pronunciation sequence is generated based on the sequence of normalized text. At block **1232**, to generate the pronunciation sequence, one or more vectors representing encoded grapheme sequences are generated. The grapheme sequences correspond to the sequence of the normalized text. At block **1234**, to generate the one or more vectors, it is generated a character embedding matrix representing features of one or more grapheme sequences corresponding to the sequence of the normalized text. At block **1236**, based on the character embedding matrix, one or more vectors representing the encoded grapheme sequences are generated.

With reference to FIG. **12**C, at block **1238**, after one or more vectors representing encoded grapheme sequences are generated, at attention layer is provided. The attention layer indicates relations between one or more vectors representing the encoded grapheme sequences and one or more vectors representing the pronunciation sequence.

At block **1240**, the pronunciation sequence is generated based on the attention layer. At block **1242**, to generate the pronunciation sequence, the one or more vectors representing the encoded grapheme sequences are processed based on the attention layer. At block **1244**, a phoneme embedding matrix is generated based on the processing result. At block **1246**, one or more phoneme sequences are predicted based on the phoneme embedding matrix. In some examples, the phoneme sequences are annotated with syllabification and stress placement.

At block **1249**, it is caused an audio output to be provided to the user based on the pronunciation sequence. In some examples, at least one of the sequence of normalized text and the pronunciation sequence is generated based on a data-driven learning network.

The operations described above with reference to FIGS. **12**A-**12**C are optionally implemented by components depicted in FIGS. **1**-**4**, **6**A-**6**B, and **7**A-**7**C. For example, the operations of process **1200** may be implemented by speech synthesis module **740** of digital assistant **700**. It would be clear to a person having ordinary skill in the art how other processes are implemented based on the components depicted in FIGS. **1**-**4**, **6**A-**6**B, and **7**A-**7**C.

In accordance with some implementations, a computer-readable storage medium (e.g., a non-transitory computer readable storage medium) is provided, the computer-readable storage medium storing one or more programs for execution by one or more processors of an electronic device, the one or more programs including instructions for performing any of the methods or processes described herein.

In accordance with some implementations, an electronic device (e.g., a portable electronic device) is provided that comprises means for performing any of the methods or processes described herein.

In accordance with some implementations, an electronic device (e.g., a portable electronic device) is provided that comprises a processing unit configured to perform any of the methods or processes described herein.

In accordance with some implementations, an electronic device (e.g., a portable electronic device) is provided that comprises one or more processors and memory storing one or more programs for execution by the one or more processors, the one or more programs including instructions for performing any of the methods or processes described herein.

The foregoing description, for purpose of explanation, has been described with reference to specific embodiments. However, the illustrative discussions above are not intended to be exhaustive or to limit the invention to the precise forms disclosed. Many modifications and variations are possible in view of the above teachings. The embodiments were chosen and described in order to best explain the principles of the techniques and their practical applications. Others skilled in the art are thereby enabled to best utilize the techniques and various embodiments with various modifications as are suited to the particular use contemplated.

Although the disclosure and examples have been fully described with reference to the accompanying drawings, it is to be noted that various changes and modifications will become apparent to those skilled in the art. Such changes and modifications are to be understood as being included within the scope of the disclosure and examples as defined by the claims.

What is claimed is:

1. An electronic device comprising:

one or more processors;

memory; and

one or more programs stored in memory, the one or more programs including instructions for:

receiving a text corpus comprising unstructured natural language text;

generating, based on the received text corpus, a sequence of normalized text;

generating a pronunciation sequence representing the sequence of the normalized text; and

causing an audio output to be provided to the user based on the pronunciation sequence, wherein the sequence of normalized text is generated by a first data-driven learning network, wherein the pronunciation sequence is generated based on a second data-driven learning

network, and wherein the first data-driven learning network is different from the second data-driven learning network.

2. The electronic device of claim **1**, wherein the unstructured natural language text comprises at least one non-standard word.

3. The electronic device of claim **2**, wherein the at least one non-standard word includes at least one of:

an abbreviation;

at least one of a letter sequence or a letter-and-symbol sequence;

a cardinal number;

an ordinal number;

a number as digits;

a number and an associated address;

a date;

a time;

a telephone number;

a currency;

a symbol;

a punctuation mark; and

at least a silent word or a silent sequence of letters and/or symbols.

4. The electronic device of claim **1**, wherein generating, based on the received text corpus, the sequence of normalized text comprises:

generating one or more tokens based on the text corpus, wherein the tokens include at least one non-standard word;

extracting features associated with the one or more tokens;

classifying the tokens based on the extracted features; and

generating a grapheme sequence of normalized text based on the classified tokens.

5. The electronic device of claim **4**, wherein the features include one or more patterns associated with the one or more tokens.

6. The electronic device of claim **4**, wherein the features include at least one of morphological features and categorical features.

7. The electronic device of claim **4**, wherein the features include at least one of one or more lexical features or one or more semantic features.

8. The electronic device of claim **4**, wherein extracting the features associated with the one or more tokens comprises:

determining features associated with the one or more tokens; and

performing word embedding of the tokens based on the determined features.

9. The electronic device of claim **8**, wherein determining features associated with the one or more tokens comprises determining features of a current token and a predetermined number of neighboring tokens of the current token.

10. The electronic device of claim **8**, wherein performing word embedding of the tokens based on the determined features comprises mapping each token to a feature vector.

11. The electronic device of claim **4**, wherein classifying the tokens based on extracted features comprises:

determining a label for each token;

associating the label and the corresponding token; and

storing the association of the label and the corresponding token.

12. The electronic device of claim **1**, wherein generating the pronunciation sequence representing the sequence of the normalized text comprises:

generating one or more vectors representing encoded grapheme sequences, wherein the grapheme sequences correspond to the sequence of the normalized text;

providing an attention layer, wherein the attention layer indicates relations between one or more vectors representing the encoded grapheme sequences and one or more vectors representing the pronunciation sequence; and

generating the pronunciation sequence based on the attention layer.

13. The electronic device of claim **12**, wherein generating one or more vectors representing encoded grapheme sequences comprises:

generating a character embedding matrix representing features of one or more grapheme sequences corresponding to the sequence of the normalized text; and

generating, based on the character embedding matrix, one or more vectors representing the encoded grapheme sequences.

14. The electronic device of claim **12**, wherein generating the pronunciation sequence based on the attention layer comprises:

processing, based on the attention layer, the one or more vectors representing the encoded grapheme sequences;

generating a phoneme embedding matrix based on the processing result; and

predicting one or more phoneme sequences based on the phoneme embedding matrix.

15. A non-transitory computer-readable storage medium storing one or more programs, the one or more programs comprising instructions, which when executed by one or more processors

of an electronic device, cause the electronic device to:

receive a text corpus comprising unstructured natural language text;

generate, based on the received text corpus, a sequence of normalized text;

generate a pronunciation sequence representing the sequence of the normalized text; and

cause an audio output to be provided to the user based on the pronunciation sequence, wherein the sequence of normalized text is generated by a first data-driven learning network, wherein the pronunciation sequence is generated based on a second data-driven learning network, and wherein the first data-driven learning network is different from the second data-driven learning network.

16. The computer-readable storage medium of claim **15**, wherein generating the sequence of normalized text comprises:

generating one or more tokens based on the text corpus, wherein the tokens include at least one non-standard word;

extracting features associated with the one or more tokens;

classifying the tokens based on the extracted features; and

generating a grapheme sequence of normalized text based on the classified tokens.

17. The computer-readable storage medium of claim **15**, wherein generating the pronunciation sequence representing the sequence of the normalized text comprises:

generating one or more vectors representing encoded grapheme sequences, wherein the grapheme sequences correspond to the sequence of the normalized text;

providing an attention layer, wherein the attention layer indicates relations between one or more vectors repre-

senting the encoded grapheme sequences and one or more vectors representing the pronunciation sequence; and

generating the pronunciation sequence based on the attention layer.

18. A method for performing text-to-speech conversion, comprising:

at one or more electronic devices with one or more processors and memory;

receiving a text corpus comprising unstructured natural language text;

generating, based on the received text corpus, a sequence of normalized text;

generating a pronunciation sequence representing the sequence of the normalized text; and

causing an audio output to be provided to the user based on the pronunciation sequence, wherein the sequence of normalized text is generated by a first data-driven learning network, wherein the pronunciation sequence is generated based on a second data-driven learning network, and wherein the first data-driven learning network is different from the second data-driven learning network.

19. The method of claim **18**, wherein generating the sequence of normalized text comprises:

generating one or more tokens based on the text corpus, wherein the tokens include at least one non-standard word;

extracting features associated with the one or more tokens;

classifying the tokens based on the extracted features; and

generating a grapheme sequence of normalized text based on the classified tokens.

20. The method of claim **18**, wherein generating the pronunciation sequence representing the sequence of the normalized text comprises:

generating one or more vectors representing encoded grapheme sequences, wherein the grapheme sequences correspond to the sequence of the normalized text;

providing an attention layer, wherein the attention layer indicates relations between one or more vectors representing the encoded grapheme sequences and one or more vectors representing the pronunciation sequence; and

generating the pronunciation sequence based on the attention layer.

* * * * *