



US010536800B1

(12) **United States Patent**
Zimmerman et al.

(10) **Patent No.: US 10,536,800 B1**
(45) **Date of Patent: *Jan. 14, 2020**

(54) **CONTENT REQUEST BY LOCATION**

(71) Applicant: **Snap Inc.**, Santa Monica, CA (US)

(72) Inventors: **Gadi Zimmerman**, Hod-HaSharon (IL);
Ido Sadeh, Ramat-Gan (IL)

(73) Assignee: **Snap Inc.**, Santa Monica, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

This patent is subject to a terminal disclaimer.

(21) Appl. No.: **16/134,594**

(22) Filed: **Sep. 18, 2018**

Related U.S. Application Data

(63) Continuation of application No. 15/712,937, filed on Sep. 22, 2017, now Pat. No. 10,123,167, which is a continuation of application No. 15/371,379, filed on Dec. 7, 2016, now Pat. No. 9,801,018, which is a continuation of application No. 14/805,489, filed on Jul. 22, 2015, now Pat. No. 9,521,515.

(60) Provisional application No. 62/107,588, filed on Jan. 26, 2015.

(51) **Int. Cl.**
H04W 4/021 (2018.01)
H04W 4/02 (2018.01)
H04W 4/60 (2018.01)

(52) **U.S. Cl.**
CPC **H04W 4/021** (2013.01); **H04W 4/023** (2013.01); **H04W 4/60** (2018.02)

(58) **Field of Classification Search**
CPC H04L 29/08108; H04L 29/08657; H04L 29/08936; H04W 4/02; H04W 64/00
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

666,223 A 1/1901 Shedlock
4,581,634 A 4/1986 Williams
4,975,690 A 12/1990 Torres

(Continued)

FOREIGN PATENT DOCUMENTS

CA 2887596 A1 7/2015
EP 2051480 A1 4/2009

(Continued)

OTHER PUBLICATIONS

“A Whole New Story”, Snap, Inc., URL: <https://www.snap.com/en-US/news/>, (2017), 13 pgs.

(Continued)


Primary Examiner — Sharad Rampuria

(74) *Attorney, Agent, or Firm* — Schwegman Lundberg & Woessner, P.A.

(57) **ABSTRACT**

A method of obtaining media content of an event, comprising: identifying a real-life event and, a time of said real-life event a geographic location of the real-life event; identifying a subset of a plurality of client terminals of users located in proximity to the geographic location of the real-life event at said time of said real-life event; sending a message to the subset of client terminals containing a request to acquire media content documenting the real-life event; and receiving at least one media content item documenting the real-life event from at least one client terminal of the subset of client terminals, the at least one media content item acquired by at least one user of the users using the at least one client terminal in response to the message.

16 Claims, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

5,072,412 A	12/1991	Henderson, Jr. et al.	7,356,564 B2	4/2008	Hartselle et al.
5,493,692 A	2/1996	Theimer et al.	7,394,345 B1	7/2008	Ehlinger et al.
5,713,073 A	1/1998	Warsta	7,411,493 B2	8/2008	Smith
5,754,939 A	5/1998	Herz et al.	7,423,580 B2	9/2008	Markhovsky et al.
5,855,008 A	12/1998	Goldhaber et al.	7,454,442 B2	11/2008	Cobleigh et al.
5,883,639 A	3/1999	Walton et al.	7,508,419 B2	3/2009	Toyama et al.
5,999,932 A	12/1999	Paul	7,512,649 B2	3/2009	Faybishenko et al.
6,012,098 A	1/2000	Bayeh et al.	7,519,670 B2	4/2009	Hagale et al.
6,014,090 A	1/2000	Rosen et al.	7,535,890 B2	5/2009	Rojas
6,029,141 A	2/2000	Bezos et al.	7,546,554 B2	6/2009	Chiu et al.
6,038,295 A	3/2000	Mattes	7,607,096 B2	10/2009	Oreizy et al.
6,049,711 A	4/2000	Yehezkel et al.	7,639,943 B1	12/2009	Kalajan
6,154,764 A	11/2000	Nitta et al.	7,650,231 B2	1/2010	Gadler
6,167,435 A	12/2000	Druckenmiller et al.	7,668,537 B2	2/2010	DeVries
6,204,840 B1	3/2001	Petelycky et al.	7,770,137 B2	8/2010	Forbes et al.
6,205,432 B1	3/2001	Gabbard et al.	7,778,973 B2	8/2010	Choi
6,216,141 B1	4/2001	Straub et al.	7,779,444 B2	8/2010	Glad
6,285,381 B1	9/2001	Sawano et al.	7,787,886 B2	8/2010	Markhovsky et al.
6,285,987 B1	9/2001	Roth et al.	7,796,946 B2	9/2010	Eisenbach
6,310,694 B1	10/2001	Okimoto et al.	7,801,954 B2	9/2010	Cadiz et al.
6,317,789 B1	11/2001	Rakavy et al.	7,856,360 B2	12/2010	Kramer et al.
6,334,149 B1	12/2001	Davis, Jr. et al.	8,001,204 B2	8/2011	Burtner et al.
6,349,203 B1	2/2002	Asaoka et al.	8,032,586 B2	10/2011	Challenger et al.
6,353,170 B1	3/2002	Eyzaguirre et al.	8,082,255 B1	12/2011	Carlson, Jr. et al.
6,446,004 B1	9/2002	Cao et al.	8,090,351 B2	1/2012	Klein
6,449,657 B2	9/2002	Stanbach et al.	8,098,904 B2	1/2012	Ioffe et al.
6,456,852 B2	9/2002	Bar et al.	8,099,109 B2	1/2012	Altman et al.
6,484,196 B1	11/2002	Maurille	8,112,716 B2	2/2012	Kobayashi
6,487,601 B1	11/2002	Hubacher et al.	8,131,597 B2	3/2012	Hudetz
6,523,008 B1	2/2003	Avrunin	8,135,166 B2	3/2012	Rhoads
6,542,749 B2	4/2003	Tanaka et al.	8,136,028 B1	3/2012	Loeb et al.
6,549,768 B1	4/2003	Fraccaroli	8,146,001 B1	3/2012	Reese
6,618,593 B1	9/2003	Drutman et al.	8,161,115 B2	4/2012	Yamamoto
6,622,174 B1	9/2003	Ukita et al.	8,161,417 B1	4/2012	Lee
6,631,463 B1	10/2003	Floyd et al.	8,195,203 B1	6/2012	Tseng
6,636,247 B1	10/2003	Hamzy et al.	8,199,747 B2	6/2012	Rojas et al.
6,636,855 B2	10/2003	Holloway et al.	8,208,943 B2	6/2012	Petersen
6,643,684 B1	11/2003	Malkin et al.	8,214,443 B2	7/2012	Hamburg
6,658,095 B1	12/2003	Yoakum et al.	8,234,350 B1	7/2012	Gu et al.
6,665,531 B1	12/2003	Soderbacka et al.	8,276,092 B1	9/2012	Narayanan et al.
6,668,173 B2	12/2003	Greene	8,279,319 B2	10/2012	Date
6,684,238 B1	1/2004	Dutta	8,280,406 B2	10/2012	Ziskind et al.
6,684,257 B1	1/2004	Camut et al.	8,285,199 B2	10/2012	Hsu et al.
6,698,020 B1	2/2004	Zigmond et al.	8,287,380 B2	10/2012	Nguyen et al.
6,700,506 B1	3/2004	Winkler	8,301,159 B2	10/2012	Hamynen et al.
6,720,860 B1	4/2004	Narayanaswami	8,306,922 B1	11/2012	Kunal et al.
6,724,403 B1	4/2004	Santoro et al.	8,312,086 B2	11/2012	Velusamy et al.
6,757,713 B1	6/2004	Ogilvie et al.	8,312,097 B1	11/2012	Siegel et al.
6,832,222 B1	12/2004	Zimowski	8,326,315 B2	12/2012	Phillips et al.
6,834,195 B2	12/2004	Brandenberg et al.	8,326,327 B2	12/2012	Hymel et al.
6,836,792 B1	12/2004	Chen	8,332,475 B2	12/2012	Rosen et al.
6,898,626 B2	5/2005	Ohashi	8,352,546 B1	1/2013	Dollard
6,959,324 B1	10/2005	Kubik et al.	8,379,130 B2	2/2013	Forutanpour et al.
6,970,088 B2	11/2005	Kovach	8,385,950 B1	2/2013	Wagner et al.
6,970,907 B1	11/2005	Ullmann et al.	8,402,097 B2	3/2013	Szeto
6,980,909 B2	12/2005	Root et al.	8,405,773 B2	3/2013	Hayashi et al.
6,981,040 B1	12/2005	Konig et al.	8,418,067 B2	4/2013	Cheng et al.
7,020,494 B2	3/2006	Spiestersbach et al.	8,423,409 B2	4/2013	Rao
7,027,124 B2	4/2006	Foote et al.	8,471,914 B2	6/2013	Sakiyama et al.
7,072,963 B2	7/2006	Anderson et al.	8,472,935 B1	6/2013	Fujisaki
7,085,571 B2	8/2006	Kalhan et al.	8,510,383 B2	8/2013	Hurley et al.
7,110,744 B2	9/2006	Freeny, Jr.	8,527,345 B2	9/2013	Rothschild et al.
7,124,164 B1	10/2006	Chemtob	8,554,627 B2	10/2013	Svendsen et al.
7,149,893 B1	12/2006	Leonard et al.	8,559,980 B2	10/2013	Pujol
7,173,651 B1	2/2007	Knowles	8,560,612 B2	10/2013	Kilmer et al.
7,188,143 B2	3/2007	Szeto	8,594,680 B2	11/2013	Ledlie et al.
7,203,380 B2	4/2007	Chiu et al.	8,613,089 B1	12/2013	Holloway et al.
7,206,568 B2	4/2007	Sudit	8,660,358 B1	2/2014	Bergboer et al.
7,227,937 B1	6/2007	Yoakum et al.	8,660,369 B2	2/2014	Llano et al.
7,237,002 B1	6/2007	Estrada et al.	8,660,793 B2	2/2014	Ngo et al.
7,240,089 B2	7/2007	Boudreau	8,682,350 B2	3/2014	Altman et al.
7,269,426 B2	9/2007	Kokkonen et al.	8,718,333 B2	5/2014	Wolf et al.
7,280,658 B2	10/2007	Amini et al.	8,724,622 B2	5/2014	Rojas
7,315,823 B2	1/2008	Brondrup	8,732,168 B2	5/2014	Johnson
7,349,768 B2	3/2008	Bruce et al.	8,744,523 B2	6/2014	Fan et al.
			8,745,132 B2	6/2014	Obradovich
			8,761,800 B2	6/2014	Kuwahara
			8,768,876 B2	7/2014	Shim et al.
			8,775,972 B2	7/2014	Spiegel

(56)

References Cited

U.S. PATENT DOCUMENTS

8,788,680 B1	7/2014	Naik	2004/0203959 A1	10/2004	Coombes
8,790,187 B2	7/2014	Walker et al.	2004/0215625 A1	10/2004	Svendsen et al.
8,797,415 B2	8/2014	Arnold	2004/0243531 A1	12/2004	Dean
8,798,646 B1	8/2014	Wang et al.	2004/0243688 A1	12/2004	Wugofski
8,856,349 B2	10/2014	Jain et al.	2005/0021444 A1	1/2005	Bauer et al.
8,874,677 B2	10/2014	Rosen et al.	2005/0022211 A1	1/2005	Veselov et al.
8,886,227 B2	11/2014	Schmidt et al.	2005/0048989 A1	3/2005	Jung
8,909,679 B2	12/2014	Roote et al.	2005/0078804 A1	4/2005	Yomoda
8,909,725 B1	12/2014	Sehn	2005/0097176 A1	5/2005	Schatz et al.
8,972,357 B2	3/2015	Shim et al.	2005/0102381 A1	5/2005	Jiang et al.
8,995,433 B2	3/2015	Rojas	2005/0104976 A1	5/2005	Currans
9,015,285 B1	4/2015	Ebsen et al.	2005/0114783 A1	5/2005	Szeto
9,020,745 B2	4/2015	Johnston et al.	2005/0119936 A1	6/2005	Buchanan et al.
9,040,574 B2	5/2015	Wang et al.	2005/0122405 A1	6/2005	Voss et al.
9,055,416 B2	6/2015	Rosen et al.	2005/0193340 A1	9/2005	Amburgey et al.
9,094,137 B1	7/2015	Sehn et al.	2005/0193345 A1	9/2005	Klassen et al.
9,100,806 B2	8/2015	Rosen et al.	2005/0198128 A1	9/2005	Anderson
9,100,807 B2	8/2015	Rosen et al.	2005/0223066 A1	10/2005	Buchheit et al.
9,113,301 B1	8/2015	Spiegel et al.	2005/0288954 A1	12/2005	McCarthy et al.
9,119,027 B2	8/2015	Sharon et al.	2006/0026067 A1	2/2006	Nicholas et al.
9,123,074 B2	9/2015	Jacobs et al.	2006/0107297 A1	5/2006	Toyama et al.
9,143,382 B2	9/2015	Bhogal et al.	2006/0114338 A1	6/2006	Rothschild
9,143,681 B1	9/2015	Ebsen et al.	2006/0119882 A1	6/2006	Harris et al.
9,152,477 B1	10/2015	Campbell et al.	2006/0242239 A1	10/2006	Morishima et al.
9,191,776 B2	11/2015	Root et al.	2006/0252438 A1	11/2006	Ansamaa et al.
9,204,252 B2	12/2015	Root	2006/0265417 A1	11/2006	Amato et al.
9,225,897 B1	12/2015	Sehn et al.	2006/0270419 A1	11/2006	Crowley et al.
9,258,459 B2	2/2016	Hartley	2006/0287878 A1	12/2006	Wadhwa et al.
9,344,606 B2	5/2016	Hartley et al.	2007/0004426 A1	1/2007	Pfleging et al.
9,385,983 B1	7/2016	Sehn	2007/0038474 A1 *	2/2007	Halsted G06Q 10/06 705/2
9,396,354 B1	7/2016	Murphy et al.	2007/0038715 A1	2/2007	Collins et al.
9,407,712 B1	8/2016	Sehn	2007/0040931 A1	2/2007	Nishizawa
9,407,816 B1	8/2016	Sehn	2007/0073517 A1	3/2007	Panje
9,430,783 B1	8/2016	Sehn	2007/0073823 A1	3/2007	Cohen et al.
9,439,041 B2	9/2016	Parvizi et al.	2007/0075898 A1	4/2007	Markhovsky et al.
9,443,227 B2	9/2016	Evans et al.	2007/0082707 A1	4/2007	Flynt et al.
9,450,907 B2	9/2016	Pridmore et al.	2007/0136228 A1	6/2007	Petersen
9,459,778 B2	10/2016	Hogeg et al.	2007/0192128 A1	8/2007	Celestini
9,489,661 B2	11/2016	Evans et al.	2007/0198340 A1	8/2007	Lucovsky et al.
9,491,134 B2	11/2016	Rosen et al.	2007/0198495 A1	8/2007	Buron et al.
9,521,515 B2	12/2016	Zimmerman et al.	2007/0208751 A1	9/2007	Cowan et al.
9,532,171 B2	12/2016	Allen et al.	2007/0210936 A1	9/2007	Nicholson
9,537,811 B2	1/2017	Allen et al.	2007/0214180 A1	9/2007	Crawford
9,628,950 B1	4/2017	Noeth et al.	2007/0214216 A1	9/2007	Carrer et al.
9,710,821 B2	7/2017	Heath	2007/0233556 A1	10/2007	Koningstein
9,801,018 B2	10/2017	Zimmerman et al.	2007/0233801 A1	10/2007	Eren et al.
9,854,219 B2	12/2017	Sehn	2007/0233859 A1	10/2007	Zhao et al.
10,123,166 B2	11/2018	Zimmerman et al.	2007/0243887 A1	10/2007	Bandhole et al.
10,123,167 B2	11/2018	Zimmerman et al.	2007/0244750 A1	10/2007	Grannan et al.
2002/0047868 A1	4/2002	Miyazawa	2007/0255456 A1	11/2007	Funayama
2002/0078456 A1	6/2002	Hudson et al.	2007/0281690 A1	12/2007	Altman et al.
2002/0087631 A1	7/2002	Sharma	2008/0022329 A1	1/2008	Glad
2002/0097257 A1	7/2002	Miller et al.	2008/0025701 A1	1/2008	Ikeda
2002/0122659 A1	9/2002	Mcgrath et al.	2008/0032703 A1	2/2008	Krumm et al.
2002/0128047 A1	9/2002	Gates	2008/0033930 A1	2/2008	Warren
2002/0144154 A1	10/2002	Tomkow	2008/0043041 A2	2/2008	Hedenstroem et al.
2003/0001846 A1	1/2003	Davis et al.	2008/0049704 A1	2/2008	Wittelman et al.
2003/0016247 A1	1/2003	Lai et al.	2008/0055269 A1	3/2008	Lemay et al.
2003/0017823 A1	1/2003	Mager et al.	2008/0062141 A1	3/2008	Chandhri
2003/0020623 A1	1/2003	Cao et al.	2008/0076505 A1	3/2008	Nguyen et al.
2003/0023874 A1	1/2003	Prokupets et al.	2008/0092233 A1	4/2008	Tian et al.
2003/0037124 A1	2/2003	Yamaura et al.	2008/0094387 A1	4/2008	Chen
2003/0052925 A1	3/2003	Daimon et al.	2008/0104503 A1	5/2008	Beall et al.
2003/0101230 A1	5/2003	Benschoter et al.	2008/0109844 A1	5/2008	Baldeschieler et al.
2003/0110503 A1	6/2003	Perkes	2008/0120409 A1	5/2008	Sun et al.
2003/0126215 A1	7/2003	Udell	2008/0147730 A1	6/2008	Lee et al.
2003/0148773 A1	8/2003	Spiestersbach et al.	2008/0148150 A1	6/2008	Mall
2003/0164856 A1	9/2003	Prager et al.	2008/0158230 A1	7/2008	Sharma et al.
2003/0229607 A1	12/2003	Zellweger et al.	2008/0168033 A1	7/2008	Ott et al.
2004/0027371 A1	2/2004	Jaeger	2008/0168489 A1	7/2008	Schraga
2004/0064429 A1	4/2004	Hirstius et al.	2008/0189177 A1	8/2008	Anderton et al.
2004/0078367 A1	4/2004	Anderson et al.	2008/0207176 A1	8/2008	Brackbill et al.
2004/0111467 A1	6/2004	Willis	2008/0208692 A1	8/2008	Garaventi et al.
2004/0158739 A1	8/2004	Wakai et al.	2008/0214210 A1	9/2008	Rasanen et al.
2004/0189465 A1	9/2004	Capobianco et al.	2008/0222545 A1	9/2008	Lemay
			2008/0255976 A1	10/2008	Altberg et al.
			2008/0256446 A1	10/2008	Yamamoto
			2008/0256577 A1	10/2008	Funaki et al.

(56)

References Cited

U.S. PATENT DOCUMENTS

2008/0266421 A1	10/2008	Takahata et al.	2010/0250109 A1	9/2010	Johnston et al.
2008/0270938 A1	10/2008	Carlson	2010/0257196 A1	10/2010	Waters et al.
2008/0288338 A1	11/2008	Wiseman et al.	2010/0259386 A1	10/2010	Holley et al.
2008/0306826 A1	12/2008	Kramer et al.	2010/0273509 A1	10/2010	Sweeney et al.
2008/0313329 A1	12/2008	Wang et al.	2010/0281045 A1	11/2010	Dean
2008/0313346 A1	12/2008	Kujawa et al.	2010/0306669 A1	12/2010	Della Pasqua
2008/0318616 A1	12/2008	Chipalkatti et al.	2011/0004071 A1	1/2011	Faiola et al.
2009/0006191 A1	1/2009	Arankalle et al.	2011/0010205 A1	1/2011	Richards
2009/0006565 A1	1/2009	Velusamy et al.	2011/0029512 A1	2/2011	Folgnier et al.
2009/0015703 A1	1/2009	Kim et al.	2011/0040783 A1	2/2011	Uemichi et al.
2009/0024956 A1	1/2009	Kobayashi	2011/0040804 A1	2/2011	Peirce et al.
2009/0030774 A1	1/2009	Rothschild et al.	2011/0050909 A1	3/2011	Ellenby et al.
2009/0030999 A1	1/2009	Gatzke et al.	2011/0050915 A1	3/2011	Wang et al.
2009/0040324 A1	2/2009	Nonaka	2011/0064388 A1	3/2011	Brown et al.
2009/0042588 A1	2/2009	Lottin et al.	2011/0066743 A1*	3/2011	Hurley H04W 4/021 709/231
2009/0058822 A1	3/2009	Chaudhri	2011/0083101 A1	4/2011	Sharon et al.
2009/0079846 A1	3/2009	Chou	2011/0102630 A1	5/2011	Rukes
2009/0089678 A1	4/2009	Sacco et al.	2011/0119133 A1	5/2011	Igelman et al.
2009/0089710 A1	4/2009	Wood et al.	2011/0137881 A1	6/2011	Cheng et al.
2009/0093261 A1	4/2009	Ziskind et al.	2011/0145564 A1	6/2011	Moshir et al.
2009/0132341 A1	5/2009	Klinger et al.	2011/0159890 A1	6/2011	Fortescue et al.
2009/0132453 A1	5/2009	Hangartner et al.	2011/0164163 A1	7/2011	Bilbrey et al.
2009/0132665 A1	5/2009	Thomsen et al.	2011/0197194 A1	8/2011	D'Angelo et al.
2009/0148045 A1	6/2009	Lee et al.	2011/0202598 A1	8/2011	Evans et al.
2009/0153492 A1	6/2009	Popp	2011/0202968 A1	8/2011	Nurmi
2009/0157450 A1	6/2009	Athsani et al.	2011/0211534 A1	9/2011	Schmidt et al.
2009/0157752 A1	6/2009	Gonzalez	2011/0213845 A1	9/2011	Logan et al.
2009/0160970 A1	6/2009	Fredlund et al.	2011/0215966 A1	9/2011	Kim et al.
2009/0163182 A1	6/2009	Gatti et al.	2011/0225048 A1	9/2011	Nair
2009/0177299 A1	7/2009	Van De Sluis	2011/0238763 A1	9/2011	Shin et al.
2009/0192900 A1	7/2009	Collison	2011/0255736 A1	10/2011	Thompson et al.
2009/0199242 A1	8/2009	Johnson et al.	2011/0273575 A1	11/2011	Lee
2009/0215469 A1	8/2009	Fisher et al.	2011/0282799 A1	11/2011	Huston
2009/0232354 A1	9/2009	Camp, Jr. et al.	2011/0283188 A1	11/2011	Farrenkopf
2009/0234815 A1	9/2009	Boerries et al.	2011/0314419 A1	12/2011	Dunn et al.
2009/0239552 A1	9/2009	Churchill et al.	2011/0320373 A1	12/2011	Lee et al.
2009/0249222 A1	10/2009	Schmidt et al.	2012/0028659 A1	2/2012	Whitney et al.
2009/0249244 A1	10/2009	Robinson et al.	2012/0033718 A1	2/2012	Kauffman et al.
2009/0265647 A1	10/2009	Martin et al.	2012/0036015 A1	2/2012	Sheikh
2009/0288022 A1	11/2009	Almstrand et al.	2012/0036443 A1	2/2012	Ohmori et al.
2009/0291672 A1	11/2009	Treves et al.	2012/0054797 A1	3/2012	Skog et al.
2009/0292608 A1	11/2009	Polachek	2012/0059722 A1	3/2012	Rao
2009/0319607 A1	12/2009	Belz et al.	2012/0062805 A1	3/2012	Candelore
2009/0327073 A1	12/2009	Li	2012/0084731 A1	4/2012	Filman et al.
2010/0062794 A1	3/2010	Han	2012/0084835 A1	4/2012	Thomas et al.
2010/0082427 A1	4/2010	Burgener et al.	2012/0099800 A1	4/2012	Llano et al.
2010/0082693 A1	4/2010	Hugg et al.	2012/0108293 A1	5/2012	Law et al.
2010/0100568 A1	4/2010	Papin et al.	2012/0110096 A1	5/2012	Smarr et al.
2010/0113065 A1	5/2010	Narayan et al.	2012/0113143 A1	5/2012	Adhikari et al.
2010/0130233 A1	5/2010	Lansing	2012/0113272 A1	5/2012	Hata
2010/0131880 A1	5/2010	Lee et al.	2012/0123830 A1	5/2012	Svendsen et al.
2010/0131895 A1	5/2010	Wohlert	2012/0123871 A1	5/2012	Svendsen et al.
2010/0153144 A1	6/2010	Miller et al.	2012/0123875 A1	5/2012	Svendsen et al.
2010/0159944 A1	6/2010	Pascal et al.	2012/0124126 A1	5/2012	Alcazar et al.
2010/0161658 A1	6/2010	Hamynen et al.	2012/0124176 A1	5/2012	Curtis et al.
2010/0161831 A1	6/2010	Haas et al.	2012/0124458 A1	5/2012	Cruzada
2010/0162149 A1	6/2010	Sheleheda et al.	2012/0131507 A1	5/2012	Sparandara et al.
2010/0183280 A1	7/2010	Beauregard et al.	2012/0131512 A1	5/2012	Takeuchi et al.
2010/0185552 A1	7/2010	Deluca et al.	2012/0143760 A1	6/2012	Abulafia et al.
2010/0185665 A1	7/2010	Horn et al.	2012/0150978 A1	6/2012	Monaco
2010/0191631 A1	7/2010	Weidmann	2012/0165100 A1	6/2012	Lalancette et al.
2010/0197318 A1	8/2010	Petersen et al.	2012/0166971 A1	6/2012	Sachson et al.
2010/0197319 A1	8/2010	Petersen et al.	2012/0169855 A1	7/2012	Oh
2010/0198683 A1	8/2010	Aarabi	2012/0172062 A1	7/2012	Altman et al.
2010/0198694 A1	8/2010	Muthukrishnan	2012/0173991 A1	7/2012	Roberts et al.
2010/0198826 A1	8/2010	Petersen et al.	2012/0176401 A1	7/2012	Hayward et al.
2010/0198828 A1	8/2010	Petersen et al.	2012/0184248 A1	7/2012	Speede
2010/0198862 A1	8/2010	Jennings et al.	2012/0197724 A1	8/2012	Kendall
2010/0198870 A1	8/2010	Petersen et al.	2012/0200743 A1	8/2012	Blanchflower et al.
2010/0198917 A1	8/2010	Petersen et al.	2012/0209924 A1	8/2012	Evans et al.
2010/0201482 A1	8/2010	Robertson et al.	2012/0210244 A1	8/2012	de Francisco Lopez et al.
2010/0201536 A1	8/2010	Robertson et al.	2012/0212632 A1	8/2012	Mate et al.
2010/0214436 A1	8/2010	Kim et al.	2012/0220264 A1	8/2012	Kawabata
2010/0223128 A1	9/2010	Dukellis et al.	2012/0226748 A1	9/2012	Bosworth et al.
2010/0223343 A1	9/2010	Bosan et al.	2012/0233000 A1	9/2012	Fisher et al.
			2012/0236162 A1	9/2012	Imamura
			2012/0239761 A1	9/2012	Linner et al.
			2012/0250951 A1	10/2012	Chen

(56)

References Cited

U.S. PATENT DOCUMENTS

2012/0252418 A1 10/2012 Kandekar et al.
 2012/0254325 A1 10/2012 Majeti et al.
 2012/0278387 A1 11/2012 Garcia et al.
 2012/0278692 A1 11/2012 Shi
 2012/0290637 A1 11/2012 Perantatos et al.
 2012/0299954 A1 11/2012 Wada et al.
 2012/0304052 A1 11/2012 Tanaka et al.
 2012/0304080 A1 11/2012 Wormald et al.
 2012/0307096 A1 12/2012 Bray et al.
 2012/0307112 A1 12/2012 Kunishige et al.
 2012/0319904 A1 12/2012 Lee et al.
 2012/0323933 A1 12/2012 He et al.
 2012/0324018 A1 12/2012 Metcalf et al.
 2013/0006759 A1 1/2013 Srivastava et al.
 2013/0024757 A1 1/2013 Doll et al.
 2013/0036364 A1 2/2013 Johnson
 2013/0045753 A1 2/2013 Obermeyer et al.
 2013/0050260 A1 2/2013 Reitan
 2013/0055083 A1 2/2013 Fino
 2013/0057587 A1 3/2013 Leonard et al.
 2013/0059607 A1 3/2013 Herz et al.
 2013/0060690 A1 3/2013 Oskolkov et al.
 2013/0063369 A1 3/2013 Malhotra et al.
 2013/0067027 A1 3/2013 Song et al.
 2013/0071093 A1 3/2013 Hanks et al.
 2013/0080254 A1 3/2013 Thramann
 2013/0085790 A1 4/2013 Palmer et al.
 2013/0086072 A1 4/2013 Peng et al.
 2013/0090171 A1 4/2013 Holton et al.
 2013/0095857 A1 4/2013 Garcia et al.
 2013/0104053 A1 4/2013 Thornton et al.
 2013/0110885 A1 5/2013 Brundrett, III
 2013/0111514 A1 5/2013 Slavin et al.
 2013/0128059 A1 5/2013 Kristensson
 2013/0129252 A1 5/2013 Lauper
 2013/0132477 A1 5/2013 Bosworth et al.
 2013/0145286 A1 6/2013 Feng et al.
 2013/0159110 A1 6/2013 Rajaram et al.
 2013/0159919 A1 6/2013 Leydon
 2013/0169822 A1 7/2013 Zhu et al.
 2013/0173729 A1 7/2013 Starenky et al.
 2013/0182133 A1 7/2013 Tanabe
 2013/0185131 A1 7/2013 Sinha et al.
 2013/0191198 A1 7/2013 Carlson et al.
 2013/0194301 A1 8/2013 Robbins et al.
 2013/0198176 A1 8/2013 Kim
 2013/0218965 A1 8/2013 Abrol et al.
 2013/0218968 A1 8/2013 Mcevilley et al.
 2013/0222323 A1 8/2013 McKenzie
 2013/0227476 A1 8/2013 Frey
 2013/0232194 A1 9/2013 Knapp et al.
 2013/0263031 A1 10/2013 Oshiro et al.
 2013/0265450 A1 10/2013 Barnes, Jr.
 2013/0267253 A1 10/2013 Case et al.
 2013/0275505 A1 10/2013 Gauglitz et al.
 2013/0290443 A1 10/2013 Collins et al.
 2013/0304646 A1 11/2013 De Geer
 2013/0311255 A1 11/2013 Cummins et al.
 2013/0325964 A1 12/2013 Berberat
 2013/0344896 A1 12/2013 Kirmse et al.
 2013/0346869 A1 12/2013 Asver et al.
 2013/0346877 A1 12/2013 Borovoy et al.
 2014/0006129 A1 1/2014 Heath
 2014/0011538 A1 1/2014 Mulcahy et al.
 2014/0019264 A1 1/2014 Wachman et al.
 2014/0032682 A1 1/2014 Prado et al.
 2014/0043204 A1 2/2014 Basnayake et al.
 2014/0045530 A1 2/2014 Gordon et al.
 2014/0047016 A1 2/2014 Rao
 2014/0047045 A1 2/2014 Baldwin et al.
 2014/0047335 A1 2/2014 Lewis et al.
 2014/0049652 A1 2/2014 Moon et al.
 2014/0052485 A1 2/2014 Shidfar
 2014/0052633 A1 2/2014 Gandhi
 2014/0057660 A1 2/2014 Wager

2014/0082651 A1 3/2014 Sharifi
 2014/0092130 A1 4/2014 Anderson et al.
 2014/0096029 A1 4/2014 Schultz
 2014/0114565 A1 4/2014 Aziz et al.
 2014/0122658 A1 5/2014 Haeger et al.
 2014/0122787 A1 5/2014 Shalvi et al.
 2014/0129953 A1 5/2014 Spiegel
 2014/0143143 A1 5/2014 Fasoli et al.
 2014/0149519 A1 5/2014 Redfern et al.
 2014/0155102 A1 6/2014 Cooper et al.
 2014/0161316 A1 6/2014 Golan et al.
 2014/0173424 A1 6/2014 Hogue et al.
 2014/0173457 A1 6/2014 Wang et al.
 2014/0189592 A1 7/2014 Benchenaa et al.
 2014/0207679 A1 7/2014 Cho
 2014/0214471 A1 7/2014 Schreiner, III
 2014/0222564 A1 8/2014 Kranendonk et al.
 2014/0258405 A1 9/2014 Perkin
 2014/0265359 A1 9/2014 Cheng et al.
 2014/0266703 A1* 9/2014 Dalley, Jr. G08B 19/00
 340/539.13
 2014/0279061 A1 9/2014 Elimeliah et al.
 2014/0279436 A1 9/2014 Dorsey et al.
 2014/0279540 A1 9/2014 Jackson
 2014/0280537 A1 9/2014 Pridmore et al.
 2014/0282096 A1 9/2014 Rubinstein et al.
 2014/0287779 A1 9/2014 O'keefe et al.
 2014/0289833 A1 9/2014 Briceno
 2014/0306986 A1 10/2014 Gottesman et al.
 2014/0317302 A1 10/2014 Naik
 2014/0324627 A1 10/2014 Haver et al.
 2014/0324629 A1 10/2014 Jacobs
 2014/0325383 A1 10/2014 Brown et al.
 2015/0020086 A1 1/2015 Chen et al.
 2015/0046278 A1 2/2015 Pei et al.
 2015/0071619 A1 3/2015 Brough
 2015/0081207 A1 3/2015 Briant
 2015/0087263 A1 3/2015 Branscomb et al.
 2015/0088622 A1 3/2015 Ganschow
 2015/0095020 A1 4/2015 Leydon
 2015/0096042 A1 4/2015 Mizrachi
 2015/0116529 A1 4/2015 Wu et al.
 2015/0169827 A1* 6/2015 LaBorde H04L 67/12
 705/51
 2015/0172534 A1 6/2015 Miyakawaa et al.
 2015/0178260 A1 6/2015 Brunson
 2015/0222814 A1 8/2015 Li et al.
 2015/0261917 A1 9/2015 Smith
 2015/0312184 A1 10/2015 Langholz et al.
 2015/0350136 A1 12/2015 Flynn, III et al.
 2015/0356101 A1 12/2015 Cohen et al.
 2015/0356102 A1 12/2015 Cohen et al.
 2015/0356190 A1 12/2015 Rotem et al.
 2015/0356191 A1 12/2015 Rotem et al.
 2015/0365795 A1 12/2015 Allen et al.
 2015/0378502 A1 12/2015 Hu et al.
 2016/0006927 A1 1/2016 Sehn
 2016/0014063 A1 1/2016 Hogue et al.
 2016/0085773 A1 3/2016 Chang et al.
 2016/0085863 A1 3/2016 Allen et al.
 2016/0099901 A1 4/2016 Allen et al.
 2016/0180887 A1 6/2016 Sehn
 2016/0182422 A1 6/2016 Sehn et al.
 2016/0182875 A1 6/2016 Sehn
 2016/0219402 A1 7/2016 Zimerman et al.
 2016/0239248 A1 8/2016 Sehn
 2016/0277419 A1 9/2016 Allen et al.
 2016/0321708 A1 11/2016 Sehn
 2017/0006094 A1 1/2017 Abou Mahmoud et al.
 2017/0061308 A1 3/2017 Chen et al.
 2017/0086021 A1 3/2017 Zimerman et al.
 2017/0287006 A1 10/2017 Azmoodeh et al.
 2018/0014156 A1 1/2018 Zimerman et al.
 2018/0014157 A1 1/2018 Zimerman et al.

FOREIGN PATENT DOCUMENTS

EP 2151797 A1 2/2010
 GB 2399928 A 9/2004

(56)

References Cited

FOREIGN PATENT DOCUMENTS

KR	19990073076	A	10/1999
KR	20010078417	A	8/2001
WO	WO-1996024213	A1	8/1996
WO	WO-1999063453	A1	12/1999
WO	WO-2000058882	A1	10/2000
WO	WO-2001029642	A1	4/2001
WO	WO-2001050703	A3	7/2001
WO	WO-2006118755	A2	11/2006
WO	WO-2007092668	A2	8/2007
WO	WO-2009043020	A2	4/2009
WO	WO-2011040821	A1	4/2011
WO	WO-2011119407	A1	9/2011
WO	WO-2013008238	A1	1/2013
WO	WO-2013045753	A1	4/2013
WO	WO-2014006129	A1	1/2014
WO	WO-2014068573	A1	5/2014
WO	WO-2014115136	A1	7/2014
WO	WO-2014194262	A2	12/2014
WO	WO-2015192026	A1	12/2015
WO	WO-2016044424	A1	3/2016
WO	WO-2016054562	A1	4/2016
WO	WO-2016065131	A1	4/2016
WO	WO-2016100318	A2	6/2016
WO	WO-2016100318	A3	6/2016
WO	WO-2016100342	A1	6/2016
WO	WO-2016149594	A1	9/2016
WO	WO-2016179166	A1	11/2016

OTHER PUBLICATIONS

“Adding photos to your listing”, eBay, URL: <http://pages.ebay.com/help/sell/pictures.html>, (accessed May 24, 2017), 4 pgs.

“U.S. Appl. No. 14/805,489, Final Office Action dated Jan. 21, 2016”, 12 pgs.

“U.S. Appl. No. 14/805,489, Final Office Action dated Feb. 17, 2016”, 12 pgs.

“U.S. Appl. No. 14/805,489, Non Final Office Action dated Sep. 25, 2015”, 12 pgs.

“U.S. Appl. No. 14/805,489, Notice of Allowance dated Aug. 10, 2016”, 9 pgs.

“U.S. Appl. No. 14/805,489, Response filed Jul. 20, 2016 to Final Office Action dated Jan. 21, 2016”, 11 pgs.

“U.S. Appl. No. 14/805,489, Response filed Dec. 28, 2015 to Non Final Office Action dated Sep. 25, 2015”, 10 pgs.

“U.S. Appl. No. 15/371,379, Notice of Allowance dated Feb. 24, 2017”, 12 pgs.

“U.S. Appl. No. 15/371,379, Notice of Allowance dated Jun. 13, 2017”, 11 pgs.

“U.S. Appl. No. 15/712,926, Corrected Notice of Allowability dated Jun. 28, 2018”, 14 pgs.

“U.S. Appl. No. 15/712,926, Corrected Notice of Allowability dated Jul. 9, 2018”, 14 pgs.

“U.S. Appl. No. 15/712,926, Notice of Allowance dated Jun. 8, 2018”, 19 pgs.

“U.S. Appl. No. 15/712,926, Notice of Allowance dated Oct. 1, 2018”, 17 pgs.

“U.S. Appl. No. 15/712,937, Notice of Allowance dated Jun. 8, 2018”, 20 pgs.

“U.S. Appl. No. 15/712,937, Notice of Allowance dated Oct. 1, 2018”, 17 pgs.

“BlogStomp”, StompSoftware, URL: <http://stompsoftware.com/blogstomp>, (accessed May 24, 2017), 12 pgs.

“Cup Magic Starbucks Holiday Red Cups come to life with AR app”, Blast Radius, URL: <http://www.blastradius.com/work/cup-magic>, (2016), 7 pgs.

“Daily App: InstaPlace (iOS/Android): Give Pictures a Sense of Place”, TechPP, URL: <http://techpp.com/2013/02/15/instaplace-app-review>, (2013), 13 pgs.

“InstaPlace Photo App Tell The Whole Story”, URL: https://youtu.be/uF_gFkg1hBM, (Nov. 8, 2013), 113 pgs.

“International Application Serial No. PCT/US2015/037251, International Search Report dated Sep. 29, 2015”, 2 pgs.

“Introducing Snapchat Stories”, URL: <https://www.youtube.com/watch?v=88Cu3yN-LIM>, (Oct. 3, 2013), 92 pgs.

“Macy’s Believe-o-Magic”, URL: <https://www.youtube.com/watch?v=xvzRXy3J0Z0>, (Nov. 7, 2011), 102 pgs.

“Macys Introduces Augmented Reality Experience in Stores across Country as Part of Its 2011 Believe Campaign”, Business Wire, URL: <https://www.businesswire.com/news/home/20111102006759/en/Macys-Introduces-Augmented-Reality-Experience-Stores-Country>, (Nov. 2, 2011), 6 pgs.

“Starbucks Cup Magic”, URL: <https://www.youtube.com/watch?v=RWwQXi9RG0w>, (Nov. 8, 2011), 87 pgs.

“Starbucks Cup Magic for Valentine’s Day”, URL: <https://www.youtube.com/watch?v=8nvqOzjq10w>, (Feb. 6, 2012), 88 pgs.

“Starbucks Holiday Red Cups Come to Life, Signaling the Return of the Merriest Season”, Business Wire, URL: <http://www.businesswire.com/news/home/20111115005744/en/2479513/Starbucks-Holiday-Red-Cups-Life-Signaling-Return>, (Nov. 15, 2011), 5 pgs.

Carthy, Roi, “Dear All Photo Apps: Mobli Just Won Filters”, URL: <https://techcrunch.com/2011/09/08/mobli-filters>, (Sep. 8, 2011), 10 pgs.

Janthong, Isaranu, “Instaplace ready on Android Google Play store”, Android App Review Thailand, URL: <http://www.android-free-app-review.com/2013/01/instaplace-android-google-play-store.html>, (Jan. 23, 2013), 9 pgs.

MacLeod, Duncan, “Macys Believe-o-Magic App”, URL: <http://theinspirationroom.com/daily/2011/macys-believe-o-magic-app>, (Nov. 14, 2011), 10 pgs.

MacLeod, Duncan, “Starbucks Cup Magic Lets Merry”, URL: <http://theinspirationroom.com/daily/2011/starbucks-cup-magic>, (Nov. 12, 2011), 8 pgs.

Notopoulos, Katie, “A Guide to The New Snapchat Filters and Big Fonts”, URL: https://www.buzzfeed.com/katienotopoulos/a-guide-to-the-new-snapchat-filters-and-big-fonts?utm_term=.bkQ9qVZWe#nv58YXpkV, (Dec. 22, 2013), 13 pgs.

Panzarino, Matthew, “Snapchat Adds Filters, A Replay Function and for Whatever Reason, Time, Temperature and Speed Overlays”, TechCrunch, URL: <https://techcrunch.com/2013/12/20/snapchat-adds-filters-new-font-and-for-some-reason-time-temperature-and-speed-overlays/>, (Dec. 20, 2013), 12 pgs.

Tripathi, Rohit, “Watermark Images in PHP and Save File on Server”, URL: <http://code.rohitink.com/2012/12/28/watermark-images-in-php-and-save-file-on-server>, (Dec. 28, 2012), 4 pgs.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4

CONTENT REQUEST BY LOCATION**RELATED APPLICATIONS**

This application is a continuation of U.S. patent application Ser. No. 15/712,937, filed on Sep. 22, 2017, which is a continuation of U.S. patent application Ser. No. 15/371,379 filed on Dec. 7, 2016, which is a continuation of U.S. patent application Ser. No. 14/805,489 filed on Jul. 22, 2015, now issued as U.S. Pat. No. 9,521,515, which claims the benefit of priority under 35 USC 119(e) of U.S. Provisional Patent Application No. 62/107,588 filed on Jan. 26, 2015, the contents of each being incorporated herein by reference in their entirety.

FIELD AND BACKGROUND OF THE INVENTION

The present invention, in some embodiments thereof, relates to acquiring media content and, more particularly, but not exclusively, to acquiring media content by matching geographic locations of events and users.

People who are interested in media from a real-life event may search this media over the internet, for example in news websites, blogs etc. People may also view media content from an event when such media is posted by others who attended the event, for example in social network platforms. Many of these media content items are created and uploaded by users using mobile devices such as smartphones and/or tablet computers.

SUMMARY OF THE INVENTION

According to an aspect of some embodiments of the present invention, there is provided a method of obtaining media content of an event, comprising: identifying a real-life event, a time of the real-life event and a geographic location of the real-life event; identifying a subset of a plurality of client terminals of users located in proximity to the geographic location of the real-life event at the time of the real-life event; sending a message to the subset of client terminals containing a request to acquire media content documenting the real-life event; and receiving at least one media content item documenting the real-life event from at least one client terminal of the subset of client terminals, the at least one media content item acquired by at least one user of the users using the at least one client terminal in response to the message.

Optionally, the method further comprises: identifying a second subset of the plurality of client terminals of users potentially interested in the real-life event; and automatically providing the at least one media content item to the second subset of client terminals.

More optionally, the providing includes sending a message with a reference to a web document containing the at least one media content item.

Optionally, the method further comprises: providing the at least one media content item to at least one client terminal of the subset of client terminals of users potentially interested in the real-life event.

More optionally, the providing includes sending a message with a reference to a web document containing the at least one media content item.

Optionally, the identifying of the real-life event comprises: receiving a message from a first client terminal of the plurality of client terminals, the message containing a

request from a user of the first client terminal to receive a media content documenting the real-life event.

More optionally, the method further comprises: providing the at least one media content item to the first client terminal.

Optionally, the identifying of the real-life event includes identifying a search action of the real-life event by a first client terminal of the plurality of client terminals.

More optionally, the method further comprises: providing the at least one media content item to the first client terminal.

Optionally, the identifying of the real-life event includes using an automatic algorithm connected to at least one events source.

Optionally, the identifying of the real-life event is done manually by entering event details into an event dataset.

Optionally, the method further comprises: sending a message with a reference to a web document containing the at least one media content item to at least one client terminal of the plurality of client terminals.

Optionally, the method further comprises: providing the at least one media content item to at least one third party to be presented by the third party in relation to the real-life event.

Optionally, the identifying of the subset of client terminals comprises: monitoring geographic locations of the plurality of client terminals; and automatically identifying when at least one of the plurality of client terminals is located in proximity to the geographic location of the real-life event.

Optionally, the identifying of the subset of client terminals includes accessing at least one calendar stored in a memory of at least one of the plurality of client terminals.

Optionally, the identifying includes ranking of the subset of client terminals according to past media content items received from each of the plurality of client terminals.

Optionally, the message includes instructions for acquiring the media content item.

Optionally, the message includes coordinates of the geographic location of the real-life event to be included in a map that indicates the geographic location and presented on a screen of each of the subset of client terminals.

Optionally, the message includes text instructions to arrive at a geographic location and/or coordinates of the geographic location of the real-life event to be included in a map that indicates the geographic location. The text instructions and the map are presented on a screen of each of the subset of client terminals.

More optionally, the map includes multiple identified geographic locations of real-life events.

Optionally, the message includes instructions for connecting the media content item to the real-life event.

Optionally, the at least one media content item is received by a message with a reference to a web document containing the at least one media content item.

Optionally, the at least one user is credited for acquiring the at least one media content item.

Optionally, the at least one media content item is aggregated with other media content items.

According to some embodiments of the invention, there is provided a computer readable medium comprising computer executable instructions adapted to perform the method.

According to an aspect of some embodiments of the present invention, there is provided a system for obtaining media content of an event, comprising: an event module that identifies a real-life event, a time of the real-life event and a geographic location of the real-life event; a tracking module that identifies a subset of a plurality of client terminals of users located in proximity to the geographic location of the real-life event at the time of the real-life event; and a communication module that: sends a message

to the subset of client terminals containing a request to acquire media content documenting the real-life event; and receives at least one media content item documenting the real-life event from at least one client terminal of the subset of client terminals, the at least one media content item acquired by at least one user of the users using the at least one client terminal in response to the message.

Optionally, the method further comprises: an event dataset for storing the real-life event, the time of the real-life event and the geographic location of the real-life event.

Optionally, the method further comprises: a media dataset for storing the at least one media content item.

Optionally, the method further comprises: an aggregation module that aggregates the media content item with other media content items.

Optionally, the event module receives event details from an event algorithm that analyzes information from at least one events source.

Unless otherwise defined, all technical and/or scientific terms used herein have the same meaning as commonly understood by one of ordinary skill in the art to which the invention pertains. Although methods and materials similar or equivalent to those described herein can be used in the practice or testing of embodiments of the invention, exemplary methods and/or materials are described below. In case of conflict, the patent specification, including definitions, will control. In addition, the materials, methods, and examples are illustrative only and are not intended to be necessarily limiting.

Implementation of the method and/or system of embodiments of the invention can involve performing or completing selected tasks manually, automatically, or a combination thereof. Moreover, according to actual instrumentation and equipment of embodiments of the method and/or system of the invention, several selected tasks could be implemented by hardware, by software or by firmware or by a combination thereof using an operating system.

For example, hardware for performing selected tasks according to embodiments of the invention could be implemented as a chip or a circuit. As software, selected tasks according to embodiments of the invention could be implemented as a plurality of software instructions being executed by a computer using any suitable operating system. In an exemplary embodiment of the invention, one or more tasks according to exemplary embodiments of method and/or system as described herein are performed by a data processor, such as a computing platform for executing a plurality of instructions. Optionally, the data processor includes a volatile memory for storing instructions and/or data and/or a non-volatile storage, for example, a magnetic hard-disk and/or removable media, for storing instructions and/or data. Optionally, a network connection is provided as well. A display and/or a user input device such as a keyboard or mouse are optionally provided as well.

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWINGS

Some embodiments of the invention are herein described, by way of example only, with reference to the accompanying drawings. With specific reference now to the drawings in detail, it is stressed that the particulars shown are by way of example and for purposes of illustrative discussion of embodiments of the invention. In this regard, the description taken with the drawings makes apparent to those skilled in the art how embodiments of the invention may be practiced.

In the drawings:

FIG. 1 is a flowchart schematically representing a method for obtaining media content documenting an event by requesting a user located in proximity to the event at the time of the event to acquire the media, according to some embodiments of the present invention;

FIG. 2 is a schematic illustration of a system for obtaining media content documenting an event by requesting a user located in proximity to the event at the time of the event to acquire the media, according to some embodiments of the present invention;

FIG. 3 is an exemplary application user interface (UI) of an application of obtaining media content documenting an event, according to some embodiments of the present invention; and

FIG. 4 is a sequence chart schematically representing an exemplary scenario of obtaining media content documenting an event, according to some embodiments of the present invention.

DESCRIPTION OF SPECIFIC EMBODIMENTS OF THE INVENTION

The present invention, in some embodiments thereof, relates to acquiring media content and, more particularly, but not exclusively, to acquiring media content by matching geographic locations of events and users.

According to some embodiments of the present invention, there are provided methods and systems for acquiring media content, such as images, videos, voice recordings and/or text, documenting a real-life event such as a concert, a sport game or a demonstration, by requesting users who are in proximity to the event at the time of the event, to acquire the media content.

When the method is applied, a real-life event and geographic location are identified. This is done either by receiving requests from users interested in the event, automatically by an algorithm that scans multiple sources and/or manually. Client terminals of users in proximity to the geographic location of the event at the time of the event are identified, for example by a global positioning system (GPS) device of the client terminals. A message is then sent to the client terminals, containing a request to acquire media content documenting the event. The user may then respond by acquiring a media content item, for example take a photo of the event using the camera of his mobile phone, and upload it to the system. The media content items acquired by the users of the client terminals are then received by the system.

Optionally, the media content is then distributed, for example sent to the users who requested for the media content, sent to other users potentially interested in the event, posted online as part of other content relating to the event and/or provided to third parties.

The method allows users to act as momentary reporters and provide media content from their position, for example current position, knowing that their media content is requested, and may be viewed by multiple people and not just their friends. The method has the advantage of receiving media content in real-time, from events that may be unpredictable, remote and/or too obscure to send a reporter. Also, the method allows users to request media from events they are interested in. The media content documenting an event may be received from multiple users, therefore having the advantages of multi-perspective coverage of the event.

Before explaining at least one embodiment of the invention in detail, it is to be understood that the invention is not necessarily limited in its application to the details of construction and the arrangement of the components and/or

5

methods set forth in the following description and/or illustrated in the drawings and/or the Examples. The invention is capable of other embodiments or of being practiced or carried out in various ways.

The present invention may be a system, a method, and/or a computer program product. The computer program product may include a computer readable storage medium (or media) having computer readable program instructions thereon for causing a processor to carry out aspects of the present invention.

The computer readable storage medium can be a tangible device that can retain and store instructions for use by an instruction execution device. The computer readable storage medium may be, for example, but is not limited to, an electronic storage device, a magnetic storage device, an optical storage device, an electromagnetic storage device, a semiconductor storage device, or any suitable combination of the foregoing. A non-exhaustive list of more specific examples of the computer readable storage medium includes the following: a portable computer diskette, a hard disk, a random access memory (RAM), a read-only memory (ROM), an erasable programmable read-only memory (EPROM or Flash memory), a static random access memory (SRAM), a portable compact disc read-only memory (CD-ROM), a digital versatile disk (DVD), a memory stick, a floppy disk, a mechanically encoded device such as punch-cards or raised structures in a groove having instructions recorded thereon, and any suitable combination of the foregoing. A computer readable storage medium, as used herein, is not to be construed as being transitory signals per se, such as radio waves or other freely propagating electromagnetic waves, electromagnetic waves propagating through a waveguide or other transmission media (e.g., light pulses passing through a fiber-optic cable), or electrical signals transmitted through a wire.

Computer readable program instructions described herein can be downloaded to respective computing/processing devices from a computer readable storage medium or to an external computer or external storage device via a network, for example, the Internet, a local area network, a wide area network and/or a wireless network. The network may comprise copper transmission cables, optical transmission fibers, wireless transmission, routers, firewalls, switches, gateway computers and/or edge servers. A network adapter card or network interface in each computing/processing device receives computer readable program instructions from the network and forwards the computer readable program instructions for storage in a computer readable storage medium within the respective computing/processing device.

Computer readable program instructions for carrying out operations of the present invention may be assembler instructions, instruction-set-architecture (ISA) instructions, machine instructions, machine dependent instructions, microcode, firmware instructions, state-setting data, or either source code or object code written in any combination of one or more programming languages, including an object oriented programming language such as Smalltalk, C++ or the like, and conventional procedural programming languages, such as the "C" programming language or similar programming languages. The computer readable program instructions may execute entirely on the user's computer, partly on the user's computer, as a standalone software package, partly on the user's computer and partly on a remote computer or entirely on the remote computer or server. In the latter scenario, the remote computer may be connected to the user's computer through any type of network, including a local area network (LAN) or a wide

6

area network (WAN) or the connection may be made to an external computer (for example, through the Internet using an Internet Service Provider). In some embodiments, electronic circuitry including, for example, programmable logic circuitry, field-programmable gate arrays (FPGA), or programmable logic arrays (PLA) may execute the computer readable program instructions by utilizing state information of the computer readable program instructions to personalize the electronic circuitry, in order to perform aspects of the present invention.

Aspects of the present invention are described herein with reference to flowchart illustrations and/or block diagrams of methods, apparatus (systems), and computer program products according to embodiments of the invention. It will be understood that each block of the flowchart illustrations and/or block diagrams, and combinations of blocks in the flowchart illustrations and/or block diagrams, can be implemented by computer readable program instructions.

These computer readable program instructions may be provided to a processor of a general purpose computer, special purpose computer, or other programmable data processing apparatus to produce a machine, such that the instructions, which execute via the processor of the computer or other programmable data processing apparatus, create means for implementing the functions/acts specified in the flowchart and/or block diagram block or blocks. These computer readable program instructions may also be stored in a computer readable storage medium that can direct a computer, a programmable data processing apparatus, and/or other devices to function in a particular manner, such that the computer readable storage medium having instructions stored therein comprises an article of manufacture including instructions which implement aspects of the function/act specified in the flowchart and/or block diagram block or blocks.

The computer readable program instructions may also be loaded onto a computer, other programmable data processing apparatus, or other device to cause a series of operational steps to be performed on the computer, other programmable apparatus or other device to produce a computer implemented process, such that the instructions which execute on the computer, other programmable apparatus, or other device implement the functions/acts specified in the flowchart and/or block diagram block or blocks.

The flowchart and block diagrams in the Figures illustrate the architecture, functionality, and operation of possible implementations of systems, methods and computer program products according to various embodiments of the present invention. In this regard, each block in the flowchart or block diagrams may represent a module, segment, or portion of instructions, which comprises one or more executable instructions for implementing the specified logical function(s). In some alternative implementations, the functions noted in the block may occur out of the order noted in the Figures. For example, two blocks shown in succession may, in fact, be executed substantially concurrently, or the blocks may sometimes be executed in the reverse order, depending upon the functionality involved. It will also be noted that each block of the block diagrams and/or flowchart illustration, and combinations of blocks in the block diagrams and/or flowchart illustration, can be implemented by special purpose hardware-based systems that perform the specified functions or acts or carry out combinations of special purpose hardware and computer instructions.

Referring now to the drawings, FIG. 1 is a flowchart schematically representing a method of obtaining media content documenting an event by requesting a user located

in proximity to the event at the time of the event to acquire the media, according to some embodiments of the present invention. Reference is also made to FIG. 2, which is a schematic illustration of a system of obtaining media content documenting an event by requesting a user located in proximity to the event at the time of the event to acquire the media, according to some embodiments of the present invention.

System **200** may include one or more computing devices, for example, a mainframe computer, an enterprise server, a workstation, multiple connected computers and/or a personal computer.

System **200** is connected via a network to multiple client terminals **210**, each used by a user. The network may include, for example, local area network (WLAN), a wireless network such as mobile network, wireless local area network (WLAN) such as Wireless Fidelity (WiFi™), a wireless personal area network (WPAN) such as Bluetooth™ protocol and/or any other network.

Client terminals **210** may include, for example, a mobile device such as a Smartphone, a tablet, a wearable device such as Google glass, a Smart watch, a laptop computer and/or the like, a personal computer and/or any device that has one or more network communication modules, such as a network card or chip and runs a web-browser.

Each client terminal may include a program such as an App Store application or a Google Play application installed in the client terminal, a native operating system application and/or a browser add-on.

First, as shown in **101**, a real-life event, the time of the event and the geographic location of the event are identified by an event module **201**. The time of the event may be the current time for currently occurring events or may be a future time, for future events.

The real-life event may be, for example, a multi participant event such as a concert, a demonstration, a conference, and/or a sport game, a natural event such as a weather phenomena and/or an eclipse, and/or any other occasion or incident. The real-life event may also be general, for example, a city during a time period of a few months. The real-life event may be scheduled in advance or occurring as an outcome of circumstances, for instance a terror attack and/or a gathering of people induced by a presence of a celebrity, an artist and/or the like. For brevity, a real-life event may be referred to herein as an event.

Optionally, the event identification is done by receiving requests from a subset of client terminals **211** of client terminals **210** of users interested in receiving media content from the event. A user of one of client terminals **211** may perform a search for the event and/or may actively request for media content to be acquired. For example, a user is interested in seeing photos of a concert currently taking place. The request may include specific instruction, locations and/or items in the event. For example: "Please show the crowd roar after a goal in the game in Old Trafford". The request may be for a current event or for a future event. Optionally, the request may be a search action of the event by a user of one of client terminals **210**. The search action may include, for example, the name of the event, the date or time of the event and/or any other detail related to the event.

Optionally, the request is indicative of specific information that should be included in the media content. Optionally, the specific information is of interest to a specific user of one of client terminals **211**, for example to provide an answer to a specific question. For example, a request for an image of a nightclub or a queue to the post office, to indicate whether the place is currently crowded.

Optionally, a user who accesses a web document, such as a webpage displaying an article, an image, or a video (e.g. file or stream) about a held or a currently held event, is presented with a graphical user interface (GUI) that allows him to request for media content relating to the event. Optionally, a request is received from an agent of a third party such as a news agency and/or a media company, for example via an application programming interface (API).

Optionally, the event identification is done by an automatic event algorithm **202**. Automatic event algorithm **202** may use any source of information available on the internet and/or specialized sources, for example, databases of events, rich site summary (RSS), news websites, user-generated content such as social networks, forums and/or blogs, search engines, official websites (such as of bands and/or sport leagues) and/or any other source. Optionally, the event identification is done as described in US Provisional Patent Application No. 62/007,974, filed on Jun. 5, 2014 which is incorporated here by reference.

Optionally, the event identification is done by manually providing events and their geographic location to event module **201**, for example via an operator user interface (UI) **208**. This may be performed, for example, by employees of a content team using operator UI **208**. Content team may use any source of information as described above.

Optionally, an event is identified when potential use of media content documenting the event is identified, for example when the event is mentioned in news articles, event feeds, social media posts, chats and/or any combination thereof.

Optionally, an event is identified only after indication of interest from several sources, for example, multiple requests from client terminals **211**, a request from one of client terminals **211** and also mentions in social networks and/or several mentions in news reports. For example, an event is not identified when media content documenting the event is requested by one user, however, when the event is also mentioned in a news website, the event is identified.

Events identified by event module **201** may be stored in an event dataset **203**.

Event dataset **203** may be any kind of structured data collection that allows access to stored data. Event dataset **203** may be stored, for example, in a digital data storage unit such as a magnetic drive and/or a solid state drive. Optionally, entries of events stored in event dataset **203** may be processed, for example by a merge algorithm that merges entries that were created as separate events but actually indicative of the same event.

Then, as shown in **102**, a subset **212** of client terminals **210**, which are used by users currently located in proximity to the geographic location of the event at the time of the event, is identified by a tracking module **204**.

Optionally, client terminals **212** are identified by monitoring the geographic location of client terminals **210**. The geographic location may be determined, for example, by a positioning system included in each of client terminals **210** such as global positioning system (GPS), triangulation of cellular network, Wireless Fidelity (WiFi™) network and/or any other locating method.

Optionally, users of client terminals **212** are ranked according to past uploads of media content. Optionally, users are identified as having better potential to respond to the request, for example, users who responded to requests in the past and/or uploaded media content to social networks are identified and ranked high. Optionally, users are identified as having better potential to produce quality uploads, for example according to quality of past uploads.

Optionally, users who are expected to be in proximity to the geographic location of the event at the time of the event are identified prior to the event, for example, by connecting to calendars stored on client terminals **210** and identifying future calendar events that are in geographic proximity and time proximity to the event.

Then, as shown in **103**, a message is sent by a communication module **205** to client terminals **212**. The message contains a request to acquire media content documenting the event. The message may be sent prior to the event and/or during the time of the event.

Communication module **205** may be, for example, a hardware element such as a network adapter card and/or a software module such as a computer program.

The media content may include, for example, images, videos, voice recordings, text and/or any other media. The message may be sent, for example, via a messaging service of an application installed on each of client terminals **212**, mobile notification of the application, via short message service (SMS), an instant messaging (IM), an email and/or by any other communication method. The message may include specific instructions for acquiring the media content, for example, as indicated in the requests sent from client terminals **211** and/or according to other existing media content. For example, when most existing videos are taken from one angle, users are asked to take videos from a different angle.

Optionally, a map or textual instructions segment is presented in client terminals **212** to indicate the geographic location of the event. The textual instructions may be calculated automatically from map data, navigation application or API and/or taken from a database. The coordinates of said geographic location may be included in the message. Optionally, the message contains a request that includes instructions for locating the event, for example: "There is a demonstration **400m** north of your location. Please show us what's going on". Optionally, the map includes multiple geographic locations of events for which media content is required.

Optionally, a chat is automatically established between the requestors and the user(s) who accept the request. For example, the chat is established as a group chat of an instant messaging platform and/or as an in application chat that is managed using a chat GUI as known in the art. This allows requestor to personally react to the uploaded content, optionally in real time, for example during a live feed of the content and/or immediately after the content is uploaded.

Then, as shown in **104**, at least one media content item is received from at least one client terminal of client terminals **212** in response to the request message.

The media content item documenting the event and acquired by the user of the client terminal. The media content item may be acquired, for example, by sensors included in client terminals **212** such as built-in camera and/or recorder and/or by any other equipment. Optionally, media content items may be acquired by one device, such as a digital single-lens reflex camera (DSLR) and uploaded by a second device, such as a personal computer. Optionally, the media content item is received as a link to media content item uploaded to the internet, for example posted in a social network and/or personal blog.

Optionally, instructions are sent to users of client terminals **212** on how to connect the media content item to the right event, for example including suggested hash-tag(s) that could be used by a user to tag the media content item.

Optionally, media content items received from client terminals **212** are stored in a media dataset **206**. Media dataset **206** may be any kind of structured data collection, as described above.

Then, optionally, as shown in **105**, media content items received from client terminals **212** are aggregated by aggregation module **207**. For example, a few images from the event are clustered, combined to create a collage, sorted to create a timeline of the event, sorted according to subject documented in the media items (for example artist, crowd, stage etc) and/or processed in any other way.

Then, optionally, as shown in **106**, a subset **213** of client terminals **210**, which are used by users potentially interested in the event, is identified. Client terminals **213** may include client terminals **211** of users that requested media content documenting the event and/or one or more of client terminals **212** which are in proximity to the event at the time of the event and may be interested in watching the event from a different angle or different interpretation. Optionally, client terminals **213** may also include one or more of client terminals **210** that are selected according to use patterns and are identified by an algorithm to identify users that were interested in this type of event in the past, for example according to visited websites, past requests, interests indicated by users for example in a configuration options and/or by any other method.

Then, optionally, as shown in **107**, the media content is distributed by communication module **205**, for example by messages. Optionally, the media content item is provided to client terminals **213** by a message which is sent by communication module **205** to client terminals **213**, containing the media content item. The message may be any kind of message, as described above. Optionally, the media content item is provided by a message which contains a reference to a web document containing the media content. The web document that may be, for example, a webpage, an extensible markup language (XML) page, a hypertext markup language (HTML) page, a portable document format (PDF), an executable, an email, an audio and/or video file, an image and/or any other network accessible content file. The web document may be a webpage or any other network accessible destination. The web document may include, for example, a visual container that allows users to explore all the media content from the event. The reference to the web document may be, for example, a Uniform Resource Locator (URL) or a Universal Resource Identifier (URI). Optionally, the media content is distributed by an algorithm, for example an auto-article enrichment algorithm such as described in U.S. Provisional Patent Application No. 62/007,974. Optionally, a suggestion is sent to users of client terminals **213** to subscribe to media content documenting the event, for example by a hash-tag.

Optionally, the media content is distributed to third parties such as Media companies and/or news agencies. This may be implemented in a revenue share model. Optionally, payment is received from the third parties. Optionally, third parties are provided with access to media dataset **206**, for example via an application programming interface (API).

Optionally, users are credited for uploading media content when requested.

For example, highly credited users are the first to receive media content documenting events and/or get priority when requesting media content. Optionally, users are paid when media content which they uploaded is sold to a third party.

Optionally, users are credited when media content which they uploaded is viewed, acknowledged and/or shared by others. Optionally, users are credited for accurately acquiring

11

ing media content based on specific requests, for example, a show from a specific angle. Optionally, users requesting media content may initiate bidding for providing the required media content.

Optionally, the frequency of distributing the media content is adjusted, for example based on time, geographic location, other events and/or any other factor. For example, notifications to client terminals **213** may be frequent during the time of the event and less frequent when the event is over.

Optionally, the media content is distributed while new media is uploaded by client terminals **212** and is continuously aggregated by aggregation module **207**.

Reference is now made to FIG. 3, which is an exemplary application user interlace (UI) of an application of obtaining media content documenting an event, according to some embodiments of the present invention. Reference is also made to FIG. 4, which is a sequence chart schematically representing an exemplary scenario of obtaining media content documenting an event, according to some embodiments of the present invention.

First, as shown in **301** and in **401**, a user A of group **211** of the application is searching for media from the Madonna concert which is about to start in Vancouver, the system may suggest other popular searches from Madonna (such as from the last days). Since the concert has not started yet, very few (if any) media items are available.

Then, as shown in **402**, the system then identifies that the Madonna concert in Vancouver is an interesting event, as a substantial number of users are querying on it.

The system identifies the time of the concert and which venue holds the concert, for example by using internet sources, and identifies the cellular polygonal perimeter that holds the venue.

Then, as shown in **403**, the system sends a notification to users of group **212**, which are within the polygonal perimeter, such as shown in **302** which is a screenshot of the application of user B of group **212**, which invites people to share what they are viewing right now.

Then, as shown in **404**, User B of group **212** takes a photo of Madonna in the concert. As shown in **303**, the application allows for a quick upload screen for different type of media.

Then, as shown in **405**, user B of group **212** uploads the photo of Madonna to the server of the system. Once the image is uploaded, it is aggregated together with other media uploaded from the Madonna concert in Vancouver, as shown in **406**.

Finally, when enough media is gathered from users at the Madonna concert in Vancouver, a notification is send to users who have shown interest in that event (and others), such as user C of group **213** as shown in **304** and **407**, and/or such as user A of group **211** who requested for the media, as shown in **408**.

The descriptions of the various embodiments of the present invention have been presented for purposes of illustration, but are not intended to be exhaustive or limited to the embodiments disclosed. Many modifications and variations will be apparent to those of ordinary skill in the art without departing from the scope and spirit of the described embodiments. The terminology used herein was chosen to best explain the principles of the embodiments, the practical application or technical improvement over technologies found in the marketplace, or to enable others of ordinary skill in the art to understand the embodiments disclosed herein.

It is expected that during the life of a patent maturing from this application, many relevant methods and systems for

12

acquiring media content will be developed and the scope of the term media content is intended to include all such new technologies a priori.

The terms “comprises”, “comprising”, “includes”, “including”, “having” and their conjugates mean “including but not limited to”. This term encompasses the terms “consisting of” and “consisting essentially of”.

As used herein, the singular form “a”, “an” and “the” include plural references unless the context clearly dictates otherwise. For example, the term “a compound” or “at least one compound” may include a plurality of compounds, including mixtures thereof.

The word “exemplary” is used herein to mean “serving as an example, instance or illustration”. Any embodiment described as “exemplary” is not necessarily to be construed as preferred or advantageous over other embodiments and/or to exclude the incorporation of features from other embodiments.

The word “optionally” is used herein to mean “is provided in some embodiments and not provided in other embodiments”. Any particular embodiment of the invention may include a plurality of “optional” features unless such features conflict.

Throughout this application, various embodiments of this invention may be presented in a range format. It should be understood that the description in range format is merely for convenience and brevity and should not be construed as an inflexible limitation on the scope of the invention. Accordingly, the description of a range should be considered to have specifically disclosed all the possible subranges as well as individual numerical values within that range. For example, description of a range such as from 1 to 6 should be considered to have specifically disclosed subranges such as from 1 to 3, from 1 to 4, from 1 to 5, from 2 to 4, from 2 to 6, from 3 to 6 etc., as well as individual numbers within that range, for example, 1, 2, 3, 4, 5, and 6. This applies regardless of the breadth of the range.

Whenever a numerical range is indicated herein, it is meant to include any cited numeral (fractional or integral) within the indicated range. The phrases “ranging/ranges between” a first indicate number and a second indicate number and “ranging/ranges from” a first indicate number “to” a second indicate number are used herein interchangeably and are meant to include the first and second indicated numbers and all the fractional and integral numerals therebetween.

It is appreciated that certain features of the invention, which are, for clarity, described in the context of separate embodiments, may also be provided in combination in a single embodiment. Conversely, various features of the invention, which are, for brevity, described in the context of a single embodiment, may also be provided separately or in any suitable sub combination or as suitable in any other described embodiment of the invention. Certain features described in the context of various embodiments are not to be considered essential features of those embodiments, unless the embodiment is inoperative without those elements.

Although the invention has been described in conjunction with specific embodiments thereof, it is evident that many alternatives, modifications and variations will be apparent to those skilled in the art. Accordingly, it is intended to embrace all such alternatives, modifications and variations that fall within the spirit and broad scope of the appended claims.

All publications, patents and patent applications mentioned in this specification are herein incorporated in their

13

entirety by reference into the specification, to the same extent as if each individual publication, patent or patent application was specifically and individually indicated to be incorporated herein by reference. In addition, citation or identification of any reference in this application shall not be construed as an admission that such reference is available as prior art to the present invention. To the extent that section headings are used, they should not be construed as necessarily limiting.

What is claimed is:

1. A method of obtaining media content of an event, comprising:

identifying a subset of a plurality of client terminals of a plurality of users, client terminals of the subset being located in proximity to a geographic location of a real-life event at a time of the real-life event;

sending a message to each client terminal of the subset, the message containing a request, to present on a respective display, to acquire media content documenting the real-life event in the geographic location, the request comprising instructions for imaging the real-life event;

receiving, from a first client terminal of the subset, a media content item in response to the message, the media content item being acquired by the first client terminal of the subset and the media content item documenting the real-life event;

in response to receiving the media content item from the first client terminal, crediting a first user associated with the first client terminal for providing the media content item; and

distributing, to a second client terminal associated with a second user, the media content item based on a credit associated with the second user for providing a requested media content item.

2. The method of claim 1, wherein the distributing comprises distributing the media content item to the second client terminal while the media content item is being received from the first client terminal.

3. The method of claim 1, further comprising:

identifying a second subset of the plurality of client terminals of users potentially interested in the real-life event; and

providing the media content item to the second subset of client terminals.

4. The method of claim 1, wherein the distributing occurring at a frequency determined based on at least one of the time and the geographic location of the real-life event.

14

5. The method of claim 1, further comprising:

providing the media content item to the second client terminal, wherein the providing includes sending a message with a reference to a network-accessible content file containing the media content item.

6. The method of claim 1, wherein the location and the geographic location of the real-life event is identified using a search action comprising searching at least one events source which is external to the client terminal.

7. The method of claim 1, wherein the location and the geographic location of the real-life event are manually provided by a user entering event details into an event dataset.

8. The method of claim 1, further comprising:

sending a message with a reference to a network-accessible content file containing the media content item to at least some of the plurality of client terminals.

9. The method of claim 1, further comprising:

providing the media content item to at least one third party to be presented by the at least one third party in relation to the real-life event.

10. The method of claim 1, wherein the identifying of the subset of client terminals comprises:

monitoring geographic locations of the plurality of client terminals; and

identifying when at least one of the plurality of client terminals is located in proximity to the geographic location of the real-life event.

11. The method of claim 1, wherein the identifying of the subset of client terminals includes accessing at least one calendar stored in a memory of at least one of the plurality of client terminals.

12. The method of claim 1, wherein the identifying includes ranking of the subset of client terminals according to past media content items received from each of the plurality of client terminals.

13. The method of claim 1, wherein the instructions include at least one text instruction to arrive at the geographic location, and coordinates of the geographic location of the real-life event to be included in a map that indicates the geographic location, wherein the at least one text instruction and the map are presented on a screen of each of the subset of client terminals.

14. The method of claim 13, wherein the map includes multiple identified geographic locations of real-life events.

15. The method of claim 1, wherein the media content item is received by a message with a reference to a network-accessible content file containing the media content item.

16. The method of claim 1, wherein the media content item is aggregated with other media content items.

* * * * *