US00D730703S

(12) United States Design Patent
Bucks

(10) Patent No.: US D730,703 S
(45) Date of Patent: ** Jun. 2, 2015

(54) **KNIFE HOLDER**

(71) Applicant: **FAM**, Kontich (BE)

(72) Inventor: **Brent L. Bucks**, Lakewood Ranch, FL (US)

(73) Assignee: **FAM**, Kontich (BE)

(**) Term: **14 Years**

(21) Appl. No.: **29/490,213**

(22) Filed: **May 7, 2014**

(51) **LOC (10) Cl.** **07-03**

(52) **U.S. Cl.**
USPC **D7/650**; D7/649; D7/401.2

(58) **Field of Classification Search**
USPC D7/393–395, 401.2, 637, 641–652, 693, D7/695–696; D8/6, 19, 93, 97–100, 107, D8/300, 321; D15/11, 78; D22/117–118; D25/125; D34/29; 30/136, 142, 30/147–149, 172, 329, 340–345; 144/174
CPC . A47G 21/06; A47G 21/065; A61B 17/3211; A61B 17/3213; B21D 53/64; B26B 1/00; B26B 1/08; B26B 1/10; B26B 3/00; B26B 3/02; B26B 3/03; B26B 3/04; B26B 3/06; B26B 5/00; B26B 5/001; B26B 5/007; B26B 7/00; B26B 7/005; B26B 9/00; B26B 9/02; B26B 11/00; B26B 11/006; B26B 17/00; B26B 17/006; B27L 11/005; E04D 15/003
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D57,561	S *	4/1921	Wilson	D8/19
D229,493	S *	12/1973	Feakins	D25/125
D237,245	S *	10/1975	Smyth	D8/6
D293,323	S *	12/1987	Slattery et al.	D15/78
D296,177	S *	6/1988	Nolen et al.	D7/637
5,280,676	A *	1/1994	Fieni	30/172
D360,560	S *	7/1995	Stroecker	D7/637
D366,814	S *	2/1996	Stroecker	D7/641
6,968,879	B2 *	11/2005	Schuh et al.	144/174
D512,279	S *	12/2005	Berger et al.	D7/637
D570,501	S *	6/2008	Janesz et al.	D25/125
D591,475	S *	4/2009	Campbell et al.	D34/29
D617,350	S *	6/2010	Cummings	D15/11

* cited by examiner

Primary Examiner — Ricky Pham
(74) *Attorney, Agent, or Firm* — Koppel, Patrick, Heybl & Philpott


(57) **CLAIM**

The ornamental design for a knife holder, as shown.

DESCRIPTION

FIG. **1** is an isometric view of a top, rear, and right side of a new ornamental design for a knife holder;
FIG. **2** is a top view of the knife holder of FIG. **1**;
FIG. **3** is a bottom view of the knife holder of FIG. **1**;
FIG. **4** is a right side elevational view, the left side elevational view being a mirror image thereof, of the knife holder of FIG. **1**;
FIG. **5** is a front elevational view of the knife holder of FIG. **1**; and,
FIG. **6** is a rear elevational view of the knife holder of FIG. **1**.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 5




FIG. 6

FIG. 4